



New Sidewalk Program Priority Rating Form

Rating Date (YYYY/MM/DD)	
Priority Rating	
50 and above	High
31 - 49	Medium
30 and less	Low

Requested Location	From	To	Potential Side	Distance (m)

Item	Factor	Criteria	Points	Rating Points
1	Daily Pedestrian Usage	Heavy (80 or more)	10	
		Light (40 and 79)	5	
		39 or less	0	
2	Sidewalk connects to existing system	Connects to existing sidewalk network	5	
		Does not connect to existing sidewalk network	0	
3	Distance to bus stop	Transit route on street	15	
		Within 200 m	10	
		Between 200 and 400 m	5	
		More then 400 m	0	
4	Daily vehicle volume	more then 10,000	15	
		5,000 to 10,000	10	
		1,000 to 5,000	5	
		less then 1,000	0	
5	Roadway Alignment	Horizontal or vertical curve	5	
		Flat and straight	0	
6	Pedestrian Visibility	Road has no streetlights	5	
		Road has streetlights	0	
7	Existing walking alternatives	Arterial with 0 or 1 sidewalk	10	
		Collector with 0 sidewalk	10	
		Local with 0 sidewalk	10	
		Collector with 1 sidewalk	5	
		Local with 1 sidewalk	0	
8	Distance to school	Fronting street	20	
		Within 400 m	15	
		Within 400 to 800 m	10	
		Greater then 800 m	0	
9	Trip generators within 400 m	High density residential / shopping centres	10	
		Medium density residential / shopping plazas / gyms, medical centres	5	
		Low density residential / industrial	0	
10	Distance to community amenities	Within 400 m	5	
		Outside of 400 m	0	
		Total		