



Old East Village Dundas Street Corridor Secondary Plan

Consolidated March 2020





Contents

1.0	INTRODUCTION	1
1.1	Background	1
1.2	Location	2
1.3	Purpose and Use	3
1.4	Vision and Principles	4
2.0	CHARACTER AREAS	5
2.1	Overview	5
2.2	Midtown Character Area	6
2.3	Old East Village Core Character Area	7
2.4	Old East Village Market Block Character Area	8
2.5	King Street Character Area	9
3.0	POLICIES	11
3.1	Overview	11
3.2	Land Use	12
3.3	Built Form	14
	3.3.1 Permitted Heights	14
	3.3.2 General Built Form	16
	3.3.3 Mid-Rise Form	18
	3.3.4 High-Rise Form	20
3.4	Bonusing	22
3.5	Public Realm	23

3.6	Mobility	25
3.6.1	Pedestrian Priority	26
3.6.2	Cycling	27
3.6.3	Transit	27
3.6.4	Parking and Vehicle Access	28
3.6.5	Rights-of-Way Design	29
3.7	Cultural Heritage	36
3.8	Natural Heritage	37
3.9	Housing Options	38
4.0	SCHEDULES	39
	Schedule 1: Secondary Plan Area	40
	Schedule 2: Ground-Floor Uses	41
	Schedule 3: Permitted Heights	42
	Schedule 4: Mobility Network	43



1.0 Introduction

1.1 BACKGROUND

Important regeneration efforts have been carried out in Old East Village and the surrounding area for more than three decades. In 2003, the Ontario Professional Planners Institute's Planners Action Team came together to undertake a detailed analysis of the corridor. Their report, *Re-establishing Value: A Plan for the Old East Village*, included a number of strategies for improvement and revitalization. Guided by these recommendations, the Community Improvement Plan area was established in 2004. The associated *Old East Village Community Improvement Plan* was created to provide context for a coordinated Municipal effort to improve the physical, economic, and social conditions of Old East Village and to stimulate private investment and property maintenance and renewal.


Following this, the *Old East Village Commercial Corridor Urban Design Manual* was prepared by the City of London and adopted in 2016. The purpose of this design manual is to promote high-quality design that responds to the area's unique context and overall vision. Throughout all of these projects and initiatives, the neighbourhood and business community has been instrumental, working closely with staff to ensure the project outcomes are appropriate for the local context.

The area faces future challenges and opportunities that come with rapid transit service, infrastructure upgrades, cycling infrastructure and development. This Secondary Plan aims to build on the ongoing efforts to revitalize the community, knitting together planned transit and cycling infrastructure upgrades with development pressures and public realm design priorities.

1.2 LOCATION

The *Old East Village Dundas Street Corridor Secondary Plan* applies to the general area along Dundas Street between Colborne Street and Burbrook Place, and King Street between Colborne Street and Ontario Street. The Secondary Plan boundary is illustrated in Schedule 1. This Secondary Plan incorporates the area that extends beyond the boundaries of what is traditionally considered Old East Village to ensure that appropriate connections are created to the downtown to the west as well as to the McCormick Area Secondary Plan area and former Kellogg’s property to the east.

The East Woodfield Heritage Conservation District, the West Woodfield Heritage Conservation District, and the Old East Heritage Conservation District are in close proximity to the Secondary Plan area. In addition, there are areas located adjacent to the Secondary Plan boundary, each identified as an ‘Area of Special Sensitivity’ (illustrated in Schedule 1), where additional development guidance helps to prevent conflicts with the existing built form and uses.



Schedule 1: Secondary Plan Area

1.3 PURPOSE AND USE

The purpose of this Secondary Plan is to establish a vision, principles, and detailed policies for the Old East Village and surrounding areas and to continue the neighbourhood's evolution into a unique destination and a vibrant community core. This Secondary Plan provides a policy framework for future developments and for public realm improvements within the Old East Village Dundas Street Corridor Secondary Plan area. The intent of the policies is to ensure that the Secondary Plan area finds continuing uses for its cultural heritage resources and provides a rich, diverse, and balanced street life for residents, businesses owners, shoppers, pedestrians, cyclists, and transit users.

The policies of this Secondary Plan provide a greater level of detail than the general policies of the Official Plan. Where the policies of the Official Plan provide sufficient guidance to implement the vision of this Secondary Plan, these policies are not duplicated. As such, the policies of this Secondary Plan should be used in conjunction with the policies of the Official Plan and other applicable policy documents. If an instance arises where the Official Plan and the *Old East Village Dundas Street Corridor Secondary Plan* appear to be inconsistent, consideration shall be given to the additional specificity of the Secondary Plan, and the Secondary Plan shall prevail.

The schedules form part of this Secondary Plan and have policy status whereas other figures and photographs included in this Secondary Plan are provided for graphic reference, illustration, and information.

Any required funding associated with the recommendations in the Secondary Plan are subject to the availability and approval of funding through the Corporation's multi-year budget process.





1.4 VISION AND PRINCIPLES

The Old East Village Dundas Street Corridor Secondary Plan area is envisioned as a vibrant commercial core with a unique heritage character that serves as a community hub for local residents and draws visitors as a distinct destination. The vision for this area has been developed to continue the momentum of three decades of revitalization efforts, the ongoing evolution and the current success of Old East Village and the surrounding areas.

The development of this Secondary Plan has been guided by the following principles:

- Foster the local and creative entrepreneurial spirit and support community economic development;
- Respect and reinvest in cultural heritage resources to enhance the unique character of the area;
- Provide distinct retail options with a wide range of commercial uses including restaurants and cafes;
- Create a welcoming and safe environment for pedestrians and cyclists of all ages and abilities;
- Establish safe connections to the local transit system and surface parking lots; and,
- Support appropriately-scaled residential growth.

2.0 Character Areas

2.1 OVERVIEW

The Old East Village Dundas Street Corridor Secondary Plan area is broadly made up of four character areas: Midtown, Old East Village Core, Old East Village Market Block, and King Street. Each character area has distinct characteristics that together create a unique identity for the Secondary Plan area.




Figure 1: Character Areas



2.2 MIDTOWN CHARACTER AREA

Midtown is characterized by low-rise buildings with institutional and commercial uses fronting Dundas Street. Significant cultural heritage resources line both sides of the street. The area provides a transition between the downtown to the west, and the core of Old East Village to the east.

The vision for Midtown is for the area to be a vibrant and pedestrian-oriented connection between the downtown and Old East Village. Supporting the continued retail health is a priority for this character area. New development is envisioned, especially on the south side of the corridor, in a form that is well-integrated into the existing context and is respectful of the cultural heritage resources in the area. This portion of Dundas Street is identified as a Main Street within the Rapid Transit Corridor Place Type in *The London Plan*, where street-oriented built form is supported, meaning that buildings are close to the street and parking is deemphasized. A broad range of uses and intensification is envisioned to take place at a walkable neighbourhood scale.



2.3 OLD EAST VILLAGE CORE CHARACTER AREA

The Old East Village Core is located along Dundas Street, between Adelaide Street and Ontario Street, and is the heart of Old East Village anchoring the overall Secondary Plan area. Today, this segment of Dundas Street is lined with independent shops and restaurants. This area has a history of grassroots revitalization efforts that have created a distinct and attractive character. The momentum of revitalization needs to be maintained and fostered for the area's continued success.

The vision for the Old East Village Core is a vibrant pedestrian-oriented district with a broad range of commercial uses. In *The London Plan*, this segment of Dundas Street is identified as a Main Street within the Rapid Transit Corridor Place Type, where continuous street-oriented built form is supported, with a broad range of uses and intensification designed at a walkable neighbourhood scale.

Retaining and enhancing the character of the Old East Village Core to achieve a continuous streetscape is a key strategy of this Secondary Plan. New development should be harmonious with the existing character, rhythm, and massing of the current built form, and have building materials that are sympathetic to the character of the existing structures, cultural heritage resources, and the street.



2.4 OLD EAST VILLAGE MARKET BLOCK CHARACTER AREA

The Old East Village Market Block is located along Dundas Street, between Ontario Street and Burbrook Place, and is characterized by Western Fair District and Queens Park to the south and small-scale retail uses on the north side of the street. The Market at Western Fair District anchors this character area, and has been an incubator for independent local businesses, some of which have opened storefront locations along Dundas Street. This segment of Dundas Street connects the Old East Village Core to the McCormick Area Secondary Plan area and the former Kellogg's property, two industrial areas with distinct heritage character undergoing substantial transformation and revitalization.

The vision for the Old East Village Market Block is to strengthen the walkability of the area with a strong retail and restaurant presence to sustain year-round activity and to enhance the symbiotic relationship between these uses and Western Fair District. Change is anticipated with future rapid transit service planned for this segment of the Dundas Street corridor. Strengthening the physical connection to the Old East Village Core will be a priority for this character area.



2.5 KING STREET CHARACTER AREA

King Street is characterized by varying land uses ranging from residential to light industrial and institutional. The built form is also varied with low-rise single-detached dwellings alongside high-rise apartment buildings. Today along King Street, there are a number of large surface parking lots offering excellent opportunities for transit-oriented intensification. The area between Dundas Street and King Street is characterised by deep lots which offer good high-rise development opportunities.

Rapid transit service is anticipated along King Street, from the downtown through to Ontario Street. King Street is identified as a Rapid Transit Boulevard within the Rapid Transit Corridor Place Type in *The London Plan*. The Plan encourages intensification here, especially around future rapid transit stations planned along King Street at Colborne Street, Adelaide Street North and Ontario Street.

High-rise residential and office uses may be appropriate along King Street, and have recently been introduced to the corridor. It is envisioned that the highest residential intensity will be accommodated in the King Street Character Area to strengthen the market for Old East Village businesses, especially within walking distance to the future rapid transit stations.



Old
EAST
765 GRILL
BAR & RESTAURANT

LIVE MUSIC
EVERY WEEKEND
SAT ROBBIE ANTONI 4 PM



3.0 Policies

3.1 OVERVIEW

The intent of this Secondary Plan is to provide a policy framework to guide future development and public projects in the Old East Village Dundas Street Corridor Secondary Plan area. Policies in this Secondary Plan support the vision by providing guidance on: land use, built form, public realm design, mobility, cultural heritage, natural heritage, and housing options.

The policies of this Secondary Plan generally provide a greater level of detail than the general policies of the Official Plan. Where the policies of the Official Plan provided sufficient guidance to implement the vision of this Secondary Plan, these policies were not repeated. As such, the policies of this Secondary Plan should be read in conjuncture with the Official Plan. In instances where the overall policies of the Official Plan and the *Old East Village Dundas Street Corridor Secondary Plan* are inconsistent, the Secondary Plan shall prevail.

The policies of this Secondary Plan that use the words “will” or “shall” express a mandatory course of action. Where the word “should” is used, suitable alternative approaches to meet the intent of the policy may be considered.

The policies of this Secondary Plan will be implemented through mechanisms set out in this Secondary Plan, public investments in infrastructure and public realm improvements, as well as other tools available to the City including the Zoning By-law, and the Site Plan Control By-law. Planning and development applications will be evaluated based on the Planning and Development Application policies in the Our Tools section of *The London Plan* to ensure that the permitted range of uses and intensities are appropriate within the surrounding context.



3.2 LAND USE

Today, Old East Village, Midtown, and King Street feature a diverse mix of land uses and an artisanal spirit which contribute to its positioning as an active urban node and an area of entrepreneurial activity. The intent of the following land use policies is to allow for the Secondary Plan area to continue to evolve as a thriving mixed-use community and a cultural hub. The Zoning By-law will provide more detail on individual permitted uses; this may not include the full range of uses identified in this Secondary Plan.

The following land use policies apply to the entire Secondary Plan area, unless otherwise specified by the individual policy:

- a) Mixed-use buildings are encouraged as the preferred form of development within the Secondary Plan area.
- b) A broad range of residential, retail, service, office, cultural, recreational, and institutional uses may be permitted.
- c) Dundas Street properties, between Adelaide Street North and Burbrook Place, shall provide street-oriented active uses on the ground floor for the majority of the Dundas Street frontage. Street-oriented active uses include, but are not limited to:
 - Retail;
 - Service;
 - Recreational;
 - Cultural; and,
 - Institutional.

Street-oriented non-active uses, such as residential lobbies and office uses, may be permitted if they comprise less than the majority of the Dundas Street frontage of an individual property. The segment where this policy is applicable is illustrated in Schedule 2: Ground-Floor Uses.



Schedule 2: Ground-Floor Uses

- d) Street-oriented active uses are encouraged at the ground floor of properties fronting Dundas Street, between Colborne Street and Adelaide Street North, as well as properties on Colborne Street, Adelaide Street North and Ontario Street between Dundas Street and King Street, illustrated in Schedule 2: Ground-Floor Uses.
- e) Residential uses are encouraged above the ground floor to increase the residential population and provide a variety of housing options.
- f) Primary access to residential units located above the ground floor should be located on a street-facing facade for pedestrian comfort and safety.
- g) Artisanal workshops and craft breweries may be permitted to support the emerging businesses.
- h) Community facilities and institutional uses may be permitted for the continued provision of neighbourhood services. The ground floor of these uses will be designed to contribute to the vibrancy and animation of the street.


3.3 BUILT FORM

One of the Secondary Plan area's strongest assets is its rich and complex built environment with various building forms and types that contribute to a unique sense of place. From the historic low-rise houses and retail buildings fronting on Dundas Street to the high-rise buildings emerging along King Street, the variety of building types that allow diverse uses to flourish will be key to the area's continued evolution and vibrancy. The purpose of this Secondary Plan is to provide guidelines to coordinate and guide future developments while celebrating the continued diversity in the urban fabric.

3.3.1 PERMITTED HEIGHTS

The Zoning By-law will provide more detail on individual permitted heights; this may not include the full range of heights identified in this Secondary Plan.

- a) For the purposes of this Secondary Plan, low-rise will describe buildings up to, and including, three storeys in height. Within the entirety of the Secondary Plan area, low-rise buildings will be permitted, with a required minimum of height of two storeys or eight metres.
- b) For the purposes of this Secondary Plan, mid-rise will describe buildings four storeys and up to and including eight storeys in height.
- c) For the purposes of this Secondary Plan, high-rise will describe buildings nine storeys in height and taller.
- d) Low-rise and mid-rise buildings are generally permitted on the north side of Dundas Street and on the south side of Dundas Street between Egerton Street and Kellogg Lane. Refer to Schedule 3: Permitted Heights. Maximum building heights may be less than eight storeys as determined through the policies in Section 3.3.3 Mid-Rise Form.
- e) Low-rise, mid-rise, and high-rise buildings up to 12 storeys are generally permitted on the south side of Dundas Street, on both sides of King Street, and on both sides of Ontario Street. Refer to Schedule 3: Permitted Heights.
- f) Within the Secondary Plan area, permitted maximum building heights shall be up to 16 storeys within a 100 metre radius of a rapid transit station to promote transit-oriented development.



Schedule 3: Permitted Heights

- g) Where high-rise forms are permitted (refer to Schedule 3: Permitted Heights), height exceeding the established maximum, up to 24 storeys, may be permitted through a site-specific bonus zone, where it can be demonstrated that significant measures are put in place to support or mitigate this additional height or density, subject to the policies of Section 3.4 Bonusing.
- h) Development proposals for residential intensification may require a Heritage Impact Assessment, as well as studies to determine servicing capacity and necessary upgrades. The results of these studies may influence the maximum height and density that is permitted through zoning.
- i) Notwithstanding the Permitted Heights policies contained in this Secondary Plan, a maximum building height of 16 storeys, excluding the mechanical penthouse, may be permitted on lands located at 496 Dundas Street, subject to the following conditions:
 - In keeping with the intent of policy 3.3.3 b) of this Secondary Plan, a height transition is provided that contains the massing of all built form on 496 Dundas Street within a 45-degree angular plane taken from a height of 7.0 metres above the property line of the properties adjacent to the north of 496 Dundas Street to provide a sensitive transition to the lands situated within the Area of Special Sensitivity illustrated in Schedule 1; and,
 - Built form exceeding 8-storeys in height conforms with the policies contained in 3.3.4 High-Rise Form of this Secondary Plan, excluding policy 3.3.4 g).

3.3.2 GENERAL BUILT FORM

- a) The Old East Village Core and Old East Village Market Block character areas have an existing relatively consistent built form which establishes a continuous street wall. The placement of buildings within these character areas should support this continuous street wall, and exceptions for small plazas, courtyards or patios spaces should be designed to carefully integrate into this established streetscape.
- b) The Midtown character area has an existing built form condition which is highly diverse. The placement of buildings will respond to the immediately adjacent built form context.
- c) The King Street character area is planned to accommodate rapid transit service and high-rise development. To create a comfortable pedestrian environment along King Street, new buildings in this character area will be set back from the right-of-way to provide space for landscaping.
- d) Parking shall not be located between the building and public right-of-way.
- e) Landscape treatment should be provided along the edge of parking lots and within parking lots to mitigate water runoff, heat island effect and enhance the user experience.
- f) Access for parking and service areas should be located away from main streets and on side streets and laneways where possible. Where it is not possible, parking access will be minimized to reduce pedestrian conflict and will be integrated in a way that does not detract from the character of the street.
- g) Corner buildings should be designed with the primary building entrances fronting onto the higher order street.
- h) High- and mid-rise buildings should be designed to express three defined components: a base, middle, and top. Alternative design solutions that address the following intentions may be permitted:
 - The base should establish a humanscale façade with active frontages including, where appropriate, windows with transparent glass, awnings, lighting, and the use of materials that reinforce a human scale.
 - The middle should be visually cohesive with, but distinct from, the base and top.
 - The top should provide a finishing treatment, such as a roof or a cornice treatment, and will serve to hide and integrate mechanical penthouses.
- i) Buildings should have articulated façades that complement the façade rhythm of the existing streetscape. No large blank walls should be visible from the street.
- j) Building façades should address and frame the public street at grade.
- k) Façade elements of infill development or new construction fronting onto Dundas Street will be designed to support the existing character along the Dundas Corridor. These elements may include:
 - Entryways and doors;
 - Windows;
 - Window bases;
 - Sign band and signage;
 - Awnings; and,
 - Lighting.

- l) Regardless of the intended use, the ground floor of new buildings should be designed with the flexibility to accommodate future conversion to non-residential uses in the future. Strategies could be considered, such as providing a raised floor over the slab that can be removed to provide additional ground floor height in the future.
- m) All development fronting onto Dundas Street should be consistent with the **Old East Village Commercial Corridor Urban Design Manual** to coordinate the façade and built form with the existing character of Dundas Street.




Figure 2: Illustration of New Low-Rise Buildings

3.3.3 MID-RISE FORM

- a) To provide a sensitive transition of built form to the existing established built form outside of the Secondary Plan Area, transition policies will apply to properties within the Height Transition Areas, illustrated in Schedule 3: Permitted Heights.
- b) Within a Height Transition Area, all building massing should be contained within a 45-degree angular plane taken from a height of 7.0 metres above the closest property line of the nearest property within an Area of Special Sensitivity or a Heritage Conservation District, to ensure an appropriate transition to as illustrated in Figure 4 and 5.
- c) Mid-rise buildings shall stepback a minimum of five metres at the second, third or fourth storey, depending on the built form context, along public rights-of-way to mitigate downward wind shear and support the existing street character at street level.




Figure 3: Illustration of New Mid-Rise Buildings




Figure 4: 45-degree Angular Plane Transition Abutting an HCD/Area of Special Sensitivity




Figure 5: 45-degree Angular Plane Transition Abutting a City Parking Lot



3.3.4 HIGH-RISE FORM

- a) The podium of a high-rise building shall be designed to support a pedestrian-scaled environment at street level.
- b) High-rise buildings shall stepback a minimum of five metres at the second, third or fourth storey, depending on the built form context, along public rights-of-way to mitigate downward wind shear, support or enhance the existing street character at street level, and limit the visual impact of the building at street level.
- c) High-rise buildings should be designed with slender towers that reduce shadow impact, minimize the obstruction of views, and are less massive to neighbouring properties. Point towers with floor plates of approximately 1,000 square metres or less is a reasonable target to achieve this goal.
- d) Towers shall not have any blank façades.
- e) The top portions of the tower shall be articulated through the use of a small setback, difference in articulation, or the use of an architectural feature. The mechanical penthouse shall be integrated into the design of the tower.
- f) High-rise buildings should have a minimum separation distance of 30 metres between towers. This separation distance is intended to:
 - Minimize the impacts of shadowing and loss of sunlight access on surrounding streets and nearby properties;
 - Ensure natural light, a reasonable level of privacy, and views between towers are provided to occupants of high-rise buildings;

- Provide pedestrian-level views of the sky between high-rise buildings, particularly as experienced from adjacent streets; and,
 - Limit uncomfortable wind conditions on adjacent streets and nearby properties.
- g) Towers of high-rise buildings should be setback a minimum distance of 15 metres from interior property lines. This separation distance is intended to protect opportunities for future high-rise development on adjacent sites.




Figure 6: Illustration of New High-Rise Buildings

3.4 BONUSING

- a) Where high-rise forms are permitted and where it can be demonstrated that significant measures are put in place to support or mitigate additional height or density, City Council may pass a by-law, known as a bonus zone, to authorize increases in the height and density of development beyond what is otherwise permitted by the *Zoning By-Law*, in return for the provision of such facilities, services, or matters as are set out in the bonus zone.
- b) In accordance with the permitted heights identified in Section 3.3.1 Permitted Heights, additional height or density may be permitted in favour of facilities, services, or matters such as:
 - Cultural heritage resources designation and conservation.
 - Affordable housing.
 - Public art.
 - Provision of off-site community amenities, such as parks, plazas, civic spaces, or community facilities.
 - Publicly-accessible mid-block connections and laneways, or widening of existing mid-block connections.
 - Generous front yard setbacks along King Street to widen the public right-of-way, provide landscaping and noise buffer, and act as a spatial relief for high-rise building forms.
 - Contribution to the development of transit amenities, features and facilities, available to the public during transit operating hours.
 - Substantial contribution to publicly accessible secure bicycle parking, and cycling infrastructure such as lockers and change rooms.
 - Contribution to façade restoration and other heritage investments within the Secondary Plan area.
 - Other facilities, services, or matters that provide substantive public benefit.
- c) The facilities, services and matters to be provided in return for greater height or density do not necessarily have to be provided on the same site as the proposed development. City Council may want to have such benefits directed to another property within the Secondary Plan area.
- d) Each proposal for bonus zoning will be considered on its own merits. The allowance for greater height and density on one site in return for certain facilities, services and matters will not be considered to establish a precedent for similar height and density on any other site.



3.5 PUBLIC REALM

A thoughtfully designed public realm will contribute to the success of the Old East Village Dundas Street Corridor Secondary Plan area as an attractive and safe place for people to live and visit. A coordinated approach to streetscape design will help to define this area of the city as a unique destination and a network of public spaces will provide focal points within the neighbourhood for community gatherings. Safe and convenient connections to cycling facilitates, transit, and parking will achieve a functional design that accommodates multiple transportation options. The public realm and streetscape will be designed in a way that allows flexibility and the ability for adaptation over time as resources become available and as the area and its needs evolve.

The following policies apply to the public realm, including all public streets and mid-block connections within the Old East Village Dundas Street Corridor Secondary Plan area:

- a) Pedestrian comfort, connectivity, and safety will be prioritized in the design of the public realm.
- b) Main building entrances, terraces, and gathering spaces will be oriented towards public rights-of-way and provide direct access from the sidewalk to promote safety.
- c) Safety and accessibility of connections to municipal parking lots from public rights-of-way will be enhanced with appropriate sightlines, pedestrian-scaled lighting, and signage.
- d) A comprehensive and coordinated wayfinding approach should be developed for the Secondary Plan area, which includes directional signage and unique pavement treatments.
- e) Existing street trees will be retained where possible, and new trees with potential for large canopies to provide shade will be planted within the identified landscape zones.
- f) The integration of open spaces, such as plazas or parkettes, are encouraged to be incorporated into the design of new development, especially at street intersections for visibility and accessibility.




- g) The incorporation of gateway features should be considered at key intersections when the opportunity arises through development or infrastructure projects.
- h) A coordinated approach to the location and design of street furniture, including elements such as bicycle parking, benches, planters, waste receptacles, and lighting will be implemented through infrastructure projects. Development projects should coordinate with and enhance the established approach to the design and location of street furniture, where applicable.
- i) Opportunities to add walkways and/or widen and extend laneways to provide midblock connections should be explored to provide safe connections to municipal parking lots, mid- and high-rise residential development, and transit stops and stations.
- j) Opportunities to accommodate outdoor patios within the sidewalk and within on-street parking spaces should be considered in the design of Dundas Street.
- k) To accommodate events of different scales and sizes as well as seasonal decorations, consideration should be given to electrical outlet access and capacity as well as moveable features in the design of Dundas Street.

3.6 MOBILITY

The Old East Village Dundas Street Corridor Secondary Plan area is located in close proximity to established residential neighbourhoods, new high-rise residential development, the downtown, the evolving industrial areas of the McCormick Area Secondary Plan area and the former Kellogg’s property, and at the juncture of three Heritage Conservation Districts. The area is anticipating cycling infrastructure improvements on Dundas Street and Queens Avenue, as well as rapid transit service along King Street, Ontario Street, and Dundas Street. To serve residents, attract visitors, and support the local businesses in the area, establishing safe access by various modes of transportation is vital to ensure the Secondary Plan area functions for everyone.

Schedule 4: Mobility Network provides an overview of the current pedestrian routes and future areas for mid-block connections as well as the planned Rapid Transit routes and the proposed cycling network.

The following section outlines policies that provide directions for pedestrian, cycling, transit, and automobile connections. The intent of these policies is to improve existing mobility, and to identify potential opportunities for new connections to be established as the area evolves.



Schedule 4: Mobility Network



3.6.1 PEDESTRIAN PRIORITY

The core of Old East Village is a pedestrian supportive environment today with landscaping and street furniture. With anticipated improvement to the cycling infrastructure and introduction of rapid transit service, the walking environment requires special attention and upgraded treatments. Well-designed streetscapes with opportunities to incorporate street furniture and patio space will also encourage visitors to linger and patronise the local businesses, enhancing Old East Village's appeal as an urban destination.

The design of Dundas Street, King Street, connections to municipal parking lots, and all intersecting north-south streets will be designed to prioritize pedestrian connectivity, safety, and comfort by:

- a) Ensuring generous sidewalk widths;
- b) Incorporating attractive paving, plantings, and lighting;
- c) Seeking opportunities to create safe new connections to provide public access to municipal parking lots, public space or public streets. This will include exploring opportunities to create new mid-block connections where appropriate, through acquisition of property as it becomes available, or through redevelopment as it occurs;
- d) Installing coordinated directional signage at key locations, particularly on north-south streets that provide connections between commercial uses, residential neighbourhoods rapid transit service, and municipal parking lots; and/or,
- e) Ensuring that rights-of-way, mid-block connections, and laneways that provide access to municipal parking lots are safe and well lit with pedestrian-scale lighting.



3.6.2 CYCLING

Cycling infrastructure upgrades are planned for Dundas Street and Queens Avenue. Eastbound and westbound cycling lanes will be provided on Dundas Street between the downtown and William Street. At William Street the network will split, with the eastbound cycling lane continuing along Dundas Street and the westbound cycling lane along Queens Avenue. At Quebec Street, the cycling lanes will merge again onto Dundas Street, as illustrated in Schedule 4: Mobility Network. This arrangement accommodates the limited right-of-way width through the core of Old East Village and allows for the retention of on-street parking and widened sidewalks as well as opportunities for bicycle parking facilities on Dundas Street.

Cycling within the Secondary Plan area will be further supported by:

- a) Integrating cycling infrastructure, such as separated cycling lanes and route signage, into the design of the rights-of-way; and,
- b) Providing cycling facilities, such as bicycle parking and repair stations, in accessible and highly visible locations.

3.6.3 TRANSIT

Local bus routes along Dundas Street, Adelaide Street North, and Quebec Street currently service the Secondary Plan area. Rapid transit service is anticipated to run along King Street from the downtown to Ontario Street, then proceed along Dundas Street from Ontario Street eastward, as illustrated in Schedule 4: Mobility Network.



As the Secondary Plan area is and will continue to be highly accessible by transit, considerations for transit-oriented intensification informed the built form policies and streetscape design throughout the Secondary Plan area.

- a) Pedestrian connections between Dundas Street and planned rapid transit stations on King Street at Colborne Street, Adelaide Street North, and Ontario Street will be prioritized for future enhancements to the pedestrian environment.
- b) Where possible, local transit stops will be designed and located to minimize the impact to vehicular traffic.

3.6.4 PARKING AND VEHICLE ACCESS

- a) Considering the needs of the existing commercial uses as well as new businesses emerging in the area, loading spaces and on-street parking will continue to be provided, and considered in the design of the rights-of-way within the Secondary Plan area. Loading spaces will be provided in the rear of buildings where possible.
- b) Pedestrian and vehicle access to existing municipal parking lots will be improved by securing new access points through redevelopment, extending existing laneways, and enhancing existing public laneways with improved lighting and design treatment.
- c) Safe and accessible pedestrian routes connecting municipal parking lots to the public sidewalk are a priority and should be provided whenever possible.

3.6.5 RIGHTS-OF-WAY DESIGN

The rights-of-way within the Secondary Plan area have limited space, but are in high demand by a variety of users. The following section provides guidance for the rights-of-way design within the Secondary Plan for the following segments:

- Dundas Street, between Colborne Street and William Street
- Dundas Street, between William Street and Ontario Street
- Dundas Street, between Ontario Street and Burbrook Place
- King Street, between Colborne Street and Ontario Street
- Connector streets, between Dundas Street and King Street





3.6.5.1 Dundas Street, between Colborne Street and William Street

The design of Dundas Street between Colborne Street and William Street will include:

- a) Widened sidewalks on both sides of the street to create a comfortable and safe pedestrian environment;
- b) Landscape zones on both sides of the street with soil volumes suitable to encourage the growth of large canopy trees to provide shade to the sidewalks and create a comfortable pedestrian environment;
- c) Street furniture and bicycle parking with coordinated design throughout the Secondary Plan area, which may be alternated with landscaping where space is constrained;
- d) Pedestrian-scaled lighting with coordinated design throughout the Secondary Plan area;
- e) Separated cycling lanes travelling in both directions;
- f) Loading zones on the north side of the street to support institutional functions; and,
- g) Two vehicular travel lanes, travelling in both directions.

DUNDAS STREET

COLBORNE STREET TO WILLIAM STREET




Figure 6: Dundas Street, Colborne Street to William Street



3.6.5.2 Dundas Street, between William Street and Ontario Street

The design of Dundas Street between William Street and Ontario Street will include:

- a) Widened sidewalks on both sides of the street to create a comfortable and safe pedestrian environment;
- b) Landscape zones on both sides of the street with soil volumes suitable to encourage the growth of large canopy trees to provide shade to the sidewalks and create a comfortable pedestrian environment;
- c) Street furniture and bicycle parking with coordinated design throughout the Secondary Plan area, which may be alternated with landscaping where space is constrained;
- d) Opportunities for restaurant patios on the south side of the street, which may be alternated with landscaping;
- e) Pedestrian-scaled lighting with coordinated design throughout the Secondary Plan area;
- f) On-street parking alternating with bus bays and loading spaces on the north side of the street to support retail and commercial functions on both sides of the street;
- g) A separated cycling lane on the south side of the street travelling eastbound, designed to be visually distinct from the on-street parking on the north side of the street to provide clear direction to users;
- h) Loading zones and bus bays, where space can accommodate these functions, on the south side of the street; and,
- i) Two vehicular travel lanes, travelling in both directions.

DUNDAS STREET

WILLIAM STREET TO ONTARIO STREET





Figure 7: Dundas Street, William Street to Ontario Street

3.6.5.3 Dundas Street, between Ontario Street and Burbrook Place

The design of Dundas Street between Ontario Street and Burbrook Place will be subject to the results of the Bus Rapid Transit Environment Assessment. The principles that will guide the design include:

- a) Incorporating street trees with soil volumes suitable to encourage the growth of large canopy trees to provide shade to the sidewalks and create a comfortable pedestrian environment;
- b) Incorporating street furniture and bicycle parking with coordinated design throughout the Secondary Plan area, which may be alternated with landscaping where space is constrained;
- c) Incorporating pedestrian-scaled lighting with coordinated design throughout the Secondary Plan area;
- d) Creating safe and visually clear connections to the cycling network east and west of this street segment; and,
- e) Accommodating two dedicated rapid transit lanes and two vehicular travel lanes, travelling in both directions.

3.6.5.4 King Street, between Colborne Street and Ontario Street

The design for King Street will be subject to the results of the Bus Rapid Transit Environment Assessment. The principles that will guide the design include:

- a) Accommodating increased pedestrian traffic, as a result of transit use, by maximizing sidewalk widths;
- b) Encouraging generous front-yard setbacks, secured through development, with landscaping, including large canopy trees to provide shade to the sidewalks and relief from frequent transit service;
- c) Incorporating street trees with soil volumes suitable to encourage the growth of large canopy trees, where possible, to provide shade to the sidewalks and create a comfortable pedestrian environment;
- d) Incorporating pedestrian-scaled lighting with coordinated design throughout the Secondary Plan area;
- e) Designing transit stations to coordinate with the streetscape design and elements within the Secondary Plan area and to reflect the unique character of the area; and,
- f) Accommodating two dedicated rapid transit lanes, travelling in both directions, and one eastbound vehicular travel lane.

3.6.5.5 North-South Connector Streets

North-south streets within the Secondary Plan area have an important role of connecting people between Dundas Street, King Street, and Queens Avenue. With future planned cycling infrastructure upgrades on Queens Avenue and Dundas Street, there is an imperative to create safe cycling connections between these two streets. As well, the north-south connections between King Street and Dundas Street will play an important role in facilitating pedestrian movement, particularly near transit stations on King Street.

The design of connector streets will include:

- a) Widened sidewalks, where possible, to create a comfortable and safe pedestrian environment;
- b) Landscape zones with soil volumes suitable to encourage the growth of large canopy trees, where possible, to provide shade to the sidewalks and create a comfortable pedestrian environment;
- c) Street furniture and bicycle parking with coordinated design throughout the Secondary Plan area, which may be alternated with landscaping where space is constrained;
- d) Pedestrian-scaled lighting with coordinated design throughout the Secondary Plan area;
- e) Cycling lanes and/or on-street parking, where possible; and,
- f) Directional signage for pedestrians and cyclists.





3.7 CULTURAL HERITAGE

The Old East Village Dundas Street Corridor Secondary Plan area has a substantial number of cultural heritage resources. It is the intent of the Secondary Plan to promote the restoration and enhancement of heritage properties. Significant cultural heritage resources shall be integrated with new development and public realm improvements in respectful and creative ways.

The City of London maintains a Register (Inventory of Heritage Resources). Any proposed development on or adjacent to a property designated under the *Ontario Heritage Act* or a property listed in City of London's Register shall require a Heritage Impact Assessment (HIA) to ensure that significant cultural heritage resources are conserved. Any assessment must include consideration of its historical and natural context within the City of London, and should include a comprehensive evaluation of the design, historical, and contextual values of the property.

The following potential mitigation approaches may be suitable for consideration and application for minimizing impacts from proposed developments on or adjacent to listed, designated, and potential cultural heritage resources within the Secondary Plan area:

- a) Avoidance and mitigation to allow development to proceed while retaining the cultural heritage resources in situ and intact;
- b) Adaptive re-use of built heritage structures or cultural heritage resources, including the integration of cultural heritage resources into new developments;

- c) Transitions of height, form, and mass compatible with nearby heritage designated and heritage listed properties, and properties with potential cultural heritage resources;
- d) Commemoration of the cultural heritage of a property/structure/area through historical commemoration means such as plaques or cultural heritage interpretive signs; and,
- e) Urban design policies and guidelines for building on, adjacent, and nearby to heritage designated and heritage listed properties, and properties with potential cultural heritage resources to ensure compatibility by integrating and harmonizing mass, setback, setting, and materials.

3.8 NATURAL HERITAGE

- a) The Chimney Swift (*Chaetura pelagica*), listed as a threatened species in Ontario, receives protection under the *Endangered Species Act*, for individual members of the species and their habitat. Past observations of Chimney Swifts have been made in the Old East Village Dundas Street Corridor Secondary Plan area, with a potential for nesting and/or roosting in chimneys and other built features. Where required by legislation, consultation with the Ontario Ministry of Natural Resources and Forestry must occur prior to any activity, such as building demolitions or alterations, within the Secondary Plan area that may impact potential Chimney Swift habitat including human-made nests/roosts and natural nest/roost cavities.






3.9 HOUSING OPTIONS


Housing is a basic need for all Londoners and accessible, affordable, quality housing options are a necessary component of a city that people want to live and invest in. *The London Plan* provides extensive direction and policies for achieving this city-wide. Consistent with this policy framework:

- a) A 25% affordable housing component should be achieved within the Secondary Plan area through a mix of housing types and sizes;
- b) Planning and other tools will be used to support the provision of affordable housing, including such things as bonusing and incentives, where they are available;
- c) Affordable housing units that are integrated into market housing buildings will be encouraged to avoid affordable housing monoculture and stigma that often goes with it;
- d) Subject to the other policies of this Secondary Plan and the Official Plan, infill and intensification in a variety of forms, including secondary dwelling units, will be supported to increase the supply of housing in areas where infrastructure, transit, and other public services are available and accessible;
- e) The Secondary Plan area will strive to provide a mix of housing types and integrated mixed-use developments, accessible housing and integrated services, as well as a mix of housing forms and densities;
- f) Opportunities will be sought out for brownfield rehabilitation and redevelopment; and,
- g) Residential developments that offer innovative design features, construction techniques, or tenure arrangements, which broaden the range of available housing alternatives, will be encouraged.




4.0 Schedules


SCHEDULE 1: SECONDARY PLAN AREA



SCHEDULE 2: GROUND-FLOOR USES




SCHEDULE 3: PERMITTED HEIGHTS



Note: the policies of this Secondary Plan provide specific height allowances for each of the areas defined in this schedule.

SCHEDULE 4: MOBILITY NETWORK





City Planning
Consolidated March 2020

