

## **SECTION 10**

### **RESIDENTIAL R6 ZONE**

#### **10.1 GENERAL PURPOSE OF THE R6 ZONE**

These Zone variations provide for and regulate medium density development in various forms of cluster housing from single detached dwellings to townhouses and apartments.

#### **10.2 PERMITTED USES (Section 10.2 added by Z.-1-101921)**

“No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used, in any Residential R6 Zone variation for any use other than the following uses:

1) R6-1

The following are permitted uses in the R6-1 Zone variation:

- a) Single detached dwelling

2) R6-2

The following are permitted uses in the R6-2 Zone variation:

- a) Single detached dwelling

3) R6-3

The following are permitted uses in the R6-3 Zone variation:

- a) Single detached dwelling;
- b) Semi-detached dwelling;
- c) Duplex dwelling

4) R6-4

The following are permitted uses in the R6-4 Zone variation:

- a) Single detached dwelling;
- b) Semi-detached dwelling;
- c) Duplex dwelling

5) R6-5

The following are permitted uses in the R6-5 Zone variation:

- a) Single detached dwelling;
- b) Semi-detached dwelling;
- c) Duplex dwelling;
- d) Triplex dwelling;
- e) Townhouse dwelling;
- f) Stacked Townhouse dwelling;
- g) Apartment buildings
- h) Fourplex dwelling;

#### **10.3 REGULATIONS**

No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used, in any Residential R6 Zone variation except in conformity with the regulations as set out below and in Table 10.3 or as set out on the Zoning Maps.

- 1) INTERIOR SIDE YARD AND REAR YARD DEPTH (MINIMUM)  
(applies only to the R6-5 Zone Variation (Z.-1-97503)(Z.-1-101921))  
0.4 metres (1.3 feet) per 1 metre (3.28 feet) of main building height or fraction thereof, but in no case less than 3 metres (9.8 feet) when the end wall of a unit contains no windows to habitable rooms, or 6.0 metres (19.7 ft.) when the wall of a unit contains windows to habitable rooms.
- 2) Only one dwelling is permitted to be constructed on a unit in a Vacant Land Condominium.  
  
No dwellings are permitted to be constructed within a proposed Vacant Land Condominium until after registration of the plan of condominium has occurred, except for a single detached dwelling.  
  
No attached dwellings are permitted to be constructed within a proposed Vacant Land Condominium until after registration of the plan of condominium has occurred (Z.-1-142295)

#### 10.4 SPECIAL PROVISIONS

The following zones apply to unique or existing situations and are not the standard R6 Zones. If a regulation or use is not specified, the list of permitted uses and/or the regulations of Section 10.2 and/or Section 10.3 shall apply.

##### a) R6-1 Zone Variation

###### R6-1(1)

- a) Regulations:
  - i) Lot Area 4 000 square metres  
(Minimum): (43,057 square feet.  
(O.M.B. File #R910387 - Appeal #7027 June 4, 1993)

###### R6-1(2) 505 Jarvis Street

- a) Regulations:
  - i) Number of cluster single detached units 10  
(Maximum):  
(Z.-1-93153)(O.M.B. File # R 930207, March 8, 1994)

###### R6-1(3) (Z.-1-96456 deleted at Council on November 4, 1996)

###### R6-1(4)

- a) Regulations
  - i) Rear Yard Depth 25.0 metres (82.02 ft)  
(Minimum):  
(Z.-1-97536)

###### R6-1(5)

- a) Regulations:
  - i) Number of cluster single Detached Dwellings (Maximum): 29 units  
(Z.-1-99676 - O.M.B. Order No. 2207 - O.M.B. File # R 990140 (Order date: December 3, 1999)

###### R6-1(6)

- a) Regulations
  - i) Number of Cluster Single Detached Dwellings (Maximum): 3 units

- ii) Setback from North Property Line 21 metres (68.9 feet)  
(Minimum):  
(Z.-1-00842 - Decision No. 1578 - October 27, 2000)

#### R6-1(7)

- a) Regulations:
  - i) Notwithstanding the provisions of Table 10.3 of this By-law to the contrary, the maximum density calculation for lands zoned R6-1(7) shall be based on a developable lot area of 3 hectares (7.4 acres), and shall be calculated at maximum density of 5 units per hectare.
  - ii) Notwithstanding the provisions of Table 10.3 of this By-law to the contrary, the minimum interior side yard and/or rear yard for any structure shall be 1.8 metres (6 feet) from any property or zone boundary. The rear lot line is deemed to be the lot line that abuts the OS5(4) Zone variation.
  - iii) Notwithstanding the provisions of Table 10.3 of this By-law to the contrary, the maximum lot coverage shall include lands within the abutting Open Space OS5 (4) Zone.  
(Z.-1-021010)

#### R6-1(8)

- a) Regulations:
  - i) Rear Yard Depth Accessory Buildings (Minimum) 15.0 metres (49.2 ft) for Structures or to e the property line.  
(Z.-1-021039)

#### R6-1(9)

- a) Regulations:
  - i) The maximum density of 10 units per hectare for the lands zoned R6-1(9) shall be based on the total lot area of 1.6 hectares (4 acres).
  - ii) Lot Frontage (Minimum): 11 metres (36 feet)  
(Z.-1-051375)

#### R6-1(10)

- a) Regulations:
  - i) Rear Yard Depth for Structures or Accessory Buildings adjacent to the OS5 Zone along the north and east boundary (Minimum): 10 metres (32.8 feet)
  - ii) Density (Maximum): 11 units per hectare based on a lot area of 0.76 hectares (1.9 acres) to a total of 8 dwelling units.  
(Z.-1-051438)

R6-1(11)		
a)	Regulations:	
i)	Front and Exterior Side Yard Depth (Minimum) (Z.-1-061496)	2.0 metres (6.56 ft.)
R6-1(13)		
a)	Regulations:	
i)	Denisty (Maximum)	Three (3) units
ii)	Lot Frontage (Minimum):	19 metres
iii)	Setback to an Open Space Zone (Minimum): (Z.-1-091855)	22 metres
R6-1(14)		
a)	Regulations	
i)	Lot Frontage	20 m
ii)	Number of Cluster Single Detached Dwelling Units (Maximum): (Z.-1-122111 –OMB Order PL100093 May 25, 2012)	21
R6-1(15)		
a)	Regulations	
i)	Number of Cluster Single Detached Dwellings (Maximum): (Z.-1-162641 – OMB Order PL 141425)	5 units
R6-1(16)	2054 Adelaide Street North	
a)	Regulations:	
i)	Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
ii)	Front Yard Depth for Garages (Minimum): (Z.-1-192775 - LPAT Issued - 2018-11-05)	5.5 metres (18.0 feet)
R6-1(17)	Number not used	
R6-1(18)	704 and 706 Boler Road	
(a)	Regulations	
i)	Minimum Block Frontage	12 m (39.37 ft.)
ii)	Minimum Landscaped Open Space for Block	35%
iii)	Maximum Block Coverage	40%
iv)	Maximum Building Height	10.5 m (34.45 ft.)
v)	Maximum Density for Block (units per hectare)	9.75 UPH

- vi) Maximum Number of Cluster Single-Detached Units within Block 13 units
- vii) Minimum Lot Area for any Cluster Single Detached Unit 500 m<sup>2</sup>
- viii) Maximum of two Cluster Single Detached units shall abut 1105 Cherrygrove Drive
- ix) Minimum Rear Yard setback of Cluster Single Detached Unit abutting 1105 Cherrygrove Drive shall be 10 m (32.81 ft.), save and except from the mutual property line located at the northwest corner of 1105 Cherrygrove Drive southerly for a distance of 20 m (65.62 ft.) wherein the rear yard setback shall be 7.5 m (24.61 ft.).  
(Z.-1-202860 – LPAT Order PL160298 – January 24, 2020)

R6-1(19) 7098-7118 Kilbourne Road

- a) Regulation[s]
  - i) Height (maximum) 2.5 storey
  - ii) Lot Coverage (maximum) 30%
  - iii) Lot Frontage (minimum) 22m
  - iv) Rear Yard Depth for units 7 and 8 (minimum) 1.2m  
(Z.-1-223065)

**b) R6-2 Zone Variation**

R6-2(1)

- a) Regulations
  - i) The regulation for minimum separation distance between dwellings is 2.3 metres in the case of dwelling units containing attached garages, in all other cases the minimum separation distance shall be 3.0 metres.
  - ii) Height (Maximum): 6.0 metres (19.7 feet)  
(Z.-1-97494 - O.M.B. File No. Z 950127 (Order Issue Date July 26, 1996))

R6-2(2)

- a) Regulations:
  - i) The minimum lot frontage, which shall be at the north end of the development block adjacent to the future extension of Shore Road or other road network, shall be 16 metres (52.5 feet). Should no open road exist at this location at the time of development, the block shall be deemed to comply with the frontage requirement provided there is a temporary easement to the benefit of the developer across a 0.3 metre (1 foot) reserve to Oxford Street West, constructed and dedicated as a public highway. (Z.-1-021045)

R6-2(3)

- a) Regulations:

	i)	Lot Frontage (Minimum) (Z.-1-031071)	18 metres (59 feet)
R6-2(4)	a)	Regulations:	
	i)	Lot Frontage (Minimum): (Z.-1-031072)	18 metres (59 feet)
R6-2(5)	a)	Regulations:	
	i)	Interior Side Yard from west limit of property line (Minimum)	10 metres (32.8 feet)
	ii)	Lot Coverage (Z.-1-041210)	35%
6)			
R6-2(7)	a)	Regulations:	
	i)	Number of Cluster Single Detached Dwellings (Maximum):	11 units
R6-2(8)	a)	Regulations:	
	i)	Total number of units: (Z.-1-081723 – O.M.B. Issue Date September 11, 2008 – PL 080569)	58
R6-2(9)	a)	Additional Regulations:	
	i)	Lot Frontage (Minimum):	16.0 metres
	ii)	Maximum Number of Dwelling Units: (Z.-1-081803)	Seven (7)
R6-2(10)	a)	Regulations:	
	i)	West Interior Side Yard:	6.0 metres (19.7 feet), except the northerly 43.0 metres of the west property line being measured from the north property line, which shall be 10.0 metres (32.8 feet)
	ii)	Rear Yard	6.0 metres (19.7 feet), except the most easterly 18.0 metres of the north property line being measured from the east

		property line, which shall be 9.0 metres (29.5 feet)
	iii) East Interior Side Yard	3.0 metre (9.8 feet), except the most northerly 13.0 metres of the east property line being measured from the north property line, which shall be 6.0 metres (19.7 feet)
	iv) No accessory building or structure, other than an accessory building or structure which is less than 10 square metres (108 square feet), shall be located within the required west and east interior side yard and the required rear yard as detailed in parts i), ii), and iii). (Z.-1-111984 – OMB Case # PL 110249)	
R6-2(11)	2835 Sheffield Place	
	a) Regulations:	
	i) Lot Frontage (Minimum):	12.0 metres
	ii) Rear Yard Depth (Minimum):	4.5 metres
	iii) Interior Side Yard Depth (Minimum):	3.0 metres
	iv) Lot Coverage (Maximum): (Z.-1-192726)	35%
R6-2(12)		
	a) Regulations:	
	i) Front and Exterior Side Yard Depth (Minimum): (Z.-1-112020)	4.5 metres (14.76 ft)
R6-2(13)	537 Crestwood Drive	
	a) Regulations	
	Single Detached Dwelling	
	i) Lot Frontage (Minimum)	10.0 metres
	ii) Rear Yard (Minimum)	3.73 metres
	iii) East Interior Side Yard (Minimum)	1.2 metres
	iv) Height (Maximum)	1-storey
	v) Landscape Open Space (Minimum)	42%
	Accessory Building	
	vi) Height (Maximum)	7.0 metres
	vii) Rear Yard (Minimum)	1.2 metres

- viii) South Interior Side Yard 1.20 metres  
(Minimum)  
(Z.-1-122117 amended by Z.-1-223033)

#### R6-2(14)

- a) Regulations:
  - i) Sideyard Setback 1.2 Metres  
(Minimum):  
(applies to units 8 and 16  
Only in plan 39CD-12512)
  - ii) Coverage 40% (max)
  - iii) Rear Yard 8 metres (min)  
(Z-1-132158)

#### R6-2(15)

- a) Regulations
  - i) Lot Frontage 8.0 metres  
(Minimum):
  - ii) Density 22 units per hectare  
(Maximum)  
(Z.-1-182691)

### c) R6-3 Zone Variation

#### R6-3(1)

- a) Regulations:
  - i) Main Building Setback 20 metres  
from Existing Imperial (65 feet)  
Oil Pipeline  
(Minimum):  
(Z.-1-00836 - O.M.B. Decision # 2184 - December 1, 1999))

#### R6-3(2)

#### R6-3(3)

- a) Regulations:
  - i) Lot Area 8 000 square metres  
(Minimum): (2 acres)
  - ii) Lot Frontage 75 metres  
(Minimum): (246 feet)
  - iii) Landscaped Open 45%  
Space (Minimum):
  - iv) Lot Coverage 30%  
(Maximum):
  - v) Height 7 metres  
(Maximum): (23 feet)
  - vi) Front Yard Setback 3 metres  
(Minimum): (9.8 feet)
  - vii) Rear Yard Setback 7 metres (23 feet)  
(Minimum):  
(Z.-1-041301)

#### R6-3(4)

- a) Regulations:



	i)	No. of units (Maximum):	5 units
	ii)	Lot Frontage (Minimum):	20 metres
	iii)	Minimum sideyard	3.0 metres (for an exterior sidyard with windows to habitable rooms) (Z.-1-061446)
R6-3(5)	a)	Regulations:	
	i)	A maximum of five (5) residential units served by individual, on-site waste water treatment systems may be permitted until such time as municipal sanitary sewer services are available.	
	ii)	Density (Maximum):	16 units per hectare based on a total lot area of 0.34 hectares (0.84 acres) to a total of 5 dwelling units.
	iii)	Lot Frontage (Minimum):	20 metres (65.6 feet)
	iv)	Lot Area (Minimum): (Z.-1-061573)	3,400 square metres 36,597 square feet)
R6-3(6)	a)	Regulation:	
	i)	Lot Frontage (Minimum): (Z.-1-091867)	18 metres (59 feet)
R6-3(7)	a)	Regulations:	
	i)	Front Yard Depth (m) (Minimum):	3.0 metres (9.8 ft.)
	ii)	Rear Yard Depth (m) (Minimum):	4.5 metres (14.7 ft.) for one storey building.
	iii)	Interior Side Yard Depth (Minimum):	1.2 metres (3.9 ft.) plus, for any portion of the side yard adjacent to a part of the building exceeding one storey in height, 0.6 metres (2.0 ft.) for each storey or part thereof above one storey.
	iv)	Lot Coverage (%): (Maximum): (Z.-1-111979)	40
R6-3(8)		7 Annadale Drive	
	a)	Permitted Uses:	
	i)	cluster single detached dwellings	
	ii)	cluster townhouse dwellings	
	b)	Regulations:	

	i)	Lot Area (Minimum):	1 ha. (2.47 ac)
	ii)	Lot Frontage (Minimum):	14 metres (45.9 feet)
	iv)	Interior side and rear yard depth (abutting a Residential R1-8 Zone) Variation (Minimum):	10 metres (32.8 feet)
	v)	Interior side and rear yard depth (abutting a Residential R1-5 Zone Variation (Minimum):	4.5 metres (14.8 feet)
	vi)	Interior side and rear yard depth (abutting a Open Space (OS1) Zone Variation (Maximum):	2.0 metres (6.6 feet)
	vii)	Landscaped Open Space (Minimum)	50%
	viii)	Lot Coverage (%) (Maximum):	25%
	ix)	Height (m) (Maximum) half	2 storeys, or 9 metres whichever is less with no storeys being permitted for basements
	x)	Density (Maximum)	25 units per hectare
	xi)	The front face and primary entrance of dwellings abutting an Open Space (OS1) zone shall be oriented towards the Open Space (OS1) Zone. (Z.-1-142357)	
	xii)	No part of any required interior side yard or rear yard shall be used for any purpose other than landscaped open space	
R6-3(9)		307 Sunningdale Road East	
	a)	Regulations	
	i)	Density (Maximum)	25 units per hectare
	ii)	For the purpose of this by-law the front lot line shall be interpreted as Skyline Avenue	
	iii)	Main Building Setback From Existing Imperial Oil Pipeline (Minimum)	20 metres (65 feet)
	iv)	East Interior Side Yard Setback within first 17.8m of lot depth (minimum)	6 metres (19.66 feet)
		East Interior Side Yard Setback between 17.8m and 30.6m of lot depth (minimum)	9.7 metres (31.8 feet)
		East Interior Side Yard Setback between 30.6m and 50.2m of lot depth (minimum)	10 metres (32.8 feet)

East Interior Side Yard Setback beyond 50.2m of lot depth (minimum)	11.1 metres (36.42 feet)
West Interior Side Yard Setback within first 16.8m of lot depth (minimum)	9.5 metres (31.17 feet)
West Interior Side Yard Setback between 16.8m and 28.6m of lot depth (minimum)	7.0 metres (22.97 feet)
West Interior Side Yard Setback between 28.6 and 42.4m of lot depth (minimum)	9.0 metres (29.53 feet)
West Interior Side Yard Setback beyond 42.4m of lot depth (minimum)	7.6 metres (24.93 feet)
v) No part of any required interior side yard shall be used for any purpose other than landscaped open space excluding swimming pools, but decks or patios may be permitted.	
vi) North Exterior Yard Setback, and Parking Area Setback (North) (Z.-1-233076)	8.0 metres (min.); 11.0 metres (max.) 11.2 metres (min.)

**d) R6-4 Zone Variation**

**R6-4 (1)**

- a) Regulations:
- i) The property at 195-197 Barker Street may have a frontage requirement of 10.0 metres (32.8 feet), the separation between dwellings requirement is deleted, and the maximum landscaped open space at 30%.  
(Z.-1-91032)

**R6-4(2)**

- a) Regulations
- i) Lot Frontage 20 metres (66 feet)  
(Minimum):  
(Z.-1-95391 - O.M.B. Order Z 950026 (Order Issue Date: October 25, 1995)

**R6-4(3)** (Added by By-law Z.-1-96404 and deleted by Z.-1-97503)

**R6-4(4)**

- a) Regulations
- i) Setback from a Railway Right-of-Way (Minimum) 15 metres (49.2 feet)
- ii) Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building.  
(Z.-1-96408)

**R6-4(5)**

- a) Regulations:
- i) Dwelling Setback 120 metres (394 feet) in

	From Railway Right-of-Way	in the absence of a safety berm, combination safety berm and acoustic fence, adjoining and parallel to railway right-of-way, or 30 metres (98 feet) in conjunction with the safety/acoustic berm noted above. (Z.-1-99702)
R6-4(6)		
	a) Regulations:	
	i) Lot Frontage (Minimum): (Z.-1-99697)	18.0 metres (59 feet)
R6-4(7)		
	a) Regulations	
	i) There shall be no minimum lot frontage requirement.	
	ii) The maximum density calculation shall be based on a total lot area of 5.65 hectares (14 acres), which includes lands in the abutting OS5(4) and OS1 Zone variations.	
	iii) The minimum interior side yard and/or rear yard for any structure with a basement shall be 20 metres (65.6 feet) from the northwest property boundary or 20 metres (65.6 feet) from any Open Space OS5 Zone variation, whichever is greater. The rear lot line is deemed to be the lot line that abuts any OS5 or UR Zone variation.	
	iv) Access may be permitted via a private right-of-way to the improved street of North Centre Road. (Z.-1-00815)	
R6-4(8)		
	a) Regulations:	
	i) Main building setback of 20 metres (65 feet) minimum from the centre of the existing Imperial Oil pipeline. (Z.-1-00836 - O.M.B. Decision # 2184 - December 1, 1999))	
R6-4(9)		
	a) Regulations:	
	i) The maximum lot coverage calculation shall be based on the total block area which includes lands within the block which are zoned OS5(4) at a width of 3.0 metre (9.8 feet). (Z.-1-01869)	
R6-4(10)		
	a) Regulations:	
	i) Setback from Industrial Zoned Lands (Minimum): (Z.-1-01896)	15 metres (49.2 feet)
R6-4(11)		
	a) Additional Permitted Use:	
	i) Converted dwellings.	
	b) Regulations:	

	i)	Density (Maximum):	39 units per hectare
	ii)	Height (Maximum) : (Z.-1-021066)	1 storey
R6-4(12)	a)	Regulations	
	i)	Number of units (Maximum):	24 units
	ii)	Lot Frontage 0 metres (Minimum):	
	iii)	Access to site	To be provided via Beaufort Street (not assumed road)
	iv)	Interior side yard Depth (Minimum):	3 metres (9.8 feet)
	v)	Rear Yard Depth (Minimum): (Z.-1-031099 - O.M.B. File No. Z 020010 - Order Issue Date: March 14 <sup>th</sup> ,2003)	3 metres (9.8 feet)
R6-4(13)	a)	Regulations:	
	i)	Dwelling Setback From High Pressure Pipeline (Z.-1-041233)	20 metres (66 feet)
R6-4(14)	a)	Permitted Uses:	
	i)	Cluster single detached dwellings;	
	ii)	Cluster semi-detached dwellings; and	
	iii)	Cluster duplex dwellings.	
	b)	Regulations:	
	i)	Lot Area (Minimum)	0.60 hectares (1.4 acres)
	ii)	Lot Frontage (Minimum)	70.0 metres (229.6 feet)
	iii)	Lot Coverage (Maximum)	35%
	iv)	Density (Maximum)	30 units per hectare
	v)	Height (Maximum):	10.5 metres (34.4 feet)
	vi)	Front Yard Setback (Minimum) :	3.0 metres (9.8 feet)
	vii)	Rear and Interior Yard Setbacks Abutting Residential Zones (Minimum):	7.5 metres (24.6 feet)
	viii)	Yards Where Parking Area	Parking is prohibited in the side and rear yard butting

	Prohibited (Z.-1-041291)	existing residential development
R6-4(15)		
a)	Regulations:	
i)	Lot frontage: (Minimum)	10 metres
ii)	Coverage (Maximum)	45%
iii)	Interior sideyard (Minimum)	1.2 metres
iv)	Height (Maximum) (Z.-1-091880)	12 metres
R6-4(16)		
a)	Regulations	
i)	Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
ii)	Front Yard Depth for Garages(Minimum.): (Z.-1-142328)	5.5 metres (18.0 feet)
R6-4(17)		
a)	Regulations	
i)	Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
ii)	Front Yard Depth for Garages (Minimum):	5.5 metres (18.0 feet)
iii)	Notwithstanding the provisions of Section 2 “LOT LINE, FRONT”, the frontage for this lot will be deemed to be along the secondary collector. (Z.-1-142328)	
R6-4 (18)		
a)	Additional Regulations:	
i)	Frontage (Minimum)	20 metres (65.6 feet)
ii)	Setback to Wonderland Rd (Minimum) (Z.-1-152415)	3 metres (9.8 feet)
<b>e) R6-5 Zone Variation</b>		
R6-5(1)		
a)	Regulations	
i)	Setback from railway right-of-way with safety and noise berm (Minimum) (Z.-1-94266)	15 metres (49.2 feet)
R6-5(2)	(Deleted by Z.-1-97503) (Z.-1-94276 - O.M.B. File # O 940190 and R 940364 (February 20, 1995)	

R6-5(3)

- a) Additional Permitted Uses
  - i) [Converted Dwellings](#)
- b) Regulations for Existing Buildings
  - i) Front Yard (Minimum) Existing
  - ii) Separation Between Buildings on a Lot (Minimum) Existing
- c) Regulation for Single, Semi-detached, Duplex, Triplex, Townhouse, Stacked Townhouse and Apartment Buildings
  - i) Rear Yard Depth Abutting an Open Space Zone (Minimum) (Z.-1-95303) 2.0 metres (6.6. feet)

R6-5(4)

- a) Regulation
  - i) The regulation for a minimum separation distance between dwellings is not applicable. (Z.-1-97469)

R6-5(5)

- a) Regulations:
  - i) Lot Frontage (Minimum) (Z.-1-00812 and Z.-1-00814)) 22 metres (72 feet)

R6-5(6)

- a) Regulations:
  - i) The maximum density calculation shall be based on a total lot area of 2.44 hectares (6 acres), which includes lands in the abutting OS1 Zone variation. (Z.-1-00815)

R6-5(7)

- a) Additional Permitted Use:

Permitted uses may be developed in the form of land lease community homes. (Z.-1-01891)
- b) Regulations:
  - i) Density (Maximum) 30 units per hectare (12 units per acre)
  - ii) Setbacks from any OS2 Zone Variation (Minimum) 1 metre (3.2 feet)
  - iii) Setbacks from any OS5 Zone Variation (Minimum) 10 metres (32.8 feet)
  - iv) Height for apartment buildings (Maximum) 27 metres (88.5 feet)
  - v) Setbacks for apartment buildings from Kains Road 200 metres (656 feet)

- |      |   |                      |
|------|---|----------------------|
|      | (Minimum)   |                      |
| vi)  | Setbacks for apartment buildings from any OS5 Zone Variation (Minimum) (Z.-1-00834) | 75 metres (246 feet) |
| vii) | Lot Area (Minimum) (Z.-1-01891)   | 42.5 hectares        |

R6-5(8)

- a) Regulations:
- Notwithstanding the provisions of Section 3.9 2) a) of this By-law to the contrary, the maximum density calculation for the lands zoned R6-5(8) shall be based on a lot area of 1.33 hectares (3.29 acres) which includes the lands in the abutting Open Space Special Provision (OS5(5)) Zone.  
(Z.-1-01876)



R6-5(9)		
a)	Regulations:	
i)	Front and Exterior Yard Depth for Main Dwelling To Local and Secondary Collector Roads (Minimum):	4.5 metres (14.8 feet)
ii)	Front and Exterior Yard Depth for Garages (Minimum): (Z.-1-01911)	6 metres (19.7 feet)
R6-5(10)		
a)	Regulations:	
i)	Lot Frontage (Minimum) (Z.-1-031130)	22 metres (72 feet)
R6-5(11)		
a)	Regulations:	
i)	Lot Frontage (Minimum) (Z.-1-031131)	22 metres (72 feet)
R6-5(12)	(Z.-1-031134 was repealed by Z.-1-031136)	
R6-5(13)		
a)	Regulations:	
i)	Lot Frontage: (Minimum) (Z.-1-031145)	22 metres (72 feet)
R6-5(14)		
a)	Regulations:	
i)	Setback from a Railway right-of-way	120 metres (394 feet) in the absence of a safety berm, 30 metres (98.4 feet) in conjunction with a safety berm. (Z.-1-041202)
R6-5(15)		
a)	Regulations:	
i)	Lot Frontage (Minimum)	22 metres (72.1 feet)
ii)	Setback from OS5 Zone (Minimum) (Z.-1-041232)	10 metres (32.8 feet)
R6-5(16)		
a)	Regulations:	
i)	Dwelling Setback From High Pressure Pipeline (Minimum)	10 metres (66 feet)

	ii)	Lot Area (Minimum)	2,000 square metres (21,528 square feet)
	iii)	Lot Frontage (Minimum) (Z.-1-041233)	22 metres (72 feet)
R6-5(17)	a)	Permitted Uses:	
	i)	Single detached dwellings;	
	ii)	Semi-detached dwellings;	
	iii)	Duplex dwellings;	
	iv)	Triplex dwellings;	
	v)	Stacked townhouses;	
	vi)	Townhouses. (Z.-1-041257)	
R6-5(18)	a)	Regulations:	
	i)	Lot Frontage (Minimum): (Z.-1-041270)	20 metres (65.6 feet)
R6-5(19)	a)	Regulations:	
	i)	Density for Cluster Stacked Townhouse Dwellings (Maximum):	65 units per hectare
	ii)	Where the lands to which this special provision zone applies are used for a combination of cluster stacked townhouses and any other type of cluster housing permitted by this zone, the maximum number of stacked dwelling units permitted by the density regulation in part (i) above shall be reduced at the rate of one dwelling unit for each of the other type(s) of cluster housing units proposed for development. (Z.-1-041307)	
R6-5(20)	a)	Regulations:	
	i)	Dwelling Setback Right of Way combination (Minimum):	120 metres (394 feet) in the absence of a safety berm and acoustic fence adjoining and parallel to the rail right of way, or 30 metres (98 feet) in conjunction with the safety/acoustic berm noted above. (Z.-1-061478)
R6-5(21)	a)	Regulations:	
	i)	Habitable Building Setback from the centreline of the petroleum products pipeline (Minimum) (Z.-1-061523)	20 metres (66 feet)

R6-5(22)

- a) Permitted Uses:
  - i) Cluster housing, in the form of single detached dwellings, semi-detached dwellings, duplex dwellings, triplex dwellings, townhouse dwellings and stacked townhouse dwellings.
  - ii) Permitted uses may be developed in the form of land lease community homes.
- b) Regulations:
  - i) Density (Maximum) 30 units per hectare (12 units per acre)
  - ii) Setback from any OS2 Zone Variation (Minimum) 1 metre (3.2 feet)
  - iii) Setbacks from any OS5 Zone Variation (Minimum) (Z.-1-061567) 10 metres (32.8 feet)

R6-5(23)

- a) Permitted Uses:
  - i) Triplex
  - ii) Fourplex
  - iii) Townhouse
  - iv) Stacked Townhouse: and
  - v) Apartment Buildings
- b) Regulations
  - i) Lot Area Minimum 850 m2
  - ii) Lot Frontage (m) Minimum 10 metres
  - iii) Front and Exterior (minimum): 0.0 m
  - iv) Side Yard Depth (m) (maximum): 3.0 m  
For 1<sup>st</sup> and 2<sup>nd</sup> Storey
  - v) Front and Exterior the Sideyard Setback for 3<sup>rd</sup> Storey and above 1.0 metre (max/min) plus setback established for the 1<sup>st</sup> and 2<sup>nd</sup> storey's
  - vi) Rear Yard Depth (m) Minimum 0.5 metre (1.6 feet) per 1.0 metre (3.3 feet) of main building height or fraction thereof, but in no case less than 3.0 metres (9.8 feet) when the wall of a unit contains no windows to habitable rooms or 6 m (19.7 feet) when the wall of a unit contains windows to habitable rooms.  
  
3.0 metres (9.8 feet) where the wall of an end unit facing the rear yard and/or interior side yard

		contains windows to habitable rooms on the ground floor only and no access points to the dwelling unit along the wall facing rear yard or interior side yard.
	vii) Setback from Open Space Zone Minimum	1.0 metre
	viii) Landscaped open space (%) minimum	30%
	ix) Lot coverage (%) maximum	45%
	x) Height (m) Maximum	15.0 metres
	xi) Density-units (minimum): (maximum):	30 units per hectare 75 units per hectare Z.-1-132169
R6-5(24)		
	a) Permitted Uses:	
	i) Triplex	
	ii) Fourplex	
	iii) Townhouse	
	iv) Stacked Townhouse; and	
	v) Apartment buildings	
	b) Regulations:	
	i) Lot Area (Minimum)	850 m2
	ii) Lot Frontage (m) (Minimum)	10 metres
	iii) Setback for 1 <sup>st</sup> and 2 <sup>nd</sup> Store front any street and from An open space zone depth (m)	0.0 m minimum 3.0m maximum
	iv) Setback for 3 <sup>rd</sup> storey and above	1.0 metre (max/min) plus the Setback established for the 1 <sup>st</sup> and 2 <sup>nd</sup> storey's
	v) Interior yard depth (m) Minimum	0.5 metre (1.6 feet) per 1.0metre (3.3 feet) of main building height or fraction thereof, but in no case less than 3.0 metres (9.8 feet) when the wall of a unit contains no windows to habitable rooms or 6.0 metres (19.7 feet) when the wall of a unit contains windows to habitable rooms.  3.0 metres (9.8 feet) where the wall of an end unit facing the rear yard and/or interior side yard contains windows to

		habitable rooms on the ground floor only and no access points to the dwelling unit along the wall facing rear yard or interior side yard.
	vi) Landscaped open space (%) minimum:	30%
	vii) Lot coverage (%) maximum	45%
	ix) Height (m) Maximum	15.0 metres
	x) Density-units per (minimum)	30 units per hectare
	xi) Hectare (maximum) (Z.-1-132169)	75 units per hectare
R6-5(25)		
	a) Permitted Uses	
	i) Single;	
	ii) semi-detached;	
	iii) duplex	
	iv) Triplex;	
	v) fourplex;	
	vi) townhouse;	
	vii) stacked Townhouse;	
	viii) and apartment buildings	
	b) Regulations	
	i) Lot Area Minimum	850 m2
	ii) Lot Frontage (m) Minimum	10.0 metres
	iii) Front yard depth (m)	6.0 metres
	iv) Interior and Rear yard Depth (m) minimum	0.5 metre (1.6 feet) per 1.0 metre (3.3 feet) of main Building height or fraction but in no case less than 3.0 metres (9.8 feet) When the wall of a unit Contains no windows to Habitable rooms or 6.0 Metres (19.7 feet) when the Wall of a unit contain Windows to habitable rooms.  3.0 metres (9.8 feet) where the wall of an end unit facing the rear yard and/or interior side yard contains windows to habitable rooms on the ground floor only and no access points to the dwelling unit along the wall facing rear yard or interior side yard.

R6-5(26)

a)	Permitted Uses	
i)	Triplex;	
ii)	fourplex;	
iii)	townhouse	
iv)	Stacked townhouse;	
v)	and Apartment buildings	
b)	Regulations	
i)	Lot Area Minimum	850 m2
ii)	Lot Frontage (m) Minimum	10.0 metres
iii)	Front Yard Depth (m) For 1 <sup>st</sup> and 2 <sup>nd</sup> storey	0.0 m minimum 3.0 m maximum
iv)	Front yard setback for 3 <sup>rd</sup> storey and For the 1 <sup>st</sup> and 2 <sup>nd</sup> storey's	1.0 metre (max/mim) plus above the setback established
v)	Setback to imperial Oil pipeline easement Minimum	20 metres from centreline of pipeline
vi)	Rear and Interior Yard Depth (m) Minimum	0.5 metre (1.6 feet) per 1.0 metre (3.3 feet) of feet) of main building height or fraction thereof, but in no case less than 3.0 metres (9.8 feet) when the wall of a unit contains no windows to habitable rooms or 6.0 Metres (19.7 feet) when the wall of a unit contains windows to habitable rooms 3.0 metres (9.8 feet) where the wall of an end unit facing the rear yard and/or interior Side yard contains windows to habitable rooms on the ground floor only and no access points to the dwelling unit along the wall facing rear yard or interior side yard.
vii)	Landscaped open space (%) Minimum	30%
viii)	Lot Coverage (%) maximum	45%
ix)	Height (m) Maximum	15.0 metres
x)	Density-units per hectare (minimum) (maximum) (Z.-1-081786)/ Z.-1-132169	30 units per hectare 75 units per hectare

R6-5(27)

R6-5(28)		
a)	Additional Regulations:	
i)	Density – Units Per Hectare (Minimum) (Z.-1-091882)	45 units per hectare (14 units per acre)
R6-5(29)		
a)	Regualtions:	
i)	Denisty – Units Per Hectare (Minimum)	35 units per hectare
ii)	Denisty – Units Per Hectare (Maximum) (Z.-1-091883)	60 units per hectare
R6-5(30)		
a)	Regulations	
i)	Setback from Arterial minimum	For all portions of a building road minimum above 9 metres (29.5 ft.) height, the required setback shall be 60 metres.
ii)	Dwelling setback from High Pressure Pipeline (Minimum)	20 metres (66ft.)
iii)	Density (Maximum) (Z.-1-122109)	55 units per hectare
R6-5(31)		
a)	Regulations:	
i)	Front and Exterior Side Yard Depth (Minimum) (Z.-1-112020)	4.5 m (14.76)
R6-5(32)		
a)	Regulations:	
i)	Front and Exterior Side Yard Depth (Minimum) (Z.-1-112020)	4.5 m (14.76)
b)	Regulations:	
i)	Lot Frontage (Minimum)	18 m (59.06)
ii)	Lot Area (Minimum) (Z.-1-112060)	1.7 hectares (4.2 ac)

- R6-5(34) 2250 Blackwater Road & 660 Garibaldi Avenue
- a) Regulations
- i) Density 63 units per hectare  
(Maximum) (25 units per acre)
  - ii) Height 12 meters (39.4 feet)  
(Maximum)
  - iii) The maximum density calculation shall be based on the total block area which existed on the date of the passing of the By-law.  
(Z.-1-142290)
- R6-5(35) 670 Garibaldi Avenue
- a) Regulations
- i) South Interior Yard 8.3 metres (27.2 feet)  
(Minimum):
  - ii) Rear Yard from Adelaide Street 10 metres (32.8 feet)  
(Minimum):
  - iii) The maximum density calculation shall be based on the total block area which existed on the date of the passing of the By-law.  
(Z.-1-142290)
- R6-5(36)
- a) Regulations
- i) Front Yard Setback, 3 metres (9.8 feet)  
Main Dwellings  
(Minimum):
  - ii) Front Yard Depth 5.5 metres (18.0 feet)  
for Garages  
(Minimum.):
  - iii) Rear Yard Setback 3 metres (9.8 feet)  
(Minimum):
  - i) Notwithstanding Section 3.9(2), the maximum density calculation shall be based on a lot area of 2.43 hectares, which includes the lands in the abutting Open Space Special Provision (OS4(10)) Zone. (Z.-1-142328)
- R6-5(37)
- a) Regulations
- i) Front Yard Setback, 3 metres (9.8 feet)  
Main Dwellings  
(Minimum):
  - ii) Front Yard Depth 5.5 metres (18.0 feet)  
for Garages  
(Minimum):
  - iii) Rear Yard Setback 3 metres (9.8 feet)  
(Minimum):
  - iv) Notwithstanding Section 3.9(2), the maximum density calculation shall be based on a lot area of 2.46 hectares, which includes the lands in the abutting Open Space Special Provision (OS4(10)) Zone. (Z.-1-142328)



R6-5(38)		
i)	Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
ii)	Front Yard Depth for Garages (Minimum): (Z.-1-142328)	5.5 metres (18.0 feet)
R6-5(39) 299 Tartan Drive		
a)	Regulations:	
i)	Front Yard Setback: (Minimum) (Z.-1-142336)	4.0 m (13.12ft)
R6-5(40)		
a)	Regulations:	
i)	Front Yard Setback (Minimum):	4 metres (13.1 feet)
ii)	East Interior Side Yard Setback (Minimum):	4 metres (13.1 feet)
iii)	Density (Maximum): (Z.-1-152404)	40 units per hectare
R6-5(41) 1156 Dundas Street		
a)	Additional Permitted Uses:	
i)	Continuum-of-Care Facility	
ii)	Retirement Homes	
iii)	Senior Citizen apartment buildings	
b)	Regulations:	
i)	Parking Standard for Senior Citizen Apartment Building (Minimum)	0.25 spaces per unit
ii)	Parking Standard for Cluster Townhouses (Minimum)	1 parking space per unit
iii)	Parking Standard for Apartment Buildings (Minimum)	1 parking space per unit
iv)	Density (Maximum) (Z.-1-162440)	125 units per hectare
R6-5(42)		
a)	Regulations:	
i)	Front & Exterior Side Yard Depth to Main Building (Minimum):	3.0 Metres
ii)	Lot Coverage (Maximum): (Z.-1-162444)	50%

R6-5(43)		
a)	Regulations:	
i)	Density (Minimum): (Maximum):	14 units per hectare 30 units per hectare
R6-5(44)		
a)	Regulations:	
i)	Density (Minimum): (Maximum):	18 units per hectare 30 units per hectare
ii)	Height (Maximum):	10.5 metres (34.4 ft)
R6-5(45)		
a)	Regulations:	
i)	Density (Minimum): (Maximum):	30 units per hectare 35 units per hectare
ii)	Height (Maximum)	10.5 metres (34.4 ft)
R6-5(46)		
a)	Regulations:	
i)	Density (Minimum): (Maximum): (#’s 43-46 Z.-1-162448)	70 units per hectare 75 units per hectare
R6-5(47)		
a)	Regulations:	
i)	Front Yard Setback (applies to unit 14) only in plan 39CD-16503)	1.5 metres (min)
ii)	Front Yard Setback (applies to unit 1) only in plan 39CD-16503) (Z.-1-162490)	2.5 metres (min.)
R6-5(48)		
a)	Regulations:	
i)	Dwelling Setback From High Pressure Pipeline (Minimum):	20 metres (66 feet)
ii)	Main Dwelling Setback To Springmeadow Road (Minimum):	2.5 metres (9.8 feet)
iii)	Garage Setback From Springmeadow Road (Minimum): (Z.-1-162502)	5.5 metres (18.0 feet)

R6-5(49)		
a)	Additional Permitted Uses:	
	Permitted uses may be developed in the form of land lease community homes.	
b)	Regulations:	
i)	Density (Maximum):	30 units per hectare
ii)	Lot Frontage	0 metres
iii)	Side yard depth to OS5 Zone (Minimum):	1.0 metre
iv)	Side yard depth to R6-5(7) and R1-10(9) Zones (Minimum): (Z.-1-162534)	1.2 metres
R6-5(50)		
a)	Regulations:	
i)	Density (Minimum): (Maximum): (Z.-1-172550)	30 units per hectare 75 units per hectare
R6-5(51)		
a)	Regulations:	
i)	Density (Minimum) (Maximum)	30 units per hectare 100 units per hectare
ii)	Height (Minimum) (Maximum) (Z.-1-172550)	Two (2) storeys Nine (9) storeys
R6-5 (52)		
a)	Regulations:	
i)	Front Yard Setback (Minimum):	4 metres (13.1 feet)
ii)	West Interior Side Yard Setback (Minimum):	4.6 metres (15.0 feet)
iii)	Rear Yard Setback to Open Space (OS1) Zone (Minimum):	10 metres (13.1 feet)
iv)	Density (Maximum): (Z.-1-172553)	39 units per hectare
R6-5(53) 379 Sunningdale Road West		
a)	Regulations	
i)	Density (Maximum):	35 units per hectare
ii)	Height	13 metres (42.6 feet)

(Maximum):  
(OMB Decision: Nov 15, 2017 – Z.-1-172626)

- R6-5(54) 894 Adelaide Street North
- a) Regulations for the existing building:
- i) Front Yard (Minimum) as existing
- ii) Side Yard Setbacks (Minimum) as existing
- b) Regulations for apartment buildings:
- i) Density (Maximum) 72 units per hectare
- ii) Interior Side Yard Setback 5m (16ft) (Minimum)
- iii) Height (Maximum) 10m (32ft)  
(Z.-1-182670)
- R6-5(55) 1738, 1742, 1752 and 1756 Hamilton Road
- a) Regulations:
- i) Interior Side and Rear Yard Depth (Minimum): 5.0 metres
- ii) Open or covered but unenclosed decks or porches not exceeding one (1) storey in height may project into the required yard no closer than 2.0 metres to lot line adjacent an Open Space (OS5) Zone.  
(Z.-1-182679)
- R6-5(56) 3087 White Oak Road
- a) Permitted Uses:
- i) All uses within the R6-5 zone variation with the exception of apartment buildings, or cluster apartment buildings
- b) Regulations:
- i) Front Yard Depth (Minimum) 3m (9.8ft)
- ii) Density (Maximum) 75 units per hectare  
(Z.-1-192756)
- R6-5(57) 2054 Adelaide Street North
- a) Regulations
- i) Front Yard Setback, Main Dwellings (Minimum): 3 metres (9.8 feet)
- ii) Front Yard Depth for Garages (Minimum): 5.5 metres (18.0 feet)
- iii) Dwelling Setback From High Pressure Pipeline (Minimum): 20.0 metres (66 feet)  
(Z.-1-192775 - LPAT Issued - 2018-11-05)

R6-5(58)	3087 White Oak Road	
a)	Permitted Uses:	
i)	All uses within the R6-5 zone variation with the exception of apartment buildings, or cluster apartment buildings	
b)	Regulations:	
iii)	Front Yard Depth (Minimum)	3m (9.8ft)
iv)	Density (Maximum) (Z.-1-192756)	75 units per hectare
R6-5(59)	3087 White Oak Road	
a)	Regulations:	
i)	For the purpose of this by-law the front lot line shall be interpreted as Petty Road	
ii)	Front Yard Depth (Minimum):	3m (9.8ft)
iii)	Density (Maximum): (Z.-1-192756)	75 units per hectare
R6-5(60)	58 Sunningdale Road West	
a)	Regulations:	
i)	Front and Exterior Yard Setback (Minimum):	4.5 metres
ii)	Height Apartment Uses (Maximum):	15 metres (4 storeys)
iii)	Density (Maximum):	100 units per hectare
iv)	Height Within 30 metres of “Street B”: (Z.-1-192757)	10.5 metres
R6-5(61)	915, 965, 1031 and 1095 Upperpoint Avenue	
a)	Regulations:	
i)	Front Yard Depth to Main Dwelling (Minimum):	3.0 metres
ii)	Front and Exterior Yard Depth to Garage (Minimum):	5.5 metres
iii)	Exterior Side Yard Depth (Minimum):	4.5 metres
iv)	Interior Side Yard Depth (Minimum):	1.2 metres
v)	Height (Maximum):	13 metres

- vi) Dwelling Setback from a High Pressure Pipeline (Minimum): (Z.-1-192780) 20 metres
- R6-5(62) 3700 Colonel Talbot Road and 3645 Bostwick Road
- a) Regulations:
    - i) Front Yard Setback, Dwelling(s) (Minimum) 3 metres (9.8 feet)
    - ii) Front Yard Setback, Dwelling(s) fronting on Neighbourhood Connectors (Royal Magnolia Avenue and Campbell Street North) (Minimum) 3 metres (9.8 feet) (Maximum) 6 metres (19.7 feet)
    - iii) Front Yard Depth, Garages (Minimum) 6 metres (19.7 feet)
    - iv) Garages shall not project beyond the façade of the dwelling or façade (front face) of any porch, **whichever is closer to the front lot line**, and shall not occupy more than 50% of lot frontage.
    - v) Density (Minimum) 30 units per hectare (Z.-1-192790; Z.-1-223051)
- R6-5(63) 3700 Colonel Talbot Road and 3645 Bostwick Road
- a) Regulations:
    - i) Yard Setback (Adjacent to OS5) (Minimum): 10 metres (32.8 feet) from OS5 Zone
    - ii) Density (Minimum): 30 units per hectare (Maximum): 65 units per hectare
    - iii) Provide built form along the OS5 Zone and orient the buildings to the open space by including individual unit doors or a main building entrance facing the open space.
    - iv) The 10 metre yard setback from the OS5 Zone will include increased landscaping as per the approved landscape plan through file 39T-17503 (3700 Colonel Talbot Road and 3645 Bostwick Road).
    - v) No structures are permitted within the 10m yard setback from the OS5 Zone. (Z.-1-19790)
- R6-5(64) 3700 Colonel Talbot Road and 3645 Bostwick Road
- a) Regulations:
    - i) Front Yard Setback, Dwelling(s) (Minimum): 3 metres (9.8 feet) (Maximum): 4.5 metres (14.8 feet)
    - ii) Front Yard Depth, Garages (Minimum): 6 metres (19.7 feet)
    - iii) Garages shall not project beyond the façade of the dwelling or façade (front face) of any porch, and shall not occupy more than 50% of lot frontage.
    - iv) Density (Minimum): 30 units per hectare

- v) Development shall be oriented to Bostwick Road.  
(Z.-1-192790)
- R6-5(65) 3700 Colonel Talbot Road and 3645 Bostwick Road
- a) Regulations:
- i) Front Yard Setback, Dwelling(s)  
(Minimum) 3 metres (9.8 feet)
  - ii) Front Yard Setback, Dwelling(s) fronting on  
Neighbourhood Connectors (Royal Magnolia  
Avenue and Campbell Street North)  
(Minimum) 3 metres (9.8 feet)  
(Maximum) 6 metres (19.7 feet)
  - iii) Front Yard Depth, Garages  
(Minimum) 6 metres (19.7 feet)
  - iv) Garages shall not project beyond the façade of the  
dwelling or façade (front face) of any porch, **whichever is  
closer to the front lot line**, and shall not occupy more  
than 50% of lot frontage.
  - v) Density  
(Minimum) 30 units per hectare  
(Maximum) 75 units per hectare
  - vi) Provide built form along the OS1 Zone and orient the  
buildings to the open space by including individual unit  
doors or a main building entrance facing the open  
space.  
(Z.-1-192790; Z.-1-223051)
- R6-5(66) Northerly Portion of 943 Fanshawe Park Road West and 1800  
Aldersbrook Gate
- a) Regulations:
- i) Front Yard Depth 2.8 Metres (9.2 feet)  
(Minimum):
  - ii) Density 40 Units Per Hectare  
(Maximum):  
(Z.-1-202814)
- R6-5(67) 1395 Riverbend Road, described as part of Block 1 Plan 33M-743
- a) Regulations:
- i) Front and Exterior 3.0 metres  
Side Yard Depth  
(Minimum):
  - ii) Interior Side and Rear 3.0 metres  
Yard Depth  
(Minimum):
  - iii) Height 18.0 metres  
(Maximum):
  - iv) Density 45 units per hectare  
(Maximum):
  - v) Parking 1 space per unit  
(Minimum):
  - vi) Parking may be provided by a mechanical stacked parking  
system; notwithstanding Section 4.19, parking provided by a  
mechanical stacked parking system shall be exempt from  
the size requirements of Section 4.19.2 - Dimensions of  
Parking Spaces, and no access aisles are required as per

Sections 4.19.2.1 - Access Aisles and 4.19.6 (j) - Access Aisles for Parking Spaces for Persons with Disabilities.  
(Z.-1-202815)

R6-5(68)	58 Sunningdale Road West	
a)	Regulations:	
i)	Front and Exterior Yard Setback (Minimum):	4.5 metres
ii)	Height Apartment Uses Uses Only (Maximum):	15 metres (4 storeys)
iii)	Density (Maximum):	100 units per hectare
iv)	Height: In exchange for one (1) level of underground parking (65% of required parking minimum) and a \$50,000 contribution for public art, an increased height of 22.5 m (6 storey) maximum for apartment buildings may be permitted. (Z.-1-192757)	
R6-5(69)	442 Third Street	
a)	Regulations	
i)	Front Yard Depth (Maximum)	3.5 metres (11.5 feet)
ii)	North Interior Side Yard Depth (Minimum)	3.0 metres (9.8 feet) when the end wall of a unit contains no windows to habitable rooms
iii)	Height (Maximum) (Z.-1-202856)	10.5m (34.5ft)
R6-5(70)	1200 & 1230 Hyde Park Road	
a)	Regulation[s]	
i)	Net Density (maximum)	35 uph (based on total land area within the zone)
ii)	Height (maximum)	14 metres (45.9 feet) (4 storeys)
iii)	Front & Exterior side Yard Depth	3 metres (minimum) (9.84 feet)
iv)	Setback from Railway Way (minimum)	30 metres Right of (98.4 feet)
v)	The front face and primary entrance of dwellings shall be oriented to adjacent streets (Z.-1-202869)	
R6-5(71)	1176, 1200 & 1230 Hyde Park Road and a portion of 1150 Gainsborough Road	
a)	Regulation[s]	
i)	Density (maximum)	100 uph (41 units per acre)
ii)	Height	3 storey (maximum)
iii)	Front & Exterior side Yard Depth	3 metres (9.84 feet)



	(minimum)	
	iv) Setback from Railway Right of Way (minimum)	30 metres (98.4 feet)
	v) The front face and primary entrance of dwellings shall be oriented to adjacent streets (Z.-1-202869)	
R6-5(72)	1176 & 1200 Hyde Park Road and a portion of 1150 Gainsborough Road	
	b) Regulation[s]	
	i) Density (maximum)	90uph (37 units per acre)
	ii) Height	3 storey (maximum)
	iii) Lot Frontage (minimum)	10 metres (32.8 feet)
	iv) Setback from Railway Right of Way (minimum) (Z.-1-202869)	30 metres (98.4 feet)
R6-5(73)		
	a) Regulations:	
	i) Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
	ii) Front Yard Depth for Garages (Minimum):	5.5 metres (18.0 feet)
	ii) Notwithstanding the regulations of Section 4.27 of this by-law to the contrary, on lands zoned R6-5(73) open or covered but unenclosed decks not exceeding one storey in height may project no closer than 0.6 metres (1.97 feet) where the lot line abuts an OS4 Zone. (Z.-1-212900)	
R6-5(74)	6019 Hamlyn Street	
	a) Regulation[s]	
	i) Front & Exterior side Yard Depth to Main Building (minimum)	3 metres (9.84 feet)
	ii) Front & Exterior side Yard Depth to Main Building (maximum)	6 metres (19.68 feet)
	iii) Lot Coverage	50% (maximum)
	iv) Garages shall not project beyond the façade of the dwelling or façade (front face) of any porch, and shall not occupy more than 50% of lot frontage	
	v) The front face and primary entrance of dwellings shall be oriented to adjacent streets (Z.-1-212910)	
R6-5(75)	6019 Hamlyn Street	
	a) Regulations:	
	i) Density (Maximum)	60 units per hectare

	ii)	Density (Minimum) (Z.-1-212910)	30 units per hectare
R6-5(76)	3924 Colonel Talbot Road		
a)	Regulations:		
	i)	Front Yard Setback, Main Dwellings (Minimum)	3 metres (9.8 feet)
	ii)	Front Yard Depth for Garages (Minimum)	5.5 metres (18.0 feet)
	iii)	Notwithstanding the regulations of Section 4.27 of this by-law to the contrary, on lands zoned R6-5(*) open or covered but unenclosed decks not exceeding one storey in height may project no closer than 0.6 metres (1.97 feet) where the lot line abuts an OS5 Zone. (Z.-1-212912)	
R6-5(77)	1478 Westdel Bourne		
a)	Regulations:		
	i)	Dwelling Setback from a High Pressure Pipeline (Minimum): (Z.-1-212920)	20 metres
R6-5(78)	1938 & 1964 Commissioners Road East		
a)	Regulations:		
	i)	Front Yard Depth for Main Dwelling (Minimum)	4.5 metres
	ii)	Rear Yard Depth to OS Zone (Minimum)	4.0 metres
	iii)	Interior Side Yard Depth to OS Zone (Minimum) (Z.-1-212964)	1.2 metres
R6-5(79)	14 Gideon Drive and 2012 Oxford Street West		
a)	Regulations:		
	i)	Dwelling Setback from along Oxford Street West and Gideon to ensure the buildings are street-oriented (Maximum) (Z.-1-212966)	up to 6 metres
R6-5(80)	150 King Edward Avenue		
a)	Regulations		
	i)	Front Yard Setback (Minimum)	4.5 metres (14.76 feet)
	ii)	Density (Maximum) (Z.-1-222996)	70 units per hectare

R6-5(81)	910 Gainsborough Road	
a)	Regulations	
i)	East interior side yard depth for walls with windows to habitable rooms (minimum)	3.6 metres (11.8 feet)
ii)	West interior side yard depth for walls with windows to habitable rooms (minimum) (Z.-1-223017)	5.3 metres (17.4 feet)
R6-5(82)	1521 Sunningdale Road West and 2631 Hyde Park Road	
a)	Regulations	
i)	Front Yard Depth For Buildings adjacent to a Local Street (minimum)	4.5 metres
ii)	Front Yard Depth For Buildings adjacent to to a Local Street (maximum)	6.0 metres
iii)	Front Yard Depth For Buildings adjacent to an Arterial (minimum)	1.0 metres
iv)	Front Yard Depth For Buildings adjacent to an Arterial (maximum)	6.0 metres
v)	Garages shall not project beyond the façade of the dwelling or façade (front face) of any porch, and shall not occupy more than 50% of lot frontage. (Z.-1- 223026)	
R6-5(83)	101 Meadowlily Road South	
a)	Permitted Uses:	
i)	Single detached dwelling;	
ii)	Semi-detached dwelling;	
iii)	Duplex dwelling;	
iv)	Townhouse dwelling	
b)	Regulations:	
i)	Height (Maximum)	2.5 Storeys (9.5 metres)
ii)	Density (Maximum) (Z.-1-212923 – OLT Decision, OLT-22-002513)	88 units
R6-5(84)	4519, 4535 and 4557 Colonel Talbot Road	
a)	Regulations	
i)	Rear Yard Depth (Minimum) Only applies to the northwest corner	2.5 metres
ii)	Interior Side Yard Depth (Minimum) Only applies to the Northwest corner (Z.-1-223053)	2.5 metres

**R6-5(85) – NOT IN USE**

R6-5(86)	6092 Pack Road	
a)	Prohibited Uses	
i)	Apartment building	
b)	Regulations	
i)	Front Yard Depth for development 3 storeys or less (Minimum)	13.3 metres (51.8 feet)
ii)	Front Yard Depth for development 4 storeys in height. (Minimum)	15.8 metres (51.8 feet)
iii)	Interior Side Yard Depth for new development one to two storeys in height where the end wall of a unit contains no windows to habitable rooms (Minimum)	1.8 metres (5.9 feet)
iv)	Interior Side Yard Depth for new development over two storeys end wall of a unit contains no windows to habitable rooms (Minimum)	3.0 metres (9.8 feet)
v)	Interior Side Yard Depth for new development where the wall of a unit contains windows to habitable rooms (Minimum)	6.0 metres (19.7 feet)
vi)	Separation Distance for new development, 3 storeys or less, from an Existing single detached dwelling on the same lot, save and except the garage. (Minimum)	3.9 metres (16.4 feet)
vii)	Separation Distance for new development, 4 storeys in height, from Existing single detached dwelling on the same lot, save and except the garage. (Minimum)	5.0 metres (16.4 feet)
viii)	New residential uses are restricted to only one side yard from Existing single detached dwelling but in no case permitted on both sides	
ix)	Density (Maximum) (Z.-1-233074)	45 units per hectare

- R6-5(87)146 Exeter Road
- a.Regulations:
- i)Front Yard Depth  
(Minimum Arterial Road)  
(Maximum Arterial Road)

1.0 metres (3.28 feet)  
4.5 metres (19.68 feet)

ii)Height  
(Maximum)

14 metres (45.9 feet)

iii)Density  
(Minimum)  
(Maximum)

30 units per hectare  
75 units per hectare

iv)Outdoor Amenity Space  
(Minimum)  
(Z.-1-233126)

5 sq. m.

TABLE 10.3

RESIDENTIAL R6 ZONE

REGULATIONS FOR R6 ZONE VARIATIONS

Column A			B	C	D	E	
Line 1	RESIDENTIAL TYPE		Cluster Housing				
2	ZONE VARIATIONS		R6-1	R6-2	R6-3	R6-4 R6-5	
3	PERMITTED USES		See Section 10.2 (Z.-1-101921)				
4	LOT AREA ( ) MINIMUM		5 000	2 000	5 000	2 000 850	
5	LOT FRONTAGE (m) MINIMUM		22.0				10
6	FRONT AND EXTERIOR SIDE YARD DEPTH (m) MINIMUM	LOCAL STREET MAIN BUILDING	6.0				
7		LOCAL STREET GARAGE	6.0				
8		ARTERIAL	8.0				
9		PRIMARY COLLECTOR	6.0				
10		SECONDARY COLLECTOR	6.0				
11	INTERIOR SIDE AND REAR YARD DEPTH (m) MINIMUM		0.5 metre (1.6 feet) per 1.0 metre (3.3 feet) of main building height or fraction thereof, but in no case less				SEE SECTION 10.3(1)

	(Z.1-197503)	than 3 metres (9.8 feet) when the wall of a unit contains no windows to habitable rooms or 6 metres (19.7 feet) when the wall of a unit contains windows to habitable rooms.  3 metres (9.8 feet) where the wall of an end unit facing the rear yard and/or interior side yard contains windows to habitable rooms on the ground floor only and no access points to the dwelling unit along the wall facing rear yard or interior side yard (Z.1-00761)				
12	LANDSCAPED OPEN SPACE (%) MINIMUM	45	45	40	30	30
13	LOT COVERAGE (%) MAXIMUM	25	30	35	40	45
14	HEIGHT (m) MAXIMUM	10.5	10.5	10.5	10.5	12.0
15	DENSITY - UNITS PER HECTARE MAXIMUM	15	20	25	30	35

\* Z.-1-94236