SECTION 12

RESIDENTIAL R8 ZONE

12.1 GENERAL PURPOSE OF THE R8 ZONE

The Zone provides for and regulates medium density development in the form of low rise apartment buildings which will vary in form depending on adjacent land uses, but in no case shall exceed 16 metres (52.5 feet) in height. Heights over the 13 metres (42.7 feet) noted in Table 12.3 shall be site specifically applied on the Zoning Maps. The zone variations are differentiated on the basis of coverage and density.

12.2 PERMITTED USES

No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used, in any Residential R8 Zone variation for any use other than the following uses:

- a) Apartment buildings;
- b) Handicapped person's apartment buildings;
- c) Lodging house class 2; (Z.-1-93172)
- d) Stacked townhousing;
- e) Senior citizen apartment buildings;
- f) Emergency care establishments;
- g) Continuum-of-care facilities (Z.-1-01915)

12.3 REGULATIONS

No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used, in any Residential R8 Zone variation except in conformity with the regulations as set out below and in Table 12.3 or as set out on the Zoning Maps.

1) DENSITY (deleted by Z.-1-96447)

12.4 SPECIAL PROVISIONS

The following zone variations apply to unique or existing situations and are not the standard R8 Zone variations. If a regulation or use is not specified, the list of permitted uses and/or the regulations of Section 12.2 and/or Section 12.3 shall apply.

R8-1 Zone Variation

R8-1(1)

a) Regulations:

i) Lot Area (Minimum)
 ii) Lot Frontage (Minimum) (40 feet)
 iii) (Z.-1-031172)

R8-1(2)

a) Regulations:

i) Lot Area 327.0 square metres (Minimum) (3,520 square feet)
 ii) Lot Frontage 8.9 metres (Minimum) (29.1 feet)
 iii) Rear Yard Setback 1.3 metres (Minimum) (4.2 feet)

iv) Lot Coverage 80% (Maximum)

v) Landscaped Open Space Zero (0)

vi) Dwelling Units Six (6) (Maximum) (Z.-1-061532)

R8-1(3) 945 Bluegrass Drive

- a) Prohibited Use:
 - i) Emergency Care Establishment
- b) Regulations:

i) Parking 66 spaces or 0.825 spaces (Minimum): per unit, whichever is greater.

ii) Density 46 units per hectare (Maximum):

iii) Setback to Rail 30.0 metres (98.4 feet)
Transportation (RT) Zone
(Minimum):
(Z.-1-192760)

R8-2 Zone Variation

R8-2(1)

a) Regulations:

i) Setback from a Railway 15 metres (49.2 feet) Right-of-Way (Minimum)

ii) Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building.

(Z.-1-96408)

R8-2(2)

a) Regulations:

i) Interior Side Yard Depth 1.2 metres (3.9 feet) (Minimum)

ii) Distance of Parking Area 1.2 metres (3.9 feet) to Front Lot Line (Minimum) (Z.-1-96422)

R8-2(3)

a) Regulations

i) Height 10 metres (32.81 feet) (Maximum) (Z.-1-98563)

R8-2(4)

a) Regulations

i)

Front and Exterior
Side Yard Depth

(3.3 ft) per 10m (32.8 ft)
of main building height or
fraction thereof above the
first 3 metres (9.8 ft).
(Z.-1-112020)

R8-2(5) Number not used.

R8-2(6)

- a) Additional Permitted Uses
 - i) Multiple dwelling;
 - ii) Converted dwelling (maximum 2 units).
- b) Regulations
 - i) Front Yard Depth 5.0 metres (14.4 feet) for Converted Dwelling (Minimum)
 - ii) East Interior Side Yard 3.0 metres (9.8 feet)
 Depth for Converted Dweling
 (Minimum)
 - iii) Front Yard Encroachment 3.0 metres (9.8 feet) for Covered Porch With Enclosed Second Storey (Maximum) (Z.-1-95353)

R8-3 Zone Variation

R8-3(1)

- a) Regulation
 - i) Northern Interior Side 14.9 metres (49 feet) Yard Depth (Minimum) (O.M.B. File Nos. O 910043, R 920408 and C 920199 November 17, 1993)

R8-3(2)

- a) Regulations
 - i) Front Yard and Exterior Side 6.0 metres (19.7 feet)
 Yard Depth (m)
 (Minimum)
 (Z.-1-01875)
- R8-3(3) 275 and 277 Piccadilly Street
 - a) Permitted Uses:
 - i) 2 new dwellings for a total of 11 units
 (OMB File No. PL130545 November 20, 2013 Z.-1-132251)

R8-3(4)

- a) Regulations
 - i) Front & Exterior Side Yard Depth 3.0 metres to Main Building (Minimum):
 - ii) Height 15.0 metres (Maximum) (Z.-1-162444)

R8-3(5)

- a) Permitted Uses
 - i) Apartment buildings
 - ii) Lodging house class 2
 - iii) Stacked townhousing

- b) Regulations
 - i) Dwelling Setback from a 20 metres High Pressure Pipeline (Minimum) (Z.-1-162539)
 - ii) Front and Exterior 3.0 metres
 Yard Depth
 (Minimum):
 (Z.-1-192780)

R8-3(6) 3700 Colonel Talbot Road and 3645 Bostwick Road

- a) Regulations:
 - i) Yard Setback (Adjacent to OS5) (Minimum): 10 metres from OS5 Zone
 - ii) Density
 (Minimum): 30 units per hectare
 (Maximum): 65 units per hectare
 - iii) Provide built form along the OS5 Zone and orient the buildings to the open space by including individual unit doors or a main building entrance facing the open space.
 - iv) The 10 metre yard setback from the OS5 Zone will include increased landscaping as per the approved landscape plan through file 39T-17503 (3700 Colonel Talbot Road and 3645 Bostwick Road).
 - v) No structures are permitted within the 10m yard setback from the OS5 Zone. (Z.-1-192790)

R8-3(7) 1938 & 1964 Commissioners Road East

a) Regulations:

i) Height 16 metres (4 storeys) (Maximum)

ii) Rear Yard Depth 4.0 metres to OS Zone (Minimum)

iii) Front Yard Depth 4.5 metres (Minimum)

iv) Interior Side Yard Depth 1.2 metres to OS Zone (Minimum)

R8-4 Zone Variation

R8-4(1)

a) Regulations:

i) Setback from OS4 Line 0.0 metres (Minimum)

R8-4(2)

a) Regulations:

i) Setback from the 24 metres
Centreline of (78.7 feet)
Commissioners Road West
(Minimum)

R8-4(3)

a) Regulations

Apartment buildings may have a minimum parking requirement of:

Bachelor, one bedroom apartment - 1 space per unit;

Two bedroom or larger apartment - 1.25 spaces per unit (Z.-1-92091)

R8-4(4)

a) Regulations

i) Setback from a 15 metres Railway Right-of-Way (49.2 feet)

(Minimum)

ii) Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building.

(O.M.B. File #R 910387 - Appeal #5011 December 21, 1993)

R8-4(5)

a) Regulations

i) Lot Area 0.3 hectare (Minimum) (0.7 acres.)

ii) Setback from a 30 metres (98 feet)

Railway Right-of-way (Minimum)

Setback from the railway right-of-way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building.

(Z.-1-94307)

R8-4(6)

a) Regulations

i) Floor Area Ratio 65% (Maximum)

ii) Existing Uses Continued:

Nothing in this By-law shall prevent the rebuilding or repair of a building or structure or repair of a building or structure lawfully used on the date of passing of this By-law (August 6, 1996) for a purpose that , were it not for Section 1.3 is prohibited in this by-law where:

- the dimensions of the building or structure are not increased and the yards appurtenant thereto are not reduced except in accordance with the provisions of this by-law; and
- b) the building or structure is used for a use which is contained in the list of permitted uses for the zone in which the building or structure is located. (Z.-1-96440 O.M.B. File No. R960353)

R8-4(7)

a) Regulations

i) Floor Area Ratio 80% (Maximum)

ii) Rear Yard and 1.0 metre (3.3 feet) for Interior Side each 1.0 metre (3.3 feet)

Yard Depth (Minimum)

in height or as per

Section 7.3 or Table 7.3 whichever is greater, where the yard abuts lands zoned Residential R1 or Residential R2.

iii) Parking Standard

One additional parking space for any dwelling unit greater than 70 square metres (753 square feet).

iv) Setback/Front Yard ExemptionSection 4.23 does not apply.

v) Existing Uses Continued:

Nothing in this By-law shall prevent the rebuilding or repair of a building or structure or repair of a building or structure lawfully used on the date of passing of this By-law (August 6, 1996) for a purpose that , were it not for Section 1.3 is prohibited in this by-law where:

- the dimensions of the building or structure are not increased and the yards appurtenant thereto are not reduced except in accordance with the provisions of this by-law; and
- b) the building or structure is used for a use which is contained in the list of permitted uses for the zone in which the building or structure is located.

 (Z.-1-96440 O.M.B. file No. R 960353 Order Issue Date: October 20, 1997)

90%

R8-4(8)

a) Regulations

i) Floor Area Ratio (Maximum) (Z.-1-96448)

R8-4(9)

a) Regulations:

i) Setback from a 30 metres (98 feet) Railway Right-of-Way (Minimum)

ii) Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and nearest part of any residential building.
(Z.-1-00799)

R8-4(10)

a) Regulations:

Notwithstanding the provisions of Section 3.9 2) a) of this By-law to the contrary, the maximum density calculation for the lands zoned R8-4(10) shall be based on a lot area of 1.33 hectares (3.29 acres) which includes the lands in the abutting Open Space Special Provision (OS5(5)) Zone. (Z.-1-01876)

R8-4(11)

a) Regulations:

i) Floor Area Ratio: 80% (Maximum)

- ii) Rear Yard 24.4 metres (80 feet) (Minimum)
- iii) Parking Standard

One additional parking space for any dwelling unit greater than 70 square metres (735 square feet). (Z.-1-01894)

R8-4(12)

- a) Permitted Uses:
 - i) Apartment units within a converted place of worship;
 - ii) Duplex dwelling.
- b) Regulations:
 - i) Parking Standard (Duplex)

One space per 100 m2 (1,076 square feet) of Floor Area, Gross Residential or as indicated in Section 4.19.10 of this By-law, whichever is greater.

ii) Parking Standard

One additional parking space for any dwelling unit greater than 70 square metres (753 square feet). (Z.-1-02954)

R8-4(13)

a) Regulations:

i) Lot Frontage 18.0 metres (Minimum) (59.0 feet)

ii) Setback from a 120 metres (394 feet) in Railway right-of-way (Minimum) the absence of a safety berm, 30 metres (98.4

feet) in conjunction with a safety berm.

(Z.-1-041202)

R8-4(14)

a) Regulations:

i) Front and Exterior 2.15 metres Side Yard Depth (7.05 feet)

(Minimum)

ii) Height 14.1 metres (Maximum) (46.26 feet)

(Z.-1-061520)

R8-4(15)

- a) Permitted Use:
 - i) Residential dwelling units in the place of worship and parish hall as they exist at the time of the passing of the By-law.

13

b) Regulations:

i) Additional Gross Floor Maximum of 10% of Area for Architectural existing gross floor Features Such as Dormers and Stairwells.

ii) Maximum Residential
Dwelling Units on Lot

(Z.-1-061576)

R8-4(16)

a) Regulations:

i) Setback from Arterial Road (Minimum)

For all portions of a building above 8 metres (26.2 feet) in height, the required minimum setback shall be 60 metres

ii) Dwelling Setback

20 metres (66 feet) From High Pressure Pipeline (Minimum) (Z.-1-091891)

R8-4(17)

a) Regulations:

i) Front and Exterior Side Yard Depth

4.5m (14.76 ft) plus 1m (3.3 ft) per 10 metres (32.8 ft) of main building height or fraction thereof above the first 3 metres (9.8 ft). (Z.-1-112020)

R8-4(18)

a) Regulations:

i) Front Yard Setback (Minimum)

3.1 metres

ii) Rear Yard Setback (Minimum)

2.9 metres

iii) Interior Yard Setback (Minimum)

2.9 metres

iv) Floor Area Ratio (Maximum)

142%

v) Height to a depth of 40 metres rom the Wharncliffe Road Allowance (Maximum) 14 metres

vi) Height balance of the property (Maximum)

11 metres

vii) Parking (Minimum) (Z.-1-122084) 50 spaces

R8-4(19) 3535 Settlement Trail

a) Regulations:

i) Building Height Front yard depth (Z.-1-122114) 21 meters (maximum) 6.0 meters (minimum

R8-4(20) 390 Princess Avenue

a) Regulation

i) The number of dwelling units, the yard setbacks and height of the existing building at 390 Princess Avenue shall be as existing on November 20, 2012 (Z.-1-122150)

R8-4(21) 77 Tecumseh Avenue West

- a) Permitted Use:
 - i) Residential dwelling units in the public school as it existed at the time of the passing of the By-law.
- b) Regulations:

i) Additional Gross Floor Maximum of 10% of Area for Architectural existing gross floor Features Such as Stairwells.

ii) Maximum Residential 22 Dwelling Units on the Lot (Z.-1-132185)

R8-4(22) 122 Wortley Road

- a) Regulations
 - i) Setback from (south) 2.5 metres interior side yard (Minimum)
 - ii) Setback from (north) 4.07 metres interior side yard (Minimum) (Z.-1-142260)

R8-4(23) 77 Tecumseh Avenue West

- a) Regulations:
 - i) Exterior Side Yard Depth (6.4m) (Minimum)
 - ii) Residential Dwelling Units (22) (Maximum) (Z.-1-142267)

R8-4(24) 1836 Richmond Street

- a) Additional Permitted Uses
 - i) Commercial recreation establishments in existing buildings;
 - ii) Day care centres in existing buildings;
 - iii) Dwellings in existing buildings;
 - iv) Offices in existing buildings;
 - v) Places of worship in existing buildings;
 - vi) Studios in existing buildings;
 - vii) University school related functions in existing buildings.
- b) Regulations
 - i) Front Yard Depth 0.0 metres (0.0 feet) (Minimum)
 - ii) The maximum density calculation shall be based on a total lot area of 5.6 hectares (13.84 acres), which includes lands in the adjacent ecological buffer. (Z.-1-142301)

R8-4(25)

- a) Regulations
 - i) Front Yard Setback, 3 metres (9.8 feet) Main Dwellings (Minimum):
 - ii) Front Yard Depth 5.5 metres (18.0 feet) for Garages (Minimum.):
 - iii) Rear Yard Setback 3 metres (9.8 feet) (Minimum):
 - iv) Notwithstanding Section 3.9(2), the maximum density calculation shall be based on a lot area of 2.43 hectares,

which includes the lands in the abutting Open Space Special Provision (OS4(10)) Zone. (Z.-1-142328)

R8-4(26)

a) Regulations

i) Front Yard Setback, 3 metres (9.8 feet) Main Dwellings (Minimum):

ii) Front Yard Depth 5.5 metres (18.0 feet) for Garages (Minimum.):

iii) Rear Yard Setback 3 metres (9.8 feet) (Minimum):

iv) Notwithstanding Section 3.9(2), the maximum density calculation shall be based on a lot area of 2.46 hectares, which includes the lands in the abutting Open Space Special Provision (OS4(10)) Zone. (Z.-1-142328)

R8-4 (26)** 164 Sherwood Forest Square

a) Regulation[s]:

i) Lot Frontage 21 metres (68.9 feet) (minimum)

ii) Height of architectural towers 16 metres (52.5 feet) (maximum)

iii) No habitable space shall be permitted above 13 metres in height

** numbering issue – matches by-law, (Z.-1-142337)

R8-4(27)

a) Regulations

i) Front Yard Setback, 3 metres (9.8 feet) Main Dwellings (Minimum):

ii) Front Yard Depth 5.5 metres (18.0 feet) for Garages (Minimum): (Z.-1-142328)

R8-4(28)

a) Permitted Uses

i) Apartment Buildings (Z.-1-152386)

R8-4(29)

a) Regulations

i) Front & Exterior Side Yard 3.0 metres Depth to Main Building (Minimum):

ii) Height (Maximum) 18.0 metres (Z.-1-162444)

R8-4(30)

a) Regulations:

i) Density
(Minimum) 70 units per hectare
(Maximum) 75 units per hectare
(Z.-1-162448)

. (0 . (0 .)		TO CONTIGUE / TOTALO			
a)	Additional Permitted Uses:				
	i) ii)	Townhouse Stacked Townhouse			
b)	Regul	ations:			
	i)	Parking Spaces	264 Spaces		
	ii)	Lot Frontage (Minimum) (Z1-162466)	11 metres		
R8-4(32)					
a)	Regul	ations:			
	i)	Dwelling Setback From High Pressure Pipeline (Minimum) (Z1-162502)	20 metres (66 feet)		
R8-4(33)	21 Wł	narncliffe Road South			
a)	_	ations: for the existing building as by-law	of the date of the passing		
	i)	Height (maximum)	12m (39.4ft)		
	ii)	Front Yard Setback (minimum)	6.2m (20.3 ft)		
	iii)	Exterior Side Yard Setback (minimum)	0m (0ft)		
	iv)	Minimum number of parking spaces where the total number of required spaces is 138 or less	100		
	v)	Density – Units per hectare (maximum) (Z1-162524)	76		
R8-4(35)					
a)	Permi	tted Uses			
	i) ii) iii)	Apartment buildings Lodging house class 2 Stacked townhousing			
b)	Regul	ations			
	i)	Dwelling Setback from a High Pressure Pipeline (Minimum) (Z1-172539)	20 metres		
915, 9	965, 10	31 and 1095 Upperpoint Avenue			
c)	Regul	ations:			
	ii)	Front and Exterior Yard Depth (Minimum): (Z1-192780)	3.0 metres		
R8-4(36)	1349.	1351, 1357 & 1361 Commissione	rs Road West		
a)		ations			

R8-4(31) 232-240 Oakland Avenue

i) Front Yard Depth 2m (6.6 ft) (minimum)

ii) Height 16.5m (54.13 ft) (maximum)

iii) Number of Parking Spaces 65 spaces (minimum)

iv) The density, lot area, lot coverage and landscaped open space calculation shall be based on a lot area which includes the lands in the abutting Open Space Special Provision (OS1(4)) Zone.

(Z.-1-162540)

R8-4(37) 169 Foster Avenue

a) Regulations:

i) Parking Spaces 0.5 per unit (minimum)

ii) Bedrooms 1 per unit (maximum) (Z.-1-172554)

R8-4(38) 855 Trafalgar Street

a) Regulation[s]:

i) Front Yard Depth 4 metres (13.12 feet) (minimum)

ii) Western Interior 1.28 metres (4.2 feet) Side Yard Depth (minimum)

iii) Lot Frontage 24 metres (78.75 feet) (minimum)

iv) Parking 8 spaces (minimum) (Z.-1-172579)

R8-4(39) 1235 – 1295 Fanshawe Park Road West

- a) Additional Permitted Uses:
 - i) Nursing Homesii) Retirement Lodges
 - iii) Townhouse dwellings
- b) Regulations:

i) Yard depths from 2 metres
Dalmagarry Road and (6.56 feet)
Tokala Trail (Minimum)

ii) Yard depths from 5 metres
Dalmagarry Road and (16.4 feet)
Tokala Trail (Maximum)

iii) Interior yard depth from 6 metres north property line (19.69 feet) (Minimum)

iv) Interior yard depth from 7.5 metres west property line (24.61 feet) (Minimum)

v) Yard depth from zone line 0 metres between the R8-4(39) Zone (0 feet)

and the R8-4(40)/ASA3(10)/ ASA6(4)/ASA8(5) Zone for a comprehensive development plan for all lands located within the R8-4(39) and the R8-4(40)/ ASA3(10)/ASA6(4)/ASA8(5) Zone (Minimum)

vi) Yard depth from zone line between the R8-4(39) Zone and the Per Table 12.3 R8-4(40)/ASA3(10)/ASA6(4)/ASA8(5) -Residential R8 Zone for development of lands Zone located within the R8-4(39) Zone only (Minimum)

vii) Density 97 units/ha. (Maximum for all lands at 1235 - 1295 Fanshawe Park Road West in the R8-4(39) and the R8-4(40)/ASA3(10)/ ASA6(4)/ASA8(5) Zone)

viii) Parking and Drive Aisles
No parking or drive aisles between the buildings and
the public streets (Z.-1-182634)

R8-4(40) 1235 – 1295 Fanshawe Park Road West

- a) Additional Permitted Uses:
 - i) Nursing Homes
 - ii) Retirement Lodges
 - iii) Townhouse dwellings
- b) Regulations:
 - Building Form All uses may develop in standalone buildings, a shopping centre building, or as part of a mixeduse residential/commercial building, including a live-work format
 - ii) Yard depth from Dalmagarry Road 2 metres (Minimum) (6.56 feet)
 - iii) Yard depth from Dalmagarry Road 5 metres (Maximum) (16.4 feet)
 - iv) Yard depth from zone line 0 metres between the R8-4(39) Zone and the (0 feet) R8-4(40)/ASA3(10)/ASA6(4)ASA8(5) Zone for a comprehensive development plan for all lands located within the R8-4(39) and the R8-4(40)/ASA3(10)/ ASA6(4)/ASA8(5) Zone (Minimum)
 - v) Yard depth from zone line
 between the R8-4(39) Zone and the per Table 12.3
 R8-4(40)/ASA3/ASA6/ASA8(5) Zone Residential R8
 for residential development, on lands
 located within the R8-4(40)/
 ASA3(10)/ASA6(4)/ASA8(5) Zone only
 (Minimum)
 - vi) Yard depth from zone line 8 metres between the R8-4(39) Zone and the R8-4(40)/ASA3(10)/ASA6(4)/ASA8(5)

Zone for mixed-use or commercial development, on lands located within the R8-4(40)/ASA3(10)/ASA6(4)/ASA8(5) Zone only (Minimum)

vii) Interior yard depth from 7.5 metres west property line (24.61 feet) (Minimum)

viii) Yard depth from Fanshawe Park 2 metres Road West for new development (6.56 feet) or redevelopment (Minimum)

ix) Yard depth from Fanshawe Park 6 metres
Road West for new development (19.69 feet)
or redevelopment (Maximum)

x) Height 15 metres (Maximum) (49.21 feet)

xi) Density 97 units/ha. (Maximum for all lands at 1235 - 1295 (39.3 units/acre) Fanshawe Park Road West in the R8-4(39) and the R8-4(40)/ASA3(10)/ ASA6(4)/ASA8(5) Zone)

xii) Density 114 units/ha. (Maximum for lands in the R8-4(40)/ASA3(10)/ASA6(4)/ASA8(5) Zone only)

xiii) Parking and Drive Aisles

No parking, for new development or drive aisles, or redevelopment drive-through facilities between the buildings and the public streets

xiv) Mixed-use residential/commercial buildings may include any of the uses permitted in the R8-4(40)/ASA3(10)/ASA6(4)/ASA8(5) Zones but shall comply with the regulations of the R8-4(40) Zone.
(Z.-1-182634)

R8-4(41) 1090, 1092, and 1096 Hamilton Road

a) Regulations:

i) Front yard depth 0.8 metres (2.6 feet) (minimum)

ii) Parking 56 spaces (minimum) (Z.-1-182648)

R8-4(42) 391 South Street

- a) Additional Permitted Uses
 - i) Offices
 - ii) Medical-dental offices
 - iii) Clinics
 - iv) Day care centres
 - v) Studios
 - vi) Convenience stores
 - vii) Pharmacies

- viii) Financial institutions
- ix) Personal service establishments
- x) Restaurants, eat-in
- xi) Business service establishments
- xii) Hotels
- xiii) Retail Store

b) Regulations

- i) Within the existing building, there will be no limit on the location of non-residential floor area or floor space permitted within, with the exception of the retail store use.
- ii) For the existing building, the height is as existing on the date of the passing of the by-law.
- iii) Residential uses located on the ground floor of the existing building may occupy no more than 80% of the total ground floor gross floor area
- iv) Within new buildings, non-residential uses are restricted to the ground floor with a maximum combined gross floor area of 850m²

v) Lot Frontage 25m Minimum

vi) Lot Coverage 80% Maximum

vii) Height

Minimum 9m (29 ft) Maximum 13 m (42 ft)

viii) Density

Minimum 50 units per hectare Maximum 60 units per hectare

ix) Front and Exterior Side Yard Setbacks

Minimum 0m (0 ft)
Maximum 3m (10 ft)

x) Rear Yard Requirements 3m (10 ft) Maximum

xi) Interior Side Yard Requirements

Minimum 2m (6 ft)

xii) Landscaped Open Space 20% Minimum

xiii) Parking requirement for residential uses 0.75 spaces per unit
Minimum

xiv) Retail Store Total 300m² (3,229 sq ft) Gross Floor Area

Maximum

xv) Offices/Medical Dental Offices 2,000m² for new buildings maximum

(Z.-1-182687)

R8-4(43) 2054 Adelaide Street North

a) Regulations

i) Front Yard Setback, 3 metres (9.8 feet)
Main Dwellings
(Minimum):
(Z.-1-192775 - LPAT Issued - 2018-11-05)

R8-4(44) 440 Clarke Road

- a) Permitted Uses:
 - i) Apartment Building, with any or all of the other permitted uses on the first floor.
- b) Regulation[s]:
 - i) The lot line which abuts an arterial street shall be interpreted as the front lot line regardless of whether or not it is the longer lot line.
 (Z.-1-192730)

R8-4(45) 447 Old Wonderland Road

a) Regulations:

i)	Front Yard Depth (Minimum):	0.75 metres (2.46 feet)
ii)	Exterior Side Yard Depth (Minimum):	0.75 metres (2.46 feet)
iii)	Setback of Balcony	0.75 metres

Setback of Balcony 0.75 metres
Projection to Lot Line (2.46 feet)
(Minimum):

iv) Building Height 15.5 metres (Maximum): (50.85 feet)

v) Density 78 units per hectare (Maximum): (Z.-1-192733)

R8-4(46) 3087 White Oak Road

- a) Regulations:
 - For the purpose of this by-law the front lot line shall be interpreted as Petty Road
 - ii) Front Yard Depth 3m (9.8ft) (Minimum): (Z.-1-192756)

R8-4(47) 480 Edgevalley Road

- a) Regulations:
 - For the purpose of this by-law, the front lot line shall be deemed to be Kilally Road.

ii) Density 75 units per hectare (Maximum):

iii) Height Four (4) storeys (Maximum): 15 metres (49.2 feet)

iv) Front Yard Setback

(Minimum):2.0 metres (6.6 feet)(Maximum):6.0 metres (19.7 feet)

v) Exterior Side Yard Depth - Edgevalley Road

(Minimum): 3.0 metres (9.8 feet) (Maximum): 7.0 metres (23.0 feet)

vi) Exterior Side Yard Depth - Agathos Street

(Minimum): 2.0 metres (6.6 feet) (Z.-1-192785)

R8-4(48) 475 Edgevalley Road

a) Regulations:

- i) For the purpose of this by-law, the front lot line shall be deemed to be Kilally Road.
- ii) Density 75 units per hectare (Maximum):
- iii) Height Four (4) storeys (Maximum): 16 metres (52.5 feet)
- iv) Front Yard Setback

(Minimum): 2.0 metres (6.6 feet) (Maximum): 6.0 metres (19.7 feet)

v) Exterior Side Yard Depth - Edgevalley Road

(Minimum): 3.0 metres (9.8 feet) (Maximum): 7.0 metres (23.0 feet)

vi) Exterior Side Yard Depth - Agathos Street

(Minimum): 2.0 metres (6.6 feet) (Z.-1-192785)

(Z.-1-192785)

- R8-4(49) 3700 Colonel Talbot Road and 3645 Bostwick Road
 - a) Regulations:
 - i) Front Yard and Exterior Side Yard Depth (m)

(Minimum): 1.0 metres (3.3 feet) (Maximum): 4.0 metres (13.1 feet)

ii) Density

(Minimum): 30 units per hectare (Maximum): 75 units per hectare

- iii) Building Orientation The principle entrance shall be oriented to Colonel Talbot Road or at the corner of Colonel Talbot Road and future Street A. (Z.-1-192790)
- R8-4(50) 3700 Colonel Talbot Road and 3645 Bostwick Road
 - a) Regulations:
 - i) Front Yard Setback (Dwelling or Building)(Minimum) 3 metres (9.8 feet)
 - ii) Front Yard Setback (Dwelling or Building) fronting on Neighbourhood Connectors (Royal Magnolia Avenue and Campbell Street North)

(Minimum) 3 metres (9.8 feet) (Maximum) 6 metres (19.7 feet)

iii) Front Yard Depth, Garages

(Minimum) 6 metres (19.7 feet)

iv) Interior Side Yard

(Minimum) 1.2 metres (3.9 feet)

v) Density

(Minimum) 30 units per hectare (Maximum) 75 units per hectare

vi) Garages shall not project beyond the façade of the dwelling or façade (front face) of any porch, whichever is closer to the front lot line, and shall not occupy more than 50% of lot frontage.

(Z.-1-192790; Z.-1-223051)

- R8-4(51) 3700 Colonel Talbot Road and 3645 Bostwick Road
 - a) Regulations:
 - i) Front Yard and Exterior Side Yard Depth (m)(Minimum): 1.0 metres (3.3 feet)

ii) Density (Minimum) 30 units per hectare 75 units per hectare (Maximum) iii) Height (Maximum): 4 Stories Building Orientation - The principle entrance shall be iv) oriented to Street A or at the corner of Street A and Street D. (Z.-1-192790) 3700 Colonel Talbot Road and 3645 Bostwick Road R8-4(52) Regulations: a) i) Front Yard and Exterior Side Yard Depth (m) (Minimum): 1.0 metres (3.3 feet) (Maximum): 4.0 metres (13.1 feet) ii) Density (Minimum): 30 units per hectare 100 units per hectare (Maximum): iii) Height (Minimum): 2 Storeys (Maximum): 4 Storeys Building Orientation – The principle entrance shall be iv) oriented to Bostwick Road. (Z.-1-192790) R8-4(53) 1200 & 1230 Hyde Park Road a) Regulation[s] i) **Net Density** 35 uph (based on total (maximum) land area within the zone) 14 metres (45.9 ii) Height (maximum) feet), 4-storeys Front & Exterior Yard Depth iii) 3 metres (minimum) (9.84 feet) Setback from Railway 30 metres iv) Right of Way (minimum) (98.4 feet) The front face and primary entrance of dwellings shall be v) oriented to adjacent streets (Z.-1-202869) 1176, 1200 & 1230 Hyde Park Road and a portion of 1150 R8-4(54) Gainsborough Road Regulation[s] a) i) Density 100uph (41 units per acre) (maximum) ii) Height 3 storey (maximum) iii) Front & Exterior Yard Depth 3 metres (9.84 feet) (minimum) iv) Setback from Railway 30 metres (98.4 feet) Right of Way (minimum) The front face and primary entrance of dwellings shall be v) oriented to adjacent streets (Z.-1-202869) vi)

(Maximum):

4.0 metres (13.1 feet)

- R8-4(55) 1176 & 1200 Hyde Park Road and a portion of 1150 Gainsborough Road
 - a) Regulation[s]

i) Density 90uph (37 units per acre) (maximum)

ii) Height 3 storey (maximum)
iii) Lot Frontage 10 metres (32.8 feet) (minimum)

iv) Setback from Railway 30 metres (98.4 feet) Right of Way (minimum) (Z.-1-202869)

R8-4(56) Old Victoria Hospital Lands Phase II

- a) Additional Permitted Uses
 - i) Offices;
 - ii) Medical/dental offices;
 - iii) Clinics;
 - iv) Day care centres;
 - v) Studios;
 - vi) Convenience stores;
 - vii) Pharmacies;
 - viii) Financial institutions;
 - ix) Personal service establishments;
 - x) Restaurant, eat-in;
 - xi) Business service establishments;
 - xii) Hotel within existing buildings;
 - xiii) Craft brewery;
 - xiv) Artisanal workshop
- b) Regulations
 - i) Non-residential uses are restricted to the first and second floor, with the exception of existing buildings which have no limit on the amount or location of non-residential floor area permitted within them.

ii) Front and Exterior Side Yard 1.0 m (3.2 ft)
Depth (Minimum) or as existing buildings

iii) Front and Exterior Side Yard 3.0 m (9.8 ft) or as Depth (Maximum) existing for existing buildings

iv) Rear Yard Depth (Minimum) 3.0 m (9.8 ft) or as existing for existing buildings

v) Interior Side Yard Depth 2.0 m (6.6 ft) or as (Minimum) existing buildings

vi) Yard Depth Between R8-4 0 m (0 ft) Zones (Minimum)

vii) Landscaped Open Space 20% or as existing (Minimum) for existing buildings

viii) Lot Coverage (Maximum) 80%

ix) Building Height (Minimum) 9.0 m (29.5 ft)

x) Building Height (Maximum) 34.5 m (113 ft) or 11 storeys, whichever is

greater

	xi)	Density (Minimum) (No maximum)	50 UPH
	xii)	Parking for Residential Uses (Minimum)	0.5 spaces per unit
	xiii)	Parking for All Uses Within Existing Buildings (Minimum)	0 spaces
	xiv)	Podium Height (Minimum)	3 storeys
	xv)	Podium Height (Maximum)	4 storeys
	xvi)	Tower Step Back Beyond the 4th Storey (Minimum) (Z1-202877)(Z1-222979)	3 m (9.8 ft)
R8-4(57)	Old Vi	ctoria Hospital Lands Phase II	
a)	Additio	onal Permitted Uses	
	viii) ix) x) xi) xii) xiii) xiiv)	Offices; Medical/dental offices; Clinics; Day care centres; Studios; Convenience stores; Pharmacies; Financial institutions; Personal service establishments; Restaurant, eat-in; Business service establishments; Hotel within existing buildings; Craft brewery; Artisanal workshop	
b)	Regul		
	i)	Front and Exterior Side Yard Depth (Minimum)	1.0 m (3.2 f)
	ii)	Front and Exterior Side Yard Depth (Maximum)	3.0 m (9.8 ft)
	iii)	Rear Yard Depth (Minimum)	2.0 m
	iv)	Interior Side Yard Depth (Minimum)	0.0 m
	v)	Landscaped Open Space (Minimum)	16.4%
	vi)	Lot Coverage (Maximum)	80%
	vii)	Building Height (Minimum)	9.0 m (29.5 ft)
	viii)	Building Height (Maximum)	34.5 m (113 ft) or 11 storeys, whichever is greater
	ix)	Density (Minimum) (No maximum)	50 UPH
	x)	Parking for Residential Uses (Minimum)	0.5 spaces per unit
	xvii)	Podium Height (Minimum)	3 storeys
	xviii)	Podium Height (Maximum)	4 storeys
	xix)	Tower Step Back Beyond the 4th Storey (Minimum) (Z1-202877)	3 m (9.8 ft)
	xx)	Front Lot Line	Notwithstanding Section 2 of this by-law, for 124 Colborne Street –

Colborne Street is recognized as the front lot line.

xxi) Parking for commercial uses (minimum)

Yard Encroachments xxii) Notwithstanding Section

0

4.27 of this by-law yard encroachments up to 0.0m from the lot line are permitted for balconies, architectural features, terraces, patios, porches

and canopies.

(Z.-1-222979)

R8-4(58) Old Victoria Hospital Lands Phase II

> a) **Additional Permitted Uses**

- Hotel within existing buildings; i)
- ii) Day care centres;
- Libraries; iii)
- Post office depots; iv)
- Private schools V)

b) Regulations

i)	Front and Exterior Side Yard	1.0 m (3.2 ft) or as
•	Depth (Minimum)	existing for existing
		buildings

- Front and Exterior Side Yard ii) 3.0 m (9.8 ft) or as Depth (Maximum) existing for existing buildings
- iii) Rear Yard Depth (Minimum) 3.0 m (9.8 ft) or as existing for existing buildings Interior Side Yard Depth iv) 2.0 m (6.6 ft) or as
- (Minimum) existing for existing buildings
- v) Yard Depth Between R8-4 0 m (0 ft) Zones (Minimum)
- Landscaped Open Space 20% or as existing vi) (Minimum) for existing buildings
- vii) Lot Coverage (Maximum) 80%
- 9.0 m (29.5 ft) viii) Building Height (Minimum)
- **Building Height (Maximum)** 25.5 m (83.7 ft) or 8 ix) storeys, whichever is greater
- x) Density (Minimum) 30 UPH (No maximum)
- Parking for Residential Uses 0.5 spaces per unit xi) (Minimum)
- xii) Parking for All Uses Within 0 spaces Existing Buildings (Minimum)
- Podium Height (Minimum) 3 storeys XX) Podium Height (Maximum) xxi) 4 storeys
- (iixx Tower Step Back Beyond 3 m (9.8 ft)

the 4th Storey (Minimum) (Z.-1-202877) xxiii) Front Lot Line Notwithstanding Section 2 of this by-law, for 370 South Street – South Street is recognized as the front lot line. **Notwithstanding Section** xxiv) Yard Encroachments 4.27 of this by-law yard encroachments up to 0.0m from the lot line are permitted for balconies, architectural features, terraces, patios, porches and canopies. (Z.-1-222979) Old Victoria Hospital Lands Phase II **Permitted Uses** Stacked townhouses ii) Apartment buildings Regulations i) Front and Exterior Side Yard 1.0 m (3.2 ft) Depth (Minimum) ii) Front and Exterior Side Yard 3.0 m (9.8 ft) Depth (Maximum) iii) Rear Yard Depth (Minimum) 3.0 m (9.8 ft) Interior Side Yard Depth iv) 2.0 m (6.6 ft) (Minimum) Landscaped Open Space 20% v) (Minimum) 80% vi) Lot Coverage (Maximum) 9.0 m (29.5 ft) vii) Building Height (Minimum) viii) Building Height (Maximum) 19.5 m (64 ft) or 5 storeys, whichever is greater ix) Density (Minimum) **15 UPH** (No maximum) Density (Maximum) (Deleted by By-law Z.-1-222979) X) Parking for Residential Uses 0.5 space per dwelling unit xi) (Minimum) Residential Garage Width xii) 50% of the building width (Maximum) (Z.-1-202877) Front Lot Line Notwithstanding Section 2 xiii) of this by-law, for 124 Colborne Street - Colborne

R8-4(59)

a)

b)

Notwithstanding Section 2 of this by-law, for 370 South Street - Hill Street is recognized as the front lot line.

Street is recognized as the

front lot line.

2.0 m xiv) Rear Yard Depth - 124 Colborne Street (minimum) Interior Side Yard Depth 0.0 m XV) - 124 Colborne Street (minimum) Landscaped Open Space 17.3 % xvi) - 124 Colborne Street (minimum) Yard Encroachments **Notwithstanding Section** xvii) 4.27 of this by-law yard encroachments up to 0.0m from the lot line are permitted for balconies, architectural features, terraces, patios, porches and canopies. (Z.-1-222979)R8-4(60) 1150 Fanshawe Park Road East a) Regulations i) Frontage 22 metres (72 feet) (Minimum) (Z.-1-202891) R8-4(61) 260 Sarnia Road Regulations b) viii) Front Yard Depth 1.0 metres (3.2 feet) (minimum) ix) **Parking** 1 space per unit (Minimum) (Z.-1-212899) R8-4(62) 6019 Hamlyn Street Regulations a) Front & Exterior side Yard Depth 3 metres i) to Main Building (9.84 feet) (minimum) Front & Exterior side Yard Depth 6 metres ii) to Main Building (19.68 feet) (maximum) Height 20 metres iii) (maximum) (65.62 feet) (6-storeys) The front face and primary entrance of dwellings shall be iv) oriented to adjacent streets (Z.-1-212910) R8-4(63) 345 Sylvan Street Regulations a) Frontage (min) 20.0m i) Parking (min) 0.5 spaces per unit ii) iii) Dwelling unit size (min) Notwithstanding 4.6 of this by-law the minimum required size for a one-bedroom

dwelling unit shall be 41.0 square meters.

iv) Accessory Structures Notwithstanding 4.1 of this by-law accessory structures may be permitted in the front yard to provide long-term bicycle parking.

(Z.-1-212914)

R8-4(64) 1478 Westdel Bourne

- a) Permitted Uses:
 - i) Apartment buildings;
 - ii) Lodging house class 2;
 - iii) Stacked townhousing
- b) Regulations:
 - iii) Height 16 metres (4 storeys) (Maximum):
 - iv) Dwelling Setback from 20 metres a High Pressure Pipeline (Minimum) (Z.-1-212920)

R8-4(65) 467-469 Dufferin Avenue

- a) Permitted Use[s]:
 - i) An Apartment Building, and;
 - ii) An Accessory Use (Structure), in conjunction with the Apartment Building
- b) Regulations (Main Building):

i)	Lot Area	390.0 square metres
·		(minimum)

- ii) Lot Frontage 12.0 metres (minimum)
- iii) Front Yard Setback (minimum) 1.0 metres (minimum)
- iv) Front Yard Setback (maximum) 2.0 metres (maximum)
- v) Interior Side Yard Setback(s) 1.2 metres (minimum)
- vi) Rear Yard Setback 8.0 metres (minimum)
- vii) Landscaped Open Space 45% (minimum)
- viii) Lot Coverage, total 53% (maximum)
- ix) Height 12 metres (maximum)
- x) Density 231 units per hectare (maximum)
- xi) Number of Units Per Lot (total) nine (9) (maximum)
- xii) Number of Bedrooms:

 Notwithstanding the number of units within the apartment building, the total number of bedrooms shall not exceed nine.

xiii) Building Depth 74% (maximum)

xiv) Parking Area Coverage 0% (minimum)

xv) Parking Requirements: Zero (0) spaces are required and permitted.

xvi) Parking Standards:

No parking area, driveway, access aisle, parking space, nor any motorized vehicle storage is required, or permitted.

c) Regulations (Accessory Use (Structure)):

i) Coverage 10% (maximum)

ii) Interior Side and Rear 0.3 metres (minimum) Yard Setback

iii) Height 4.3 metres (maximum)

- d) Overhanging Neighbouring Properties and Drainage:
 - Notwithstanding any regulations herein, nothing in this special provision zone shall permit any portion of any main or accessory structure to encroach onto, or overhang, neighbouring properties either above or below ground.
 - ii) Roof water downspouts shall be directed so as to not drain onto adjoining properties, in accordance with the Drainage By-law WM-4.
 LPAT Enacted April 8, 2021 PL180089 Z.-1-212931

R8-4(66) 611-615 Third Street

a) Regulations:

i) Front Yard Depth 2.2 metres (7.2 feet) (Minimum):

ii) Interior Side Yard Depth 4.57 metres (14.9 feet) (Minimum):

iii) Parking 1.05 spaces per unit (Minimum): (Z.-1-212922)

R8-4(67) 14 Gideon Drive and 2012 Oxford Street West

- a) Permitted Uses:
 - i) Apartment buildings;
 - ii) Lodging house class 2;
 - iii) Stacked townhouse dwellings
- b) Regulations:

i) Height 16 metres (4 storeys) (Maximum)

ii) Dwelling Setback from up to 6 metres along Oxford Street West

and Gideon to ensure the buildings are street-oriented (Maximum) (Z.-1-212966)

R8-4(68) 1408 Ernest Avenue

a) Regulations:

i) Front yard setback 4.0 metres (13.12 feet) (minimum)

ii) Interior side yard setback (minimum) (Z.-1-222991) 4.0 metres (13.12 feet)

R8-4(69) 1140 Sunningdale Road East

a) Regulations:

i) Front Yard Depth 22.0 metres (72.2 feet) as (minimum) measured from the front lot line existing on the date of passing this by-law

ii) Interior Side Yard Depth (East) (minimum) 3.0 metres (9.8 feet)

iii) Interior Side Yard
Depth (West)
(minimum)

1.0 metre (3.2 feet) per 1.0 metre (3.2 feet) of main building height or fraction thereof above 3.0 metres (9.8 feet), but in no case less than 7.5 metres (24.6 feet)

iv) Read Yard Depth (minimum)

1.0 metre (3.2 feet) per 1.0 metre (3.2 feet) of main building height or fraction thereof above 3.0 metres (9.8 feet), but in no case less than 7.5 metres (24.6 feet)

v) Location of Underground Parking Ramp (minimum) 3.0 metres (9.8 feet) to all lot lines.

vi) Height (maximum) (Z.-1-222998)

16.0 metres (52.5 feet) or 4-storeys, whichever is less.

R8-4(70) 475 Grey Street

a) Regulations

i) Front Yard Depth 3.2 meters (Minimum)
 ii) Rear Yard Depth 3.3 meters (Minimum)

iii) Exterior Side Yard Depth (Minimum)

3.3 meters

iv) Density 96 units per hectare (Maximum)

v) Parking 34 spaces or (Minimum) 0.9 spaces/unit

vi) The definition of 'STACKED TOWNHOUSE' permits units to be stacked three (3) units high. (Z.-1-223006)

R8-4(71) 517, 521 and 525 Fanshawe Park Road East

a) Regulations

i) Front Yard Depth 1.0 metres (3.3 feet) (Minimum)

ii) Exterior Side Yard Depth 1.0 metres (3.3 feet) (Minimum)

iii) Height the lesser of 14.0 metres, (Maximum) or 4 storeys (Z.-1-223019)

R8-4(72) 551-555 Waterloo Street

a) Regulations

i) Front Yard Depth 0.0 metres (Minimum)

ii) North Interior Side 0.4 metres
Yard Depth (Minimum)

iii) South Interior Side 4.0 metres
Yard Depth (Minimum)

iv) Gross Floor Area 1,600 square metres (Maximum)

v) Height 10 metres (Maximum)

vi) Home occupations shall be permitted within dwellings units in apartment buildings and restricted to the ground floor and occupy no more than 25% of total floor area of the dwelling unit, up to a maximum of 35 square metres, whichever is less. All other provisions of Section 4.10 shall be applied to any home occupation within the dwelling unit of the apartment building. (Z.-1-223024)

R8-4(73) 1521 Sunningdale Road West and 2631 Hyde Park Road

a) Regulations

i) Front Yard Depth 4.5 metres For Buildings adjacent to a Local Street (minimum)

ii) Front Yard Depth 6.0 metres For Buildings adjacent to to a Local Street (maximum)

iii) Front Yard Depth 1.0 metres
For Buildings adjacent
to an Arterial (minimum)

iv) Front Yard Depth 6.0 metres For Buildings adjacent

to an Arterial (maximum)

v) Garages shall not project beyond the façade of the dwelling or façade (front face) of any porch, and shall not occupy more than 50% of lot frontage. (Z.-1-223026)

R8-4(74) 801 Sarnia Road

a) Regulations

i)	Front Yard Depth to	4.0 meters (13.1 feet)
-	Arterial Road	
	(minimum)	

- ii) Rear Yard Setback to 13 meters (42.6 feet) Open Space (minimum)
- iii) Height 16 meters (52.4 feet) (maximum)
- iv) Parking1 space per unit (minimum)
- v) Density 96 units per hectare (maximum) (72 dwelling units) (Z.-1-223041)

R8-4(75) 18 Elm Street

- a) Additional Permitted Uses
 - i) Day Care Centre
 - ii) Community Centre
- b) Regulations

x)	Gross Floor Area non-residential uses (max)	1400 sq.m.
xi)	Front Yard Setback (min)	4 m
xii)	North Interior Sideyard Setback (min)	4 m
xiii)	Parking spaces for all uses in a mixed-use apartment building	46 spaces
	(Z1-223044)	

R8-4(76) 3510 & 3524 Colonel Talbot Road

- a) Additional permitted uses, limited to the first floor
 - i) Bake shop
 - ii) Commercial recreation establishment
 - iii) Convenience store
 - iv) Food stores
 - v) Office, business
 - vi) Office, service
 - vii) Office, professional
 - viii) Personal service establishments
 - ix) Pharmacy
 - x) Retail store
 - xi) Restaurants
- b) Regulations
 - i) Front and Exterior Side Yard Depth 1.0 metres (3.3 feet) (Minimum)
 - ii) Front and Exterior Side Yard Depth 3.0 metres (9.8 feet) (Maximum)

iii) Height the lesser of 15.0 metres, (Maximum) or 4 storeys iv) Density 87 units per hectare v) **Gross Floor Area** 435.0 square metres for Additional Permitted Uses (4682.3 square feet) (Maximum) vi) **Parking** 60 spaces (Minimum) Notwithstanding the Site Plan Control By-law, setback for the vii) parking area from south property line shall be 3.0 metres (9.8 feet). The primary entrance of commercial units shall be oriented to viii) adjacent streets. 4519, 4535 and 4557 Colonel Talbot Road Permitted Uses: Stacked Townhouses Regulations i) Density 83 units per hectare (Maximum) ii) Driveways in the southeast corner 0.5metres (Minimum) (Z.-1-223053)366 Hill Street Permitted use i) Stacked townhouse dwellings Regulations Front Yard Depth i) 1.0 metres (3.28 feet) (Minimum) Front Yard Depth ii) 3.0 metres (9.84 feet) (Maximum) East Interior Yard 2.0 metres (6.56 feet) iii) Setback for development 3 storeys or less (Minimum) East Interior Yard 1.2 metres (3.9 feet) per Setback for development 3 metres (9.8 feet) of main building height or fraction above 3 storeys thereof above 3 metres (Minimum) (9.8 feet), but in no case less than 4.5 metres

Height

(Minimum)

iv)

V)

R8-4(77)

R8-4(78)

a)

b)

a)

b)

4 storeys, or 13.0 metres (42.7 feet), whichever is

(14.8 feet)

29%

Landscape Open Space

R8-4(79) 931-1225 Southdale Road East

- a) Additional Permitted Uses
 - i) Townhouses
 - ii) Day Care Centre
 - iii) Community Centre
 - iv) Institution
 - v) Assembly Hall
 - vi) Conference Facilities
 - vii) Studio
- b) Regulation[s]

i)	Exterior Side Yard (min)	1.0m
ii)	Height (max)	18.0m
iii)	Gross Floor Area for All	500sq.m
	Non-Residential Uses (max)	

iv) Balconies and Architectural

Projections

0.0m from lot line

v) Accessory Structures – Permitted in Front and Exterior Side Yards with a minimum setback of 0.0m from all lot lines (Z.-1-233075)

R8-4(80) 952 Southdale Road West

a) Regulations

i)	Front and Exterior	3.0 metres (9.8 feet)
•	Side Yard Depth	·
	(Minimum)	

ii) Interior Side Yard Depth
Abutting the Commercial
Zone to the South
(Minimum)

10.5 metres (34.5 feet)

iii) Density 97 units per hectare (Maximum)

- iv) The definition of 'STACKED TOWNHOUSE' permits units to be stacked three (3) units high, to a maximum height of 13.0 metres (42.7 feet), or three storeys.
- v) The lot line which abuts Colonel Talbot Road shall be interpreted as the front lot line. (Z.-1-233078)

R8-4(81) 608 Commissioners Road West

a) Regulations

i) Height 22.0 metres (Maximum)

ii) Density 215 Units per hectare (uph) (Maximum) (Z.-1-233089)

R8-4(82) 3480 Morgan Avenue

a) Regulations

i)		3.3m ((10.8ft)
ii)		2.2m ((7.2ft)
iii)	•	4.5m (14.8ft)
iv)	Landscaped Open Space (Minimum)	27%	
v)	Height (Maximum)	14m (4	45.9ft)
vi)	Density (Maximum) (Z1-233106)	87 uni	t per hectare
	644-646 Huron Street		
Re	gulations		
ij) Front Yard Depth (Minimum)		2.5 metres
ii)) Interior Side Yard Depth (Minimum)		5.0 metres
iii)) Landscaped Open Space (Minimum)		29%
iv)) Building Height (Maximum)		23 metres
V)	Density (Maximum) (Z1-233113)		250 UPH
	46 Elmwood Place		
	Permitted Use		
	i) Apartment building		
	Regulations		
	i) Parking Area setback from front lot line (Minimum)		0.0 metres
i	i) Front Yard Depth (Minimum)		4.71 metres
ii	i) Rear Yard Depth (Minimum)		1.82 metres
i۱	East Interior Side Yard Depth (Minimum)	1	4.17 metres
١	Parking Area Setback (Minimum)		0.81 metres
٧	i) Lot Coverage (Maximum)		32.7%
vi	i) Density (Maximum) (Z1-233129)		82 units per hectare
	1140 Fanshawe Park Road East		
	íii) iii) iv) v) vi) Re í' iii iv ví	 (Minimum) ii) Interior Side Yard Depth (Minimum) iii) Rear Yard Depth (Minimum) iv) Landscaped Open Space (Minimum) v) Height (Maximum) vi) Density (Maximum) (Z1-233106) 644-646 Huron Street Regulations i) Front Yard Depth (Minimum) ii) Interior Side Yard Depth (Minimum) iii) Landscaped Open Space (Minimum) iv) Building Height (Maximum) v) Density (Maximum) (Z1-233113) 46 Elmwood Place Permitted Use i) Apartment building Regulations i) Parking Area setback from front lot line (Minimum) ii) Front Yard Depth (Minimum) iii) Rear Yard Depth (Minimum) iv) East Interior Side Yard Depth (Minimum) v) Parking Area Setback (Minimum) v) Parking Area Setback (Minimum) vi) Lot Coverage (Maximum) vii) Density (Maximum) viii) Density (Maximum) viiii Density (Maximum) viiii Density (Maximum) viiii Density (Maximum) viiii Density (Maximum) viiiii Density (Maximum) viiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	(Minimum) ii) Interior Side Yard Depth (Minimum) iii) Rear Yard Depth (Minimum) iv) Landscaped Open Space (Minimum) v) Height (Maximum) vi) Density (Maximum) (Z1-233106) 644-646 Huron Street Regulations i) Front Yard Depth (Minimum) ii) Interior Side Yard Depth (Minimum) iii) Landscaped Open Space (Minimum) iv) Building Height (Maximum) v) Density (Maximum) v) Density (Maximum) iv) Building Height (Maximum) v) Density (Minimum) iv) Parking Area setback from front lot line (Minimum) ii) Front Yard Depth (Minimum) iii) Rear Yard Depth (Minimum) iii) Rear Yard Depth (Minimum) iv) East Interior Side Yard Depth (Minimum) v) Parking Area Setback (Minimum) v) Parking Area Setback (Minimum) vi) Lot Coverage (Maximum) vii) Density (Maximum) viii) Density (Maximum) viiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii

- a) The front lot line is considered to be Sunningdale Road East for the purpose of development.
- b) No parking is to be permitted within the front and exterior side yard in front of any proposed buildings.

- c) Notwithstanding Section 3.9(2) of this By-law, the maximum density calculation shall be based on the lot area of 3.92 ha, which includes the abutting Open Space Special Provision (OS5(24)) Zone lands.
- d) Regulations:
 - i) Front Yard Depth (m) (min): 3.0
 - ii) Exterior Side Yard Depth (m) (min): 3.0
 - iii) Lot Coverage (%) (max): 45
 - iv) Density (uph) (max): 100
 - v) Interior Side Yard Depth from Open Space Zone (m) (min): 1.0
 - vi) Height (max): 22.0 m or 6-storeys (Z.-1-233132 OLT Enacted OLT-22-004106)

R8-4(86) 1140 Fanshawe Park Road East

- a) The front lot line is considered to be Sunningdale Road East for the purpose of development.
- b) No parking is to be permitted within the front and exterior side yard in front of any proposed buildings.
- c) Regulations:
 - i) Front Yard Depth (m) (min): 3.0
 - ii) Exterior Side Yard Depth (m) (min): 3.0
 - iii) Lot Coverage (%) (max): 45
 - iv) Density (uph) (max): 100
 - v) Height (max): 22.0 m or 6-storeys (Z.-1-233132 OLT Enacted OLT-22-004106)

R8-4(87) 1901 Jalna Boulevard

- a) Additional Permitted Uses
 - i) Standard townhouses
 - ii) Community centre accessory to the apartment building with a maximum gross floor area of 300 square metres.
- b) Regulations:
 - i) For the purposes of Zoning, Jalna Boulevard to the west is to be considered the front lot line.
 - ii) Front Yard Depth 6.0 metres (19.7 feet) (Minimum)
 - iii) North Exterior Side Yard Depth 2.0 metres (6.6 feet) (Minimum)
 - iv) South Exterior Side Yard Depth 2.0 metres (19.7 feet) (Minimum)
 - v) Density 132 units per hectare (Maximum)
 - vi) Apartment Building Height 22.0 metres (6-storeys) (Maximum)
 - vii) Encroachment Balconies 1.5 metre projection into

	on Apartment Building	the north exterior side yard
viii)	Driveway Width (Maximum)	4.6 metres
ix)	Notwithstanding Section 4.19.4 the south exterior yard along Ja	l) b) parking may be permitted in alna Boulevard (Z1-233155)
R8-4(88)	610-620 Beaverbrook Avenue	
a) Reg	gulations	
i)	Front Yard Depth (minimum): 4	1.5 metres
ii)	Rear Yard Depth (minimum): 5	.0 metres
iii)	North Interior Side Yard Depth	(minimum): 10.0 metres
iv)	Height (maximum): 17 metres	
v)	Landscaped Open Space (min (Z1-233156)	imum): 24%
R8-4(89)	6019 Hamlyn Street	
a) Ro	egulations	
i)	Interior Side & Rear Yard	3.0 metres
ii)	Front and Exterior Side Yard Depth to Sight Triangle (Minimum)	0.8 metres
iii)	Front and Exterior Side Yard Depth (Maximum)	7.0 metres
iv)	Landscaped Open Space (%) (Minimum)	25%
v)	Density – Units Per Hectare (Maximum) (Z1-233160)	100 UPH
R8-4(90)	755, 785 and 815 Wonderland R	load South
a) Addi	itional Permitted Use	
	i) Cluster Townhouse Dwellii) Apartment buildings with a uses on the first floor.	ings any or all of the other permitted
b) Reg	ulations	
i	i) Height (Maximum)	24.0 metres (78.7 feet)
i	ii) Density (Maximum) (Z1-243189 – OLT-23-00	150 Units per Hectare
R8-4(91)	1467 Wharncliffe Road South	
a. Reg	gulations	
i)	Density – Units per hectare (maximum)	77
ii)	Front Yard Setback (minimum)	4.5m (15.1 feet)

- iii) Exterior Side Yard Setback 5.3m (18.0 feet) (minimum)
- iv) Parking Setback from Westerly Lot Line 2.0m (6.6 feet) (minimum) (Z.-1-243192)

Table 12.3 Residential R8 Zone Regulations for R8 Zone Variations

Residential Type		Apartment Buildings, Stacked Townhouses, Lodging Houses, & Special Population's Accommodations					
Zone Variations		R8-1	R8-2	R8-3	R8-4		
Permitted Us	ses	See Section 12.2					
Lot Area (M²) Minimum	800	1000	1000	1000		
Lot Frontage (M) Minimum		20	20	25	30		
	Local Street Main Building						
Front And Exterior	Local Street Garage	6 metres (19.7 feet) plus 1 metre (3.3 feet) per 10 metres (32.8 feet) of main building height or fraction thereof above the first 3.0 metres (9.8 feet)					
Side Yard Depth (M) Minimum	Arterial						
IVIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Primary Collector						
	Secondary Collector						
Interior Side & Rear Yard Depth (M) Minimum		1.2 metres (3.9 feet) per 3 metres (9.8 feet) of main building height or fraction thereof above 3 metres (9.8 feet), but in no case less than 4.5 metres (14.8 feet)					
Landscaped Open Space (%) Minimum		30					
Lot Coverage (%) Maximum		30	35	35	40		
Height (M) Maximum		13.0					
Density – Units Per Hectare Maximum		40	50	65	75		