

## SECTION 13

### RESIDENTIAL R9 ZONE

#### 13.1 GENERAL PURPOSE OF THE R9 ZONE

The Zone provides for and regulates a wide range of medium and higher density residential developments in the form of apartment buildings.

#### 13.2 PERMITTED USES

No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used, in any Residential R9 Zone variation for any use other than the following uses:

- a) Apartment buildings;
- b) Lodging house class 2; (Z.-1-93172)
- c) Senior citizens apartment buildings;
- d) Handicapped persons apartment buildings
- e) Continuum-of-care facilities. (Z.-1-01915)

#### 13.3 REGULATIONS

No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used, in any Residential R9 Zone variation except in conformity with the regulations as set out below and in Table 13.3 or as set out on the Zoning Maps.

- 1) DENSITY (deleted by Z.-1-96447)

#### 13.4 SPECIAL PROVISIONS

The following zone variations apply to unique or existing situations and are not the standard R9 Zone variations. If a regulation or use is not specified, the list of permitted uses and/or the regulations of Section 13.2 and/or Section 13.3 shall apply.

##### a) R9-1 Zone Variation

R9-1(1)

##### a) Regulations:

Notwithstanding any provision of Section 4.19 or Section 13.3 to the contrary, the following provisions shall apply:

- |      |  |                      |
|------|--|----------------------|
| i)   | Front Yard Depth<br>(Minimum):                           | 7.1 metres           |
| ii)  | East Interior Side Yard Depth<br>(Minimum):              | 11.2 metres          |
| iii) | Density<br>(units per hectare maximum)                   | 107 units/ha         |
| iv)  | Parking  | 1.16 spaces per unit |
| v)   | Density Bonus<br>(Z.-1-081695 approved January 21, 2008) | not applicable       |

R9-1(2) 8 Fairview Court and 770 Whetter Avenue

##### a) Regulations:

- |    |  |           |
|----|--|-----------|
| i) | Setback from a Railway<br>Right-of-Way (Minimum) | 15 metres |
|----|--|-----------|



- a) Regulations
  - i) Setbacks from a Railway Right-of-Way (Minimum) 60 metres (196.9 feet).
  - ii) **Setback from Railway Right-of-Way** means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building.  
(O.M.B. File #R 890025/R 910387 - Appeal #9001-0 June 4, 1993)

R9-3(3)

- a) Regulations:
  - i) Dwelling units are to be contained within buildings, including minor additions, on lots existing on May 11, 1992;
  - ii) Average Dwelling Unit Floor Area (Minimum) 65 square metres (700 square feet).
  - iii) Landscaped Open Space (Minimum) 25%
  - iv) Front Yard Parking Area Setback (Minimum) 0.0 metre
  - v) Interior Side Yard Parking Area Setback (Minimum) 0.0 metre
  - vi) Rear Yard and Interior Side Yard Accessory Building Setback (Minimum) (Z.-1-93202) 0.0 metre

R9-3 (4)

- a) Regulations
  - i) Setback from Railway Right-of-Way with a Safety and Noise Berm (Minimum) 15 metres (49.2 feet)
  - ii) Density Bonus (Maximum) 25%
  - iii) Density Bonus for underground parking (Z.-1-94266) None

R9-3(5)

- a) Regulations
  - i) Lot Coverage (Maximum) 60%
  - ii) Floor Area Ratio (Maximum) 1.0:1

- iii) Front, Rear, Interior and Exterior Yard Depth (Minimum) 3 metres (9.8 feet) plus 1 metre for every 3 metres (9.8 feet) of building height or fraction thereof above 3 metres (9.8 feet).

(O.M.B. File #R 910387 - Appeal #9003-6 May 9, 1994)

R9-3(6)

(added to By-law by Z.-1-00743) (deleted by Z.-1-00794)

R9-3(7)

- a) Additional Permitted Use:
  - i) Stacked townhouse.
- b) Regulations:
  - i) Interior Side Yard (Minimum) East Side Only: 3 metres (10 feet).
  - ii) Front Yard Depth (Minimum) 1.5 metres (5 feet)
  - iii) Parking Requirement 1.3 cars per unit
  - iv) Landscaped Open Space (Minimum) 28.2 %
  - v) Lot Coverage (Maximum) (Z.-1-00794) 31.4 %

R9-3(8)

- a) Regulations:
- i) Setback from a Railway Right-of-Way (Minimum) 30 metres (98 feet)
  - ii) **Setback from a Railway Right-of-Way** means the shortest horizontal distance between the nearest boundary of a railway right-of-way and nearest part of any residential building.  
(Z.-1-00799)

R9-3(9)

- a) Regulations:
- i) Lot Coverage (Maximum) 70%
- (Schedule "A31-B" to the Order of the O.M.B. made on July 29<sup>th</sup>, 1992.  
O.M.B. File #0910043/R910387, A31 Referral #66, Appeal #2019  
(amending order issue date: June 20, 1997)

R9-3(10) 83, 85 and 89 Ridout Street South

- a) Regulations
- i) Interior Side Yard (South) (Minimum) 4.0 metres (13 feet)
  - ii) Interior Side Yard (North) (Minimum) 5.5 metres (18 feet)
  - iii) Front yard setback (Minimum) 2.7metres (8.1feet)
  - iv) Lot coverage (Maximum) 31%
  - v) Density (Maximum) 85 units per hectare  
(Z.-1-142315)

R9-3(11) NUMBER NOT USED

R9-3(12) 609 William Street

- a) Regulations
- i) Lot Frontage (William Street) (m) Minimum 14.7 metres (48.23 feet)
  - ii) Interior Side Yard Depth North (m) Minimum 0.0 metres (0.0 feet)
  - iii) Landscaped Open Space Associated with Existing Building (%) Minimum 17.5 percent
  - iv) Off-street Parking Associated with parking Existing Building (Minimum) 22 spaces which may be reduced by up to four spaces if they are legally dedicated for use by 510 Central Avenue for residential purposes.  
(Z.-1-142366)

- R9-3(13)
- a) Regulation:
- i) Height (Maximum) (Z.-1-152390) 9 storeys
- R9-3(14) 644 and 646 Huron Street
- a) Regulations:
- i) Front Yard Setback (Minimum and Maximum) 2 metres (6.5 feet) to a maximum of 4 metres (13.1 feet)
- ii) Interior Side Yard Setback (Minimum) 2 metres (6.5 feet) plus 1 additional metre for each storey above the third storey.
- iii) Height (Maximum) (Z.-1-182656) 13 metres (42.6 feet)
- R9-3(15) 391 South Street
- a) Permitted Uses
- i) Apartment buildings
- ii) Stacked townhouses
- b) Secondary Permitted Uses on the ground floor abutting the Riverfront Promenade:
- i) Restaurants, eat-in
- ii) Studios
- c) Regulations
- i) Lot Coverage (Maximum) 80%
- ii) Height  
Minimum 21 m (69 ft)  
Maximum 30 m (98 ft)
- iii) Density  
Minimum 75 units per hectare  
Maximum 100 units per hectare
- iv) Floor plate above 4<sup>th</sup> Storey Maximum 800m<sup>2</sup>
- v) Front and Exterior Side Yard Setbacks  
Minimum 0 m (0 ft)  
Maximum 3m (10 ft)
- vi) Rear Yard Requirements  
Minimum 0m (0 ft)
- vii) Interior Side Yard Requirements  
Minimum 0m (0 ft)
- viii) Landscaped Open Space  
Minimum 20%
- ix) Parking requirement for residential uses per unit  
Minimum 0.75 spaces  
(Z.-1-182687)

- R9-3(16) 3700 Colonel Talbot Road and 3645 Bostwick Road
- a) Regulations:
- i) Front Yard and Exterior Side Yard Depth (m)
    - (Minimum): 1.0 metres (3.3 feet)
    - (Maximum): 4.0 metres (13.1 feet)
  - ii) Density
    - (Minimum): 30 units per hectare
    - (Maximum): 100 units per hectare
  - iii) Height
    - (Minimum): 2 Storeys
    - (Maximum): 7 Storeys (24m)
  - iv) Building Orientation – The principle entrance shall be oriented to Bostwick Road or at the corner of Bostwick Road and future Street A.  
(Z.-1-192790)
- R9-3(17) 3700 Colonel Talbot Road and 3645 Bostwick Road
- a) Regulations:
- i) Front Yard and Exterior Side Yard Depth (m)
    - (Minimum): 1.0 metres (3.3 feet)
    - (Maximum): 4.0 metres (13.1 feet)
  - ii) Density
    - (Minimum): 30 units per hectare
    - (Maximum): 100 units per hectare
  - iii) Height
    - (Minimum): 2 Storeys
    - (Maximum): 9 Storeys (32m)
  - iv) Building Orientation – The principle entrance shall be oriented to Bostwick Road or at the corner of Bostwick Road and future Street A.  
(Z.-1-192790)
- R9-3(18) 3700 Colonel Talbot Road and 3645 Bostwick Road
- a) Regulations:
- i) Front Yard and Exterior Side Yard Depth (m)
    - (Minimum): 1.0 metres (3.3 feet)
    - (Maximum): 4.0 metres (13.1 feet)
  - ii) Density
    - (Minimum): 30 units per hectare
    - (Maximum): 100 units per hectare
  - iii) Height
    - (Minimum): 2 Storeys
    - (Maximum): 7 Storeys (24m)
  - iv) Building Orientation – The principle entrance shall be oriented to Bostwick Road or at the corner of Bostwick Road and future Street M.  
(Z.-1-192790)
- R9-3(19) 799 Southdale Road West
- a) Regulations:
- i) Density (maximum) 100uph
  - ii) Height (maximum) 17 metres

- iii) Front yard (minimum) 0.5 metres
- iv) West Side Yard (minimum) 4.8 metres
- v) East Side Yard (minimum) 6.0 metres
- vi) The front lot line is deemed to be Southdale Road West
- vii) All buildings must be oriented to the Southdale Road West frontage (Z.-1-202876)

R9-3(20) 1515 Trossacks Avenue

a. Regulations

- i) Height (6 Storeys) (Maximum) 21 metres
- ii) Density (Maximum) 269 UPH
- iii) Setback to the Sight Triangle (minimum) 0.4 metres
- iv) Exterior Side Yard Setback (Fanshawe Park Road West) (minimum) 2.0 metres
- v) Exterior Side Yard Setback (3-6 storeys) (Fanshawe Park Road West) (minimum) 4.4 metres
- vi) Exterior Side Yard Patio Setback (minimum) 0.0 metres
- vii) Front Yard Setback (Trossacks Avenue) (minimum) 2.2 metres
- viii) Rear Yard Setback (1-2 Storeys) (minimum) 5.9 metres
- ix) Rear Yard setback (3-6 Storeys) (minimum) (Z.-1-233139) 8.3 metres

R9-3(21) 488-492 Pond Mills Road

b. Regulations

- i) For the purposes of Zoning, Pond Mills Road is considered to be the front lot line.
- ii) Front Yard Setback (Minimum) 3.0 metres (9.8 feet)
- iii) North Interior Side Yard Setback (Minimum) 4.4 metres (14.8 feet)
- iv) Rear Yard Setback for Parking Lot to Property Line (Minimum) 3.0 metres (9.8 feet)



- v) Height (Maximum) 15 metres (or 4 Storeys)
- vi) Balcony Encroachment on Apartment Buildings: Projection permitted in the required yard (Maximum) 1.5 metres provided the projection is no closer than 2.5 metres to the front lot line.
- vii) The main building entrance shall be oriented to Pond Mills Road. (Z.-1-243169)

**d) R9-4 Zone Variation**

R9-4(1) 180 – 186 Commissioners Road West

a) Regulations:

- i) The front lot line is deemed to be Commissioners Road West.
- ii) Front Yard Depth (Minimum): 1.0 metres (3.28 feet)
- iii) Front Yard Depth (Maximum): 3.0 metres (9.84 feet)
- iv) Interior Yard Depth (Minimum): 7.1 metres (23.29 feet)
- v) Exterior Side Yard Depth (Minimum): 5.4 metres (17.72 feet)
- vi) Height (Maximum): 14.0 metres (45.93 feet)
- vii) Density (Maximum): 105 units per hectare
- viii) Parking (Minimum): 1 space per unit
- ix) Yard Encroachment for balconies from Commissioners Road West (Maximum):  
1.5m (4.92 feet) provided the projection is no closer than 0.5 metres (1.64 feet) to the lot lines
- x) The as-of-right bonusing permitted in Table 13.3, Row 16, shall not apply (Z.-1-212955)

R9-4(2) 1420 Hyde Park Road

a) Regulations

- i) Front Yard Depth (Minimum) 1.5 metres (4.92 feet)
- ii) Front Yard Depth (Maximum) 3.0 metres (9.84 feet)
- iii) Exterior Side Yard Depth (Minimum) 1.5 metres (4.92 feet)
- iv) Exterior Side Yard Depth (Maximum) 3.0 metres (9.84 feet)
- v) Interior Yard Depth (Minimum) 4.2 metres (13.78 feet)
- vi) Height (Maximum) 16.0 metres (52.49 feet)
- vii) Density 111 units per hectare

- (Maximum)
- viii) Parking (Minimum) (Z.-1-223012) 1.1 spaces per unit

R9-4(3) 3480 Morgan Avenue

a) Additional Permitted Uses:

- a. Stacked Townhouses
- b. Townhouses

b) Regulations:

- i) Lot Frontage (Minimum) 20m
- ii) Front Yard Depth (Minimum) 4.5m (14.76ft)
- iii) Exterior Side Yard Depth (Minimum) 4.5m (14.76ft)
- iv) Interior Side Yard Depth To Northwest property line (Minimum) 2.2m (7.2ft)
- v) Rear Yard Depth (Minimum) 4.5m (14.8ft)
- vi) Height For Townhouses and Stacked Townhouses (Maximum) 14m (45.9ft)
- vii) Height All other uses (Maximum) 17m (55.77ft) (5 Storeys)
- viii) Lot Coverage (Minimum) (Z.-1-233145) 40%

**e) R9-5 Zone Variation**

R9-5(1) 552 Wonderland Road North

a) Regulations

- i) Density bonus regulations shall not apply.
- ii) All yard setbacks (Z.-1-93158) 0.0 metre from the OS4 Zone Variation

R9-5(2) 99 Southdale Road West

a) Regulations:

- i) Density (maximum) 100 units per hectare
- ii) Height (maximum) 29.5 metres
- iii) Front yard (minimum) 6.0 metres

- iv) West Side Yard (minimum) 6.5 metres
- v) East Side Yard (minimum) 12.0 metres
- vi) Rear Yard 6.0 metres
- vii) The density, lot area, lot coverage and landscaped open space calculations shall be based on a lot area which includes the lands in the abutting Open Space (OS4) Zone. (Z.-1-222978)

**f) R9-6 Zone Variation**

R9-6(1)

- a) Regulations
  - i) Density bonus regulations shall not apply.
  - ii) All yard setbacks 0.0 metre from the OS4 Zone Variation
  - iii) Lot Coverage (Maximum) (Z.-1-92063) 55%

R9-6(2)

- a) Regulations
  - i) Rear Yard Depth (Minimum) 3 metres (9.8 feet) per 3 metres of building height or fraction thereof greater than 15 metres (49.2 feet) but in no case less than 7 metres (23.0 feet). (O.M.B. File # R 910387 - Appeal #9009-14) December 21, 1993)

**g) R9-7 Zone Variation**

R9-7(1)

- a) Regulations:
  - i) Setback from Centreline 18 metres (57.6 feet) of Riverside Drive
  - ii) Total Number of Units 268

R9-7(2)

- a) Regulations:
  - i) Coverage (Maximum) 20% plus parking structures.
  - ii) Yards to Property Lines One-half the height of the building; however separation between structures within the same zone will be as per the Site Plan Agreement registered on title.

R9-7(3)

- a) Regulations:
  - i) Front Yard 7.5 metres (24.6 feet) (Minimum)
  - ii) Exterior Side Yard 6.0 metres (19.7 feet) (Minimum)
  - iii) Interior Side Yard 5.0 metres (16.4 feet) (Minimum)
  - iv) Rear Yard 7.5 metres (24.6 feet) (Minimum)

R9-7(4)

- a) Additional Permitted Use:
  - i) Convenience store.
- b) Regulations
  - i) Gross Floor Area 100.0 square metres (Maximum) for Convenience Store (1,076 square feet)  
(O.M.B. File #910043, R 910387 - Appeal #5013 June 4, 1993)

R9-7(5)

- a) Additional Permitted Use:
  - i) Bed and breakfast establishment.
- b) Regulations
  - i) Lot Area 2 000 square metres (Minimum) (21,528 square feet).
  - ii) Rear Yard 15 metres (49.21 feet) (Minimum)
  - iii) Front Yard 0 metre (0 feet) (Minimum)
  - iv) Exterior Side Yard 4.5 m (14.8 ft.) (Minimum)
  - v) No vehicular access will be provided to the side street.
  - vi) Lot frontage is defined as frontage onto an arterial road.  
(O.M.B. File #O 930014/Z 930015 - Appeal #9903 June 4, 1993)

R9-7(6)

- a) Regulations
  - i) Rear Yard and Interior Side Yard Depth 1 metre (3.3 feet) (Minimum) For all portions of a building above 6 metres (19.7 feet) in height, the required minimum setback shall be 1 metre (3.3 feet) for each 1 metre (3.3 feet) in height, but in no case less than 6 metres (19.7 feet) for all portions of a building between 0 and 6 metres (19.7 feet) in height where a building abuts a Residential R1 or Residential R2 Zone Variation. (Z.-1-95359 and

R9-7(7)

a) Regulations:

- i) Dwelling Setback From Railway Right-of-Way (Minimum): 120 metres (394 feet) in the absence of a safety berm, combination safety berm and acoustic fence, adjoining and parallel to the railway right-of-way, or 30 metres (98 feet) in conjunction with the safety/acoustic berm noted above.

(Z.-1-99703 - O.M.B. Order No. 0595 - Order Issue Date: April 18, 2000)

R9-7(8)

a) Regulations:

- i) Rear Yard and Interior Side Yard Depth (Minimum) 6.0 metres (19.7 feet) plus 1.0 metre (3.3 feet) per 1.0 metre (3.3 feet) in height for all portions of a building above 6.0 metres (19.7 feet) in height.
- ii) Where the lands to which this special provision applies are used for a combination of uses permitted by this zone and the ResidentialR6 (R6-5) Zone, the maximum coverage regulation shall be 40 percent.
- iii) Where the lands to which this special provision applies are used for a combination of uses permitted by this zone and the Residential R6 (R6-5) Zone, the maximum number of dwelling units permitted by the applicable density regulation in Table 13.3 shall be reduced at the rate of one dwelling unit for each cluster detached and/or attached dwelling unit proposed for development.
- iv) The front and exterior side yard depth (minimum) regulation in Table 13.3 shall apply to the yards abutting existing and future secondary collector streets.  
(Z.-1-041275)

R9-7(9)

a) Regulations

- i) Front Yard Townhouses 6 m (19.7 ft.)  
(Minimum) Apartments 5.7 m (18.7 ft.)
- ii) Exterior Townhouses 1.8 m (5.9)  
Side Yard Parking Structure 0.0 m  
(Minimum)
- iii) Rear Yard Apartments 8 m (26.2 ft.)  
(Minimum)  
(Z.-1.061457)

R9-7(10)

a) Regulation:

- i) Notwithstanding the provisions of Section 3.9 2) a) of this By-law to the contrary, the maximum density calculation for the lands zoned R9-7(10) shall be based on a lot area of

1.33 ha (3.28 ac) which includes the lands in the abutting Open Space Special Provision (OS5(6)) Zone.  
(Z.-1-061466)

R9-7(11)

- a) Regulations:
- i) Coverage (Maximum) 35%
  - ii) Notwithstanding Table 13.3, the following height regulations shall apply:  
Building 1 – to be located on northern half of site – 12 stories maximum  
Building 2 – to be located on southwest portion of site – 9 stories maximum  
(Z.-1-061580)

R9-7(12)

- a) Permitted Uses:
- i) Apartment buildings Lodging house class 2
  - ii) Senior citizens apartment buildings
  - iii) Continuum-of-care facilities
  - iv) Handicapped persons apartment buildings
  - v) Nursing homes
  - vi) Retirement lodges
  - vii) Continuum-f-care facilities
  - viii) Emergency care establishments
  - ix) Handicapped persons apartment buildings
  - x) Triplex
  - xi) Fourplex
  - xii) Townhouse
  - xiii) Stacked Townhouse
- b) Regulations:
- i) Lot Area Minimum 1000 m<sup>2</sup>
  - ii) Lot Frontage (m) Minimum 30.0 metres
  - iii) Setback for 1<sup>st</sup> and 2<sup>nd</sup> From any street depth (m) 0.0 m minimum 3.0 m maximum
  - iv) Setback for 3<sup>rd</sup> storey and Above 1.0 metre (max/min) plus the setback established for the 1<sup>st</sup> and 2<sup>nd</sup> storey's
  - v) Setback from OS5 Open Space (%) Minimum 1.0 metre
  - vi) Landscaped Open Space (%) Minimum 30%
  - vii) Lot coverage 30%; plus up to 10% additional Maximum coverage, if the landscaped open Space provided is increased 1% for Every 1% in coverage over 30%
  - viii) Height (m) Maximum for triplexes, fourplexes and townhouses 12.0 metres

- |     |  |  |
|-----|--|--|
| ix) | Height (m)<br>Maximum for all other uses                         | 45.0 metres                                    |
| x)  | Density-units per hectare<br>Minimum<br>Maximum<br>(Z.-1-081786) | 250 units per hectare<br>300 units per hectare |
- R9-7(13)
- |    |  |  |
|----|--|--|
| a) | Additional Permitted Use:  |  |
| i) | Underground Commercial Parking Structure, to a maximum of 135 spaces.<br>(Z.-1-111983) |  |
- R9-7(14)
- |    |   |  |
|----|---|--|
| a) | Regulation:   |  |
| i) | The maximum density calculation shall be based on a total lot area of 1.33 hectares (3.3 acres), which includes lands in the abutting OS5(3) Zone.<br>(Z.-1-112020) |  |
- R9-7(15)
- |    |  |  |
|----|--|--|
| a) | Permitted Use:   |  |
| i) | One apartment building containing a maximum of 165 dwelling units.<br>(Z.-1-112014 – PL000128 – Issue Date: March 12 <sup>th</sup> , 2010) |  |
- R9-7(16)
- |    |  |               |
|----|--|---------------|
| a) | Regulations:   |               |
| i) | Front yard depth to Sunningdale Road for the first 3 storey's<br>(Z.-1-122099) | 0.0 m minimum |
- R9-7(17) 982 Gainsborough Road
- |     |   |   |
|-----|---|---|
| a)  | Regulation[s]                               |   |
| i)  | Easterly Interior Side Yard Depth (minimum) | 12 m (39.4 feet)  |
| ii) | Yard Encroachment for balconies             | 3.0 metres (9.8 feet) provided the projection is no closer than 3.0 metres (9.8 feet) to the lot line.<br>(Z.-1-132225) |
- R9-7(17)
- |      |  |                            |
|------|--|----------------------------|
| a)   | Additional Permitted Uses                                      |                            |
| i)   | Townhouse or Stacked Townhouse                                 |                            |
| b)   | Regulations  |                            |
| i)   | Density (minimum)  | 125uph (50.59 units/acre)  |
| ii)  | Density (maximum)  | 150 uph (60.73 units/acre) |
| iii) | Yard Depth Abutting the Commercial Zone to the South (minimum) | 0.0 m                      |
| iv)  | Yard Depth Abutting Dalmagarry                                 |                            |

	Road and Tokala Trail (maximum)	5.0 m (16.4 ft.)
v)	East Yard Depth (min) (Z.-1-132170)	5.0 m (16.4 ft.)
R9-7(18)	401-463 Platt's Lane	
a)	Regulation:	
i)	Parking (Minimum) (Z.-1-132244)	76 spaces



R9-7(19) 1615, 1619, 1623 and 1627 Richmond Street

a) Permitted uses:

- i) Cluster townhouses
- ii) Apartment buildings
- iii) Senior citizens apartment buildings
- iv) Continuum-of-care facilities

b) Regulations

- i) Lot Frontage (Minimum) 70.0 metres (229.6 feet)
- ii) Lot Area (Minimum) 0.60 hectares (1.4 acres)
- iii) Front Yard Depth (maximum) 3.0 metres (9.8 feet) from the ultimate road allowance
- iv) Lot Coverage (Maximum) 40%
- v) Density (Maximum) 150 Units per Hectare (60 units per acre)
- vi) Bedrooms per dwelling unit (Maximum) 3
- vii) No part of any required front yard, required side yard, or required rear yard shall be used for any purpose other than landscaped open space except where a common internal driveway connects to abutting properties located in a required side yard.

c) Additional Regulations for Apartment Buildings, Senior Citizen Apartment Buildings, and Continuum-of-Care Facilities

- i) Height (first 25.0 metres of lot depth) (Maximum) 15.0 metres (49.2 feet)
- ii) Setback from Rear Property Line (Minimum) 65.0 metres (213.3 feet)
- iii) Interior Side Yard Depth (Minimum) 3.0 metres (9.8 feet)

d) Additional Regulations for Cluster Townhouses

- i) Height (Maximum) 9.5 metres (31.2 feet)
- ii) Maximum height to be measured from grade to roof peak
- iii) Basement ceiling height above grade (Maximum) 0.5 metres (1.6 feet)
- iv) Number of townhouse dwelling units (Maximum) 8
- v) Number of vertically attached townhouse dwelling units (Maximum) 4
- vi) North Interior Side Yard Depth (Minimum) 3.0 metres (9.8 feet)

- vii) South Interior Side Yard Depth (Minimum) 15.0 metres (49.2 feet)
- viii) Rear Yard Depth (Minimum) (Z.-1-142262) 15.0 metres (49.2 feet)

R9-7(20) 1631, 1635, and 1639 Richmond Street

a) Permitted Uses:

- i) Apartment buildings
- ii) Senior citizens apartment buildings
- iii) Continuum-of-care facilities

b) Regulations:

- i) Lot Frontage (Minimum): 70.0 metres (229.6 feet)
- ii) Lot Area (Minimum): 0.60 hectares (1.4 acres)
- iii) Front Yard Depth (maximum): 3.0 metres (9.8 feet) from the ultimate road allowance
- iv) Interior Side Yard Depth (Minimum): 3.0 metres (9.8 feet)
- v) Lot Coverage (Maximum): 45%
- vi) Density (Maximum): 200 units per hectare (80 units per acre)
- vii) Bedrooms per dwelling unit (Maximum): 3
- Parking Standard (Minimum): 0.67 parking spaces per dwelling unit
- viii) No part of any required front yard, required side yard, or required rear yard shall be used for any purpose other than landscaped open space except where a common internal driveway connects to abutting properties located in a required side yard or provides vehicular access to Richmond Street located in the required front yard.
- ix) Height (Maximum): 22.0 metres (72.2 feet) (first 25.0 metres of lot depth)
- x) Height (Maximum): 15.0 metres (49.2 feet) (beyond the first 25.0 metres of lot depth)
- xi) Setback from Rear Property Line (Minimum): 50.0 metres (164.0 feet)
- xii) Surface Parking Area Setback from Rear Property Line (Minimum): 28 metres (91.9 feet) (Z.-1-142263 repealed and replaced by Z.-1-192769)

R9-7(22) 545 Fanshawe Park Road West

- a) Regulations
  - i) Front Yard Setback (Minimum) 5.0 meters (16.4 feet)
  - ii) Interior Side Yard Setback (East) (Minimum) 12.4 meters (40.8 feet)
  - iii) Interior Side Yard Setback (West) (Minimum) 9.2 meters (30.2 feet)
  - iv) Rear Yard Setback (Minimum) (Z.-1-142294) 9.5 meters (31.2 feet)

R9-7(23) 1643, 1649, and 1653 Richmond Street

- a) Permitted uses for 1643 and 1649 Richmond Street:
  - i) Apartment Buildings
- b) Regulations for 1643 and 1649 Richmond Street:
  - i) Frontage (Minimum): 50 metres (165 feet)
  - ii) Lot Area (Minimum): 0.4 hectares (1 acre)
  - iii) Interior Yard Depth (Minimum): 3 metres (10 feet)
  - iv) No part of any required front yard, required side yard, or required rear yard shall be used for any purpose other than landscaped open space except where a common internal driveway connects to abutting properties located in a required side yard, or where access to an underground parking garage is necessary in a required side yard.
  - v) Height (first 25.0 metres of lot depth) (Maximum): 22.0 metres (72.2 feet)
  - vi) Height (beyond the first 25.0 metres of lot depth) (Maximum): 15.0 metres (49.2 feet)
  - vii) Setback from Rear Property Line (Minimum): 50.0 metres (164 feet)
  - viii) Surface Parking Area Setback from Rear Property Line (Minimum): 28 metres (91.9 feet)
- c) Permitted uses for 1653 Richmond Street:
  - i) Apartment Buildings
  - ii) Medical/Dental Offices on ground floor of an apartment building
- d) Regulations for 1653 Richmond Street:
  - i) Frontage (Minimum): 20 metres (66 feet)
  - ii) Lot Area (Minimum): 0.16 hectares (0.4 acres)
  - iii) Interior Yard Depth (Minimum): 3 metres (10 feet)
  - iv) Exterior Yard Depth (Minimum): 0.0 metres (0.0 feet)

- v) No part of any required front yard, required side yard, or required rear yard shall be used for any purpose other than landscaped open space except where a common internal driveway connects to abutting properties located in a required interior side yard, where access to an underground parking garage is necessary in a required interior side yard, where a common driveway provides vehicular access to Hillview Boulevard in the required exterior side yard, or where a vestibule structure is required to provide secondary entrance to an underground parking structure in accordance with the Ontario Building Code in the required rear yard.
- e) Additional regulations for Apartment Buildings:
    - i) Height for the first 25.0 metres of lot depth (Maximum): 20.0 metres (65.5 feet)
    - ii) Height beyond the first 25.0 metres of lot depth (Maximum): 17 metres (56 feet)
    - iii) Setback from Rear Property Line (Minimum): 50.0 metres (164 feet)
  - f) Additional regulations for Medical/Dental Offices:
    - i) Gross Floor Area (Maximum): 430 metres<sup>2</sup> (4,630 feet<sup>2</sup>)
    - ii) Parking: 1 space/15 metres<sup>2</sup> GFA
  - g) Regulations applicable to and measured based on R9-7(23) Zone Boundaries:
    - i) Density (Maximum): 200 units per hectare (80 units per acre)
    - ii) Lot Coverage (Maximum): 45%
    - iii) Front Yard Depth (Maximum): 3 metres (10 feet)
    - iv) Bedrooms per Dwelling Unit (Maximum): 3
    - v) Rear Yard Depth: 15 metres (49 feet)
    - vi) Parking for Residential Uses (Z.-1-142355 replaced by Z.-1-192769): 0.67 spaces/unit

R9-7(24) 120 Weston Street

- a) Additional Permitted Uses:
  - i) Indoor Beach Volleyball Facility
  - ii) Food service area in association with the Indoor Beach Volleyball Facility
  - iii) Convenience Store
- b) Regulation[s]
  - i) Indoor Beach Volleyball Facility is conducted inside the existing building with the exception of an outdoor patio.
  - ii) Outdoor patio with a maximum area of 60 square metres (650 square feet) and a 12 square metre (130 square feet) breezeway addition may be permitted in association with the Indoor Beach Volleyball Facility
  - iii) A food service area inside the main building no greater than

300 square metres (3,229 square feet) of gross floor area shall be permitted in association with the Indoor Beach Volleyball Facility

- iv) Parking Standard for additional permitted uses (Minimum) 50 parking spaces
- v) Gross Floor Area for Convenience Stores (Maximum) (Z.-1-152407) 100 square metres (1,076 square feet)

R9-7(25) 598, 600, 604 & 608 Springbank Drive

- a) Regulations:
  - i) Height (Max.) 44m (13-storeys)
  - ii) Front Yard Depth (Max.) 1.1m (3.6 ft.)
  - iii) Exterior Yard Depth (Max.) (Z.-1-152432) 3.8m (12.5 ft.)

R9-7(26)

- a) Permitted Uses:
  - i) Apartment buildings
  - ii) Lodging house class 2
- b) Regulations:
  - i) Dwelling Setback from a High Pressure Pipeline (Minimum) (Z.-1-172539) 20 metres

915, 965, 1031 and 1095 Upperpoint Avenue

- c) Regulations:
  - ii) Front and Exterior Yard Depth (Minimum): (Z.-1-192780) 3.0 metres

R9-7(27) 379 Sunningdale Road West

- (a) Regulations
  - i) Density (Maximum): 150 units per hectare
  - ii) Height (Maximum): 10 storeys (Z.-1-172626) OMB Approved November 15, 2017

R9-7(28) 3080 Bostwick Road (Site 3)

- a) Regulations:
  - i) Additional Permitted Uses:
    - Townhouse dwelling
    - Stacked Townhouse dwelling
  - ii) Height (Maximum): (Z.-1-192780) 12 storeys (55 metres) (223 ft)
  - iii) Exterior Side Yard Setback (Minimum): 6m (19 ft)

	iv)	Rear Yard Setback (Minimum):	15m (49 ft)
	v)	Interior Side Yard Setback (Minimum):	2.5m (8 ft)
	vi)	Lot Coverage (Maximum): (Z.-1-182712)	40%
R9-7(29)		800, 805 and 810 Chelton Road	
	a)	Regulations:	
	i)	Front Yard Setback (Minimum): (Maximum):	3.0 metres 6.0 metres
	ii)	Exterior Side Yard Setback (Minimum): (Maximum):	3.0 metres 6.0 metres
	i)	Height (Maximum): (Z.-1-192794)	Four (4) storeys 16 metres
R9-7(30)		1018 and 1028 Gainsborough Road	
	a)	Regulations:	
	i)	East Interior Side Yard Depth (Minimum):	11.2 metres
	ii)	West Interior Side Yard Depth (Minimum):	2.2 metres
	iii)	Height (Maximum): (Z.-1-202816)	Twelve (12) storeys 44 metres
R9-7(31)		403 Thompson Road	
	b)	Regulation[s]	
	ii)	Frontage (min)	27.0m
	iii)	Front yard depth (min)	3.0m
	iv)	Parking (min)	0.3 spaces per unit
	v)	Dwelling unit size (min) (Z.-1-212913)	Notwithstanding 4.6 of this by-law the minimum required size for a bachelor dwelling unit shall be 27.0 square meters.
R9-7(32)		257-263 Springbank Drive	
	b)	Regulations	
	ix)	North Interior Side Yard Setback (Minimum)	15.5 metres
	x)	Exterior Side Yard Setback (Minimum)	0.3 metres
	xi)	Front Yard Setback (Minimum)	2.0 metres
	xii)	Parking Rate	1.0 space per unit

- xiii) Height (Northerly Portion) 5-storeys – 20 metres
- xiv) Height (Southerly Portion) 6-storeys – 23 metres
- xv) Density 137 units per hectare
- xvi) Balcony Projection (maximum) (Z.-1-222999) 0.6m from the lot line

R9-7(33) 520 Sarnia Road

- a) Regulations
  - i) Front Yard Depth (Minimum) 1.0 metres (3.3 feet)
  - ii) Height (Maximum) (Z.-1-223023) the lesser of 14.0 metres, or 4 storeys

R9-7(34) 712 Base Line Road East

- a) Additional permitted uses, limited to the first floor of an apartment building

- i) Animal hospitals
- ii) Bake shops
- iii) Clinics
- iv) Commercial recreation establishments
- v) Day care centres
- vi) Dry cleaning and laundry depots
- vii) Duplicating shops
- viii) Financial institutions
- ix) Grocery stores
- x) Laboratories
- xi) Laundromats
- xii) Libraries
- xiii) Medical/dental offices
- xiv) Offices
- xv) Personal service establishments
- xvi) Private clubs
- xvii) Restaurants
- xviii) Retail stores
- xix) Service and repair establishments
- xx) Studios
- xxi) Video rental establishments
- xxii) Cinemas
- xxiii) Brewing on premises establishment
- xxiv) Food store
- xxv) Convenience store
- xxvi) Post office
- xxvii) Convenience service establishments
- xxviii) Bed and breakfast establishments
- xxix) Antique store
- xxx) Artisan workshop
- xxxi) Craft brewery

- b) Regulations
  - i) Front Yard Depth (Minimum) 1.5 metres (4.9 feet)
  - ii) Front Yard Depth 4.0 metres (13.1 feet)

- (Maximum)
- iii) Height (Maximum) the lesser of 36.0 metres, or 12 storeys
- iv) Density (Maximum) 150 units per hectare
- v) A drive-through with a 0m setback along the west property boundary
- vi) A west interior side yard setback of no closer than 6.8m from the edge of the drive-through to the building is required.
- vii) A landscape buffer of no less than 3.0 metres from the edge of the drive-through within the 6.8m setback between the edge of the drive-through and the building. (Z.-1-223055)

R9-7(35) 955 Commissioners Road East

- a) Regulations
  - i) Lot Frontage (Minimum) 0 metres
  - ii) North Interior Side Yard Depth Parking Garage/ Accessory Structure (Minimum) 0.0 metres
  - iii) South Interior Side Yard Depth Parking Garage/ Accessory Structure (Minimum) 0.0 metres
  - iv) East Interior Side Yard Depth Parking Garage/ Accessory Structure (Minimum) 3.5 metres
  - v) South Interior Side Yard Depth Main Building (Minimum) 0.0 metres
  - vi) West Interior Side Yard Depth Main Building (Minimum) 3.0 metres
  - vii) Lot Coverage (Maximum) 50%
  - viii) Lot Coverage Parking Garage/ Accessory Structure (Maximum) 28%
  - ix) Density (Maximum) 270 units per hectare
  - x) Height Main Building (Maximum) (Z.-1-233094) 48 metres (14 Storeys)

R9-7(36) 161 Bonaventure Drive

- a) Regulations



- i) Density (Maximum) 232 Units per hectare
- ii) Interior Side Yard Depth (Minimum) 12.0 metres (39.3 feet)
- iii) Exterior Side Yard Depth (Minimum) 2.0 metres (6.5 feet)
- iv) Rear Yard Depth (Minimum) 16.0 metres (52.4 feet)
- v) Parking Area Setback From North Lot Line (Minimum) 15 metres (49.2 feet)
- vi) No access shall be provided along Bonaventure Drive within the first 60 metres of the intersection, south of the Dundas Street Frontage. (Z.-1-233095)

R9-7(37) 1120-1126 Oxford Street East and 2 & 6 Clemens Street

- a) Regulations
  - i) Front and Exterior Side Yard Depth (Minimum) 1.8 metres
  - ii) Front and Exterior Side Yard Depth (Maximum) 6.0 metres
  - iii) Setback to the Sight Triangle (Minimum) 0.0 metres
  - iv) Rear Yard Depth (Minimum) 20.0 metres for the first 4 storeys; 21.0 metres for the 5<sup>th</sup> and 6<sup>th</sup> storeys; and 1.0 metre for each 1.0 metre of building height beyond the 6<sup>th</sup> storey
  - v) Interior Side Yard Depth For the First 5 Storeys (Minimum) 1.5 metres for the first 26.0 metres of lot depth where there are no windows to habitable rooms
  - vi) Interior Side Yard Depth For the 6<sup>th</sup> to 8<sup>th</sup> Storeys (Minimum) 3.5 metres for the first 26.0 metres of lot depth
  - vii) Interior Side Yard Depth Above the 8<sup>th</sup> Storey (Minimum) 9.0 metres for the first 26.0 metres of lot depth
  - viii) Interior Side Yard Depth for All Other Portions of the Building (Minimum) 9.0 metres beyond 26.0 metres of lot depth
  - ix) Density (Maximum) 415 UPH
  - x) Unit Size (Minimum) 44.6 square metres for a one-bedroom unit
  - xi) Lot Coverage (Maximum) (Z.-1-233114) 40%

R9-7(38) 129-131 Base Line Road West

a) Regulations

- |   |                              |
|---|------------------------------|
| i) Front Yard Setback<br>(Minimum)  | 2.0 metres<br>(6.6 feet)     |
| ii) East Interior Side Yard Setback<br>(Minimum)  | 5.0 metres<br>(16.4 feet)    |
| iii) West Interior Side Yard Setback<br>(Minimum)   | 13.0 metres<br>(42.7 feet)   |
| iv) East and Rear Yard Setback<br>from Underground Parking Structure<br>to Property Line<br>(Minimum) | 3.0 metres<br>(9.8 feet)     |
| v) Surface Parking Spaces<br>(Maximum)  | 36 spaces                    |
| vi) The main building entrance shall be oriented to Base Line<br>Road West.                           |                              |
| vii) Density<br>(Maximum)   | 306 units per<br>hectare     |
| viii) Height<br>(Maximum)<br>(Z.-1-233115)  | 51 metres (or 14<br>Storeys) |

R9-7(39) 568 Second Street

a) Regulations

- |  |                       |
|--|-----------------------|
| i) Density<br>(maximum)  | 314 units per hectare |
| ii) Height<br>(maximum)  | 41 metres             |
| iii) Surface parking<br>(maximum)  | 0.5 spaces per unit   |
| iv) Interior side yard setback<br>west and northwest<br>(minimum)        | 5 metres              |
| v) Step back at the 4 <sup>th</sup> storey<br>(minimum)<br>(Z.-1-233120) | 1.5 metres            |

R9-7(40) 1176, 1180, 1182, and 1186 Huron Street and 294 Briarhill Avenue

a) Regulations

- |  |                     |
|--|---------------------|
| i) Lot Area (Minimum)  | 6,800 square metres |
| ii) Front and Exterior Side<br>Yard Depth (Minimum)                      | 1.0 metre           |
| iii) Front and Exterior Side<br>Yard Depth<br>(Maximum)                  | 6.0 metres          |
| iv) Front Yard Building<br>Stepback Above<br>the 6th Storey<br>(Minimum) | 2.0 metres          |

- v) Exterior Side Yard Building Stepback Above the 6th Storey (Minimum) 1.5 metres
- vi) Setback to the Sight Triangle (Minimum) 0.0 metre
- vii) Rear Yard Depth (Minimum) 1.0 metres per 1.0 metres of main building height or fraction thereof for all portions of the main building above 3.0 metres in height, but in no case less than 7.5 metres
- viii) Interior Side Yard Depth (Minimum) 1.0 metres per 2.0 metres of main building height or fraction thereof, but in no case less than 4.5 metres
- ix) Density (Maximum) 225 UPH
- x) Notwithstanding Section 4.27, balconies on an apartment building may be permitted to encroach up to 0.5 metres into the required front and exterior side yard.
- xi) Notwithstanding anything to the contrary, Huron Street shall be deemed to be the front lot line. (Z.-1-233121)

R9-7(41) 954 Gainsborough Road

c) Regulations

- ix) Front Yard Depth (Minimum) 4.3 metres (14.1 feet)
- x) Rear Yard Depth (Minimum) 4 metres (13.1 feet)
- xi) Interior Side Yard Depth (Minimum) 7 metres (22.9 feet)
- xii) Exterior Side Yard Depth (Minimum) 1.5 metres (4.92 feet)  
Not withstanding Section 4.27 of this By-law.
- xiii) Height (Maximum) 6 Storeys
- xiv) Density (Maximum) (Z.-1-233122) 276 unit per hectare

R9-7(42) 1364-1408 Hyde Park Road

a. Additional permitted uses:

- i) Cluster townhouses
- ii) Cluster stacked townhouses

b. Regulations:

- i) Front yard setback: 2.0m (except for portions that abut the OS5 Zone, in which case the required setback is 0.0m)

- ii) Interior Side yard setback:
 

North: 2.0 metres when the end wall of a unit contains no windows to habitable rooms, or 6.0metres when the wall of a unit contains windows to habitable rooms.

South: 2.0m (except for portions that abut the OS5 Zone, in which case the required setback is 0.0m)
- iii) Rear yard setback: 2.0m
- iv) Height:
 

Within 55m of South Zone Boundary: 24.0m

Within 40m of Hyde Park Road,  
beyond 55m of the South Zone Boundary: 21.0m

Remaining Lands within the Zone: 12.0m
- v) Parking: 0.3 spaces per apartment unit
- vi) Additional Regulations: Notwithstanding any provisions of the by-law to the contrary, the zoning regulations shall be applied to the limits of the proposed R9-7( ) Zone Boundary even in the event of further subdivision of these lands.  
(Z.-1-233143)

R9-7(43) 3480 Morgan Avenue

- a) Additional Permitted Uses:
  - i) Stacked Townhouses
  - ii) Townhouses
  - iii) Hotels/Motels
- b) Regulations:
  - i) Front Yard Depth (Minimum) 4.5m (14.76ft)
  - ii) Exterior Side Yard Depth (Minimum) 4.5m (14.76ft)
  - iii) Height For Townhouses and Stacked Townhouses (Maximum) 14m (45.9ft)
  - iv) Height All other uses (Maximum) 22m (72.17ft) (6 Storeys)
  - v) Lot Coverage (Minimum) 40%
  - vi) Density (Maximum) (Z.-1-233145) 200 unit per hectare

R9-7(44) 3480 Morgan Avenue

- a) Additional Permitted Uses:
  - i) Stacked Townhouses
  - ii) Townhouses
  - iii) Hotels/Motels
- b) Regulations:
  - i) Front Yard Depth (Minimum) 4.5m (14.76ft)
  - ii) Exterior Side Yard Depth (Minimum) 4.5m (14.76ft)

- iii) Interior Side Yard Depth To Northwest property line (Minimum) 4.5m (14.76ft)
- iv) Rear Yard Depth (Minimum) 4.5m (14.8ft)
- v) Height For Townhouses and Stacked Townhouses (Maximum) 14m (45.9ft)
- vi) Height All other uses (Maximum) 17m (55.77ft) (5 Storeys)
- vii) Lot Coverage (Minimum) (Z.-1-233145) 40%

R9-7(45) 3480 Morgan Avenue

a) Additional Permitted Uses:

- i) Stacked Townhouses
- ii) Townhouses
- iii) Hotels/Motels

b) Regulations:

- i) Front Yard Depth (Minimum) 4.5m (14.76ft)
- ii) Exterior Side Yard Depth (Minimum) 4.5m (14.76ft)
- iii) Interior Side Yard Depth (Minimum) 4.5m (14.76ft)
- iv) Rear Yard Depth (Minimum) 4.5m (14.8ft)
- v) Landscape Open Space For Townhouses and Stacked Townhouses (Minimum) 25%
- vi) Height For Townhouses and Stacked Townhouses (Maximum) 14m (45.9ft)
- vii) Height All other uses (Maximum) 22m (72.17ft) (6 Storeys)
- viii) Lot Coverage (Minimum) 40%
- ix) Density (Maximum) (Z.-1-233145) 200 unit per hectare

R9-7(46) 978 Gainsborough Road

a) Regulations

- i) Rear Yard Depth (minimum) 17.5 metres
- ii) West Interior Side Yard Depth (minimum) 18.0 metres
- iii) East Interior Side Yard Depth (minimum) 12.0 metres
- iv) North Interior Side Yard Depth (minimum) 20.0 metres

- |       |  |                        |
|-------|--|------------------------|
| v)    | Height<br>(maximum)  | 17-storeys (60 metres) |
| vi)   | Density<br>(maximum)   | 370 UPH                |
| vii)  | Lot Coverage<br>(maximum)  | 38%                    |
| viii) | Lot Frontage<br>(minimum)  | 0 metres               |
| ix)   | Yard Encroachment for Balconies: 3.0 metres (9.8 feet)<br>provided the projection is no closer than 3.0 metres (9.8 feet) to<br>the lot line.<br>(Z.-1-233163) |                        |

R9-7(47) 625 Mornington Avenue and 1299, 1303, 1307 & 1323 Oxford Street East

a. Regulations

- i) Front Yard Depth (Minimum) – 3.8 metres to the podium, 9.4 metres to the main building, and 0.0 metres to the parking garage
- ii) North Interior Side Yard Depth (Minimum) – 12.8 metres to the main building and 0.0 metres to the parking garage
- iii) South Interior Side Yard Depth (Minimum) – 5.0 metres
- iv) Rear Yard Depth (Minimum) – 17.4 metres to the main building and 0.3 metres to the parking garage
- v) Building Stepback Above the 2<sup>nd</sup>, 3<sup>rd</sup>, and 7<sup>th</sup> Storeys (Minimum) – 3.0 metres
- vi) Podium Height (Minimum) – 2 Storeys
- vii) Podium Height (Maximum) – 3 Storeys
- viii) Ground Floor to Second Floor Height (Minimum) – 3.6 metres
- ix) Glazing (Minimum) – 55% on the west (front) façade of the podium; 40% on the west (front) and east (rear) façades of the tower; and 45% on the north and south façades of the tower
- x) Floorplate Area 8<sup>th</sup> Storey and Above (Maximum) – 1,000 square metres
- xi) Density (Maximum) – 475 units per hectare
- xii) Lot Coverage (Maximum) – 81%
- xiii) Landscaped Open Space (Minimum) – 12%
- xiv) The main building entrance shall be oriented to Mornington Avenue (Z.-1-243168)

R9-7(48) 755, 785 and 815 Wonderland Road South

a) Additional Permitted Use

- i) Cluster Townhouse Dwellings
- ii) Cluster Stacked Townhouse Dwellings
- iii) Apartment buildings with any or all of the other permitted uses on the first floor.

b) Regulations

- i) Height  
(Maximum) 36.0 metres (118 feet)

ii) Density 250 Units per Hectare  
(Maximum)  
(Z.-1-243189 – OLT-23-000367)

**TABLE 13.3  
RESIDENTIAL R9 ZONE  
REGULATIONS FOR R9 ZONE VARIATIONS**

Column A		B	C	D	E	F	G	H
<b>Line 1</b>	RESIDENTIAL TYPE	Apartment Buildings & Special Population's Accommodations						
<b>2</b>	ZONE VARIATIONS	R9-1	R9-2	R9-3	R9-4	R9-5	R9-6	R9-7
<b>3</b>	PERMITTED USES	See Section 13.2						
<b>4</b>	LOT AREA (m <sup>2</sup> ) MINIMUM	1000						
<b>5</b>	LOT FRONTAGE (m) MINIMUM	30.0						
<b>6</b>	FRONT AND EXTERIOR SIDE YARD DEPTH (m) MINIMUM	LOCAL STREET	6.0			Plus 1.0 metres (3.3 feet) per 10.0 metres (32.8 feet) of main building height or fraction thereof above the first 3.0 metres (9.9 feet)		
<b>7</b>		ARTERIAL	8.0					
<b>8</b>		PRIMARY COLLECTOR	6.0					
<b>9</b>		SECONDARY COLLECTOR	6.0					
<b>10</b>	REAR YARD DEPTH (m) MINIMUM	<p>1.2 metres (3.9 feet) per 3.0 metres (9.8 feet) of main building height or fraction thereof, but in no case less than 7.0 metres (23.0 feet)</p> <p>6.0 metres (19.7 feet) plus 1.0 metres (3.3 feet) per 1.0 metre (3.3 feet) in height for all portions of a building above 6.0 metres (19.7 feet) in height where the Residential R9 Zone abuts lands zoned Residential R1 or Residential R2. (Z.1-00761)</p>						
<b>11</b>	INTERIOR SIDE YARD DEPTH (m) MINIMUM	<p>1.2 metres (3.9 feet) metres (9.8 feet) of main building height or fraction thereof, but in no case less than 4.5 metres (14.8 feet)</p> <p>6.0 metres (19.7 feet) plus 1.0 metres (3.3 feet) per 1.0 metre (3.3 feet) in height for all portions of a building above 6.0 metres (19.7 feet) in height where the Residential R9 Zone abuts lands zoned Residential R1 or Residential R2 (Z.-1-00761)</p>						
<b>12</b>	LANDSCAPED OPEN SPACE (%) MINIMUM	30.0						
<b>13</b>	COVERAGE (%) MAXIMUM	30%; plus up to 10% additional coverage, if the landscaped open space provided is increased 1% for every 1% in coverage over 30%						
<b>14</b>	HEIGHT (m) MAXIMUM	See Zone Map						
<b>15</b>	DENSITY - UNITS PER HECTARE MAXIMUM	75	85	100	115	125	130	150
<b>16</b>	DENSITY BONUS	<p>1) For every 70.0 square metres (753.0 square feet) of exterior common open space provided at grade in excess of the landscaped open space required by the By-law, the density of the residential development may be increased by three units. No rounding of the square meterage provided is allowed for by this provision. Building height may not be increased to achieve the increased exterior common space.</p> <p>The accumulative impact of applying the Bonus provisions shall not result in a density of more than twenty-five per cent (25%) greater than the density permitted by the non-bonus site. (Excludes 120 Kent Street - Z.-1-95316)</p>						