

Talbot Village Phase 8

Subject Lands Status Report and Environmental Impact Study (SLSR/EIS)

Project Location:

3095 Bostwick Road, City of London, ON

Prepared for:

Southside Construction Management Ltd. 75 Blackfriars Street London, ON

Prepared by:

MTE Consultants Inc. 123 St. George Street London, ON N6A 3A1

August 19, 2024

MTE File No.: 46666-100





CONTENTS

1.0	mtroa	uction	1
1.1	Pre	-Consultation and Site History	1
1.2	Rep	ort Objective	2
1.3	Bac	kground Documents	2
2.0	NATU	RAL HERITAGE LEGISLATION & POLICY CONTEXT	3
2.1	Plai	nning Act	3
2.2	The	London Plan	3
2	2.2.1	Land Use Designations	4
2	2.2.2	Environmental Classifications	4
2.3	Sou	ıthwest Area Secondary Plan	4
2.4	City	of London Zoning By-law	5
2.5	Upp	per Thames River Conservation Authority	5
2.6	lmp	lementation Considerations	5
2	2.6.1	Endangered Species Act	5
2	2.6.2	Migratory Birds Convention Act	6
2	2.6.3	Fish and Wildlife Conservation Act	6
3.0	PHYS	ICAL ENVIRONMENT	6
3.1	Phy	siography	6
3.2	Soil	s & Geology	6
3.3	Sur	face Water Features & Drainage	7
3.4	Нус	Irogeology	7
4.0	BACK	GROUND REVIEW	8
4.1	Biol	ogical Setting	8
4.2	Bac	kground Information	8
4	.2.1	Species Occurrence Data	9
5.0	NATU	RAL ENVIRONMENT	. 10
5.1	Ter	restrial Habitat & Species	. 12
5	5.1.1	Ecological Land Classification	. 12
5	.1.2	Vascular Plants	. 14
5	5.1.3	Breeding Birds	. 15
5	5.1.4	Amphibians	. 16
5	5.1.5	Snake Visual Encounter and Coverboard Surveys	. 17
5	5.1.6	Bat Habitat Assessment	. 18
5	5.1.7	Bat Acoustic Monitoring	. 19
5	5.1.8	Incidental Observations	. 20
5.2	Aqu	atic Habitat & Species	. 21

5.2.	1 Headwater Drainage Feature Assessment	21
5.3	Animal Movement Corridors & Ecological Linkages	22
6.0 E	VALUATION OF SIGNIFICANCE	22
6.1	Significant Wetlands and Wetlands	23
6.2	Significant Coastal Wetlands	24
6.3	Significant Woodlands	24
6.4	Significant Valleylands	26
6.5	Significant Wildlife Habitat	26
6.6	Significant Areas of Natural and Scientific Interest	27
6.7	Fish Habitat	27
6.8	Habitat of Endangered or Threatened Species	27
6.9	Environmentally Significant Areas	28
6.10	Upland Corridors	28
6.11	Summary of Identified Features and Functions	28
7.0 P	ROPOSED DEVELOPMENT	29
8.0 IN	MPACTS & NET EFFECTS ASSESSMENT	29
8.1	Direct Impacts	30
8.1.	1 Wetlands	30
8.1.	2 Woodlands	33
8.1.	3 Significant Wildlife Habitat	33
8.1.	4 Habitat for Endangered and Threatened Species	34
8.1.	5 Summary of Direct Impacts	35
8.2	Indirect Impacts & Mitigation	36
8.2.	1 Sediment and Erosion Control Measures	36
8.2.	2 Construction Site Management	37
8.2.	3 Migratory Birds & Wildlife	37
8.2.	4 Landowner(s) Education	38
8.2.	5 Noise and Lighting Impacts	38
9.0 M	ONITORING PLAN	38
9.1	Buffer and Wetland Naturalization – Vegetation Monitoring Plan	39
9.2	Wetland Habitat Monitoring Plan	40
9.3	Encroachment Monitoring Plan	40
9.4	Wetland Hydrogeological Monitoring Plan	40
10.0	NET EFFECTS SUMMARY	
11.0	Conclusions	45
12.0	References	46

Figures

- Figure 1 Project Location
- Figure 2 Place Types The London Plan
- Figure 3 Natural Heritage The London Plan
- Figure 4 Land Use Southwest Area Secondary Plan
- Figure 5 Zoning
- Figure 6 UTRCA
- Figure 7 Vegetation Communities
- Figure 8 Survey Locations
- Figure 9 Significant Natural Heritage Features and Key Findings
- Figure 10 Headwater Drainage Feature Assessment
- Figure 11 Draft Plan of Subdivision (Zelinka Priamo Ltd., 2024)
- Figure 12 Development Overlay
- Figure 13 Mitigation and Compensation Measures
- Figure 14 Wetland Compensation Concept

Tables

- Table 1: Ecological Field Investigations & Natural Area Inventories (2017-2020)
- Table 2: Ecological Land Classification
- Table 3: Southern Ontario Floral Inventory Analysis (SOFIA) Results
- Table 4: Amphibian Call Count Survey Results
- Table 5: Bat Habitat Assessment Results
- Table 6: Bat Acoustic Monitoring Results
- Table 7: Incidental Species Observations
- Table 8: Woodland Evaluation for Subject Lands (City of London 2021 EMGs)
- Table 9: Direct Impacts by Vegetation Community Type Within the Subject Lands
- Table 10: Summary of Net Effects

Appendices

- Appendix A Record of Pre-Application Consultation
- Appendix B Species at Risk Screening Tables
- Appendix C Ecological Land Classification Data
- Appendix D Significant Wildlife Habitat Table
- Appendix E Floral Inventory Data
- Appendix F Breeding Bird Survey Data
- Appendix G Amphibian Breeding Survey Data
- Appendix H Snake Survey Data
- Appendix I Bat Habitat Assessment Data
- Appendix J Headwater Drainage Feature Assessment Data
- Appendix K Environmental Management Plan (EMP)

1.0 INTRODUCTION

MTE Consultants Inc. (MTE) has been retained by Southside Construction Management Limited (the Proponent) to undertake an Environmental Impact Study (EIS) which includes components of a Subject Lands Status Report (SLSR) in support of Draft Plan of Subdivision and Zoning Bylaw Amendment for the land holdings located at 3095 Bostwick Road, Part Lot 76, Concession east of the north branch of Talbot Rd, Block 172, City of London (herein referred to as the Subject Lands; **Figure 1**). The site was part of a suite of Community Plans completed across the City of London as part of the boundary expansion in the late 1990s. Given the large planning scale the area has been completed in phases. MTE has previously submitted an EIS for Phase 1 in 2021 and Phase 7 in 2022.

Phase 8, the subject of this EIS, includes the last phase of the development which was designated for residential development along the west side of the Legal Parcel and now proposes 112 residential lots with an effort to retain features previously removed from the natural heritage system framework in lieu of compensation works completed further southwest towards Pack Road and Colonel Talbot.

The Subject Lands of Phase 8 include a woodland feature and some smaller wetland features that were not previously considered in the supporting Community Plan process but are now considered, regardless of size, in the London Plan. The remaining lands are active agricultural lands. The surrounding lands include residential subdivisions to the west, south and east, and a single residential property to the north. In accordance with the Natural Heritage Reference Manual (NHRM; OMNR, 2010), a Study Area, including the Subject Lands and adjacent lands within 120 m, has been defined for the purposes of evaluating ecological functions and determining opportunities to retain and protect natural heritage functions as a result of proposed development (**Figure 1**).

1.1 Pre-Consultation and Site History

In accordance with provincial standards, potential impacts to natural heritage features and associated functions shall be assessed through an EIS prepared to the satisfaction of the City of London and the UTRCA. A City of London Environmental Impact Study Scoping Checklist, which constitutes the Terms of Reference for the study, was completed for the overall Legal Parcel (all phases) in 2020 to define the scope of ecological field investigations required to document existing conditions on the 3095 Bostwick Road property, including the Subject Lands. The Scoping Checklist was prepared and submitted to reviewing authorities, as part of the preconsultation process to establish the basis for the EIS scope. A Scoping Meeting was held on April 6, 2020, with James McKay (City Ecologist), Nacy Pasato (file planner), Environmental and. Ecological Planning Advisory Committee (EEPAC; Sandy Levin), and the Upper Thames River Conservation Authority (UTRCA). This Scoping Checklist is provided in **Appendix A**. Although an additional scoping checklist and meeting were requested as part of the City's "Proposal Review Meeting Summary & Record of Consultation" (dated December 31, 2023), it was confirmed through email that a new scoping exercise would not be required for the EIS (personal communication, Bruce Page, February 5, 2024).

Ecological field investigations completed on the Subject Lands are defined in Section 5.0 and updated field investigations shall be completed referencing the Data Collection Standards defined within Appendix C of the City of London Environmental Management Guidelines (2021).

1.2 Report Objective

An EIS is a requirement of the municipal planning process and is intended to provide an assessment of the development limits of the proposed residential development on the Subject Lands in support of the Draft Plan and Zoning By-law Amendment processes. The first sections of this report meet the request for a Subject Lands Status Report (SLSR). The objective of the SLSR component of the report is to describe the natural heritage features, based on field surveys and background information, and to identify important functions to be protected or replicated on the Subject Lands, given the framework of the prior North Talbot Community Plan. An analysis of ecological constraints and opportunities will be provided herein to ensure that proposed development and site alteration is consistent with the North Talbot Community Plan and compensation already provided, the Southwest Area Plan (2014 and updated 2019), the Provincial Policy Statement (PPS; MMAH, 2020), The London Plan (2023), and UTRCA regulations. Furthermore, an evaluation of potential impacts to any critical natural heritage features and functions, as well as recommendations for avoidance, mitigation and compensation measures will be provided to address potential impacts and opportunities as a result of the proposed development.

The proposed development occurs within 30 m of wetlands and 120 m of valleylands on Map 5, and within 30 m of unmapped woodlands. The Subject Lands are also within the mapped regulation limits of the Upper Thames River Conservation Authority (UTRCA). As such, an EIS and Section 28 permit application under the UTRCA's Development, Interference with Wetlands and Alterations to Shorelines and Watercourses Regulation (i.e., Ontario Regulation 157/06) are required.

This report will be circulated to the City of London and the UTRCA for agency review and comment.

1.3 Background Documents

Natural heritage features and functions identified on the Subject Lands have been evaluated through a review of the NHRM (OMNR, 2010) for Policy 2.1 of the Provincial Policy Statement (2020), and of Section 6 (Environmental Policies) of The London Plan (2023).

In addition, the following documents were reviewed to provide an assessment of the quality and extent of natural heritage features and functions found on the Subject Lands:

- Talbot Village Phase 8 Grading Plan (Arcadis, 2024a)
- Hydrogeological Assessment Talbot Village Phase 8 (EXP, 2024a);
- Geotechnical Investigation Proposed Talbot Village Phase 8 (EXP, 2024b);
- Final Proposal Report 3095 Bostwick (Arcadis, 2024b);
- Hydrogeological Assessment and Water Balance Talbot Village Phase 7 (EXP, 2021);
- North Talbot Community Plan (1999);
- Southwest Area Plan (City of London, 2014 and updated in 2019);
- Topping Lands EIS (MTE, 2021); and
- Topping Lands Phase 7 EIS Update (MTE, 2022).

2.0 NATURAL HERITAGE LEGISLATION & POLICY CONTEXT

2.1 Planning Act

The PPS (2020) was issued under the authority of the *Planning Act, 1990* to provide direction to regional and local municipalities on matters of provincial interest related to land use planning and development in support of a comprehensive, integrated and long-term approach to planning. Land use planning decisions made by planning authorities must be consistent with the PPS (2020).

With respect to natural heritage features and resources, the PPS defines eight natural heritage features or areas:

- Significant Wetlands
- Significant Coastal Wetlands
- Significant Woodlands
- Significant Valleylands
- Significant Wildlife Habitat (SWH)
- Significant Areas of Natural and Scientific Interest (ANSIs)
- Fish Habitat, and,
- Habitat of Endangered and Threatened Species.

The Subject Lands are located within Ecoregion 7E. No development or site alteration shall be permitted in significant wetlands or significant coastal wetlands. Development and site alteration shall not be permitted in significant woodlands, significant valleylands, SWH, significant ANSIs or coastal wetlands unless it has been demonstrated, through an EIS or like study, that there will be no negative impact to natural heritage features or their ecological functions. As per the PPS (2020), development and site alteration shall not be permitted in habitat of endangered or threatened species, or in fish habitat, except in accordance with provincial and federal legislation.

Furthermore, the PPS (2020) indicates that development and site alteration shall not be permitted on lands adjacent to natural heritage features and areas unless it has been demonstrated that no negative impacts to these features or their ecological functions will occur.

The PPS provides area-specific land use planning policies and functions as a foundation for the development of lower-tier plans consistent with provincial policy. As such, The London Plan (2023) must be consistent with the PPS and is subject to the regulations of applicable provincial plans.

2.2 The London Plan

The London Plan (2023) was adopted by Council on June 23, 2016. Further, amendments have been made to The London Plan to reflect Minister-approved Official Plan amendments, with the most recent office consolidation released on May 25, 2023. The London Plan has been established to provide planning direction for the long-term protection, conservation, enhancement and management of the Natural Heritage System, as well as associated ecological functions, processes, and linkages. Environmental policies defined within The London Plan are intended to protect the Natural Heritage System by directing development away from significant natural or man-made hazards, and natural resources. The Southwest

Area Plan (SWAP) is considered a Secondary Plan of the London Plan and as a result, that document and the guidance with respect to natural Heritage prevails.

The City of London's Natural Heritage System is generally identified on Map 5 – Natural Heritage of The London Plan (2023). Map 1 – Place Types identifies intended land uses within the City of London. Where differences occur between these maps and the SWAP, SWAP supersedes The London Plan.

2.2.1 Land Use Designations

The Neighbourhoods and Green Space Place Types overlap a portion of the Subject Lands as depicted on Map 1 – Place Types of The London Plan (2023; **Figure 2**). Features occurring within the Green Space Place Type designation include significant components within the Natural Heritage System and permitted uses are limited within Green Space Place Types in accordance with Policy 1389. Permitted uses include expansions to existing development uses provided it can be demonstrated no negative impacts to natural heritage features or their ecological functions will occur.

There is a range of permitted uses in the Neighbourhoods Place Type designation as outlined in Table 10 of The London Plan including single detached, semi-detached and duplex homes. The Subject Lands are also subject to the restrictions set out in North Talbot Community section of the Place Type Policies Chapter of The London Plan (Policies 994-996).

2.2.2 Environmental Classifications

As per Map 5 – Natural Heritage of The London Plan (2023), valleylands, unevaluated vegetation patch, unevaluated wetlands and provincially significant (PSW) wetlands occur within the Subject Lands (**Figure 3**). The PSW has been reassessed and should be re-designated as a non-Provincially Significant wetland on London Plan mapping. The Green Space Place Type of Map 1 should also be removed to reflect this change from PSW to wetlands. This north wetland and the two unevaluated wetlands within the property boundary were confirmed present, although the south feature is very small and does not extend into the south adjacent lands as shown on mapping.

2.3 Southwest Area Secondary Plan

The London Plan encompasses secondary plans under separate covers for specific areas within the City of London. The Southwest Area Secondary Plan (SWAP; updated 2019) was developed for the southwest portion of London for lands generally bounded of Southdale Road West, east of White Oak Road, north of Exeter Road and east of Colonel Talbot Road as per Map 7 of the London Plan. The SWAP provides a greater level of detail for the specified area than the policies within the London Plan. The SWAP shall prevail over the London Plan where more detailed direction is supplied. The SWAP outlines detailed objectives of each of the stated principles of the plan including to "[create] a diverse and connected community, [provide] a range of housing choices, [provide] a competitive place to wok and invest, [create] a green and attractive environment and [build] a model of sustainable growth management."

The Subject Lands are located in the North Talbot Residential Neighbourhood, as shown on Schedule 12 of the SWAP (2019). The Low Density Residential, Medium Density Residential and Open Space and Environmental Review land use types overlap the Subject Lands as per Schedule 12 (North Talbot Residential Neighbourhood Land Use Designations) of the SWAP (2019; Figure 4). The feature associated with the Open Space and Environmental Review designation is the northern wetlands which were considered Provincially Significant at the time of SWAP. The designation was revised to non-PSW in 2019 but this has not be revised on any

Official Plan maps to date. The existing woodland within the Subject Lands is designated as Low Density Residential.

2.4 City of London Zoning By-law

Under City of London Zoning By-law No. Z.-1, the Subject Lands are zoned Urban Reserve (UR3; **Figure 5**). Permitted uses and regulations within the Urban Reserve zone are defined under Section 49 of the Zoning By-law and include existing dwellings, agricultural uses, conservation lands, and riding stables. As such, proposed development deviates from the permitted uses or the regulations identified under the Zoning By-law; therefore, a Zoning By-law Amendment is required.

2.5 Upper Thames River Conservation Authority

The UTRCA administers the *Prohibited Activities, Exemptions and Permits Regulation*, under *Ontario Regulation 41/24*, pursuant to Section 28 of the Conservation Authorities Act, 1990 (Revised April 1, 2024). Areas within the jurisdiction of the authority are delineated within the "Regulation Limit" and the Authority may grant permission for development within the Regulation Limit where it has been demonstrated that satisfactory controls will be implemented.

As per *Ontario Regulation 596/22*, which came into effect on January 1, 2023, conservation authorities have been prohibited from providing comments related to natural heritage matters. Accordingly, the UTRCA has indicated that they will not provide natural heritage comments and will defer natural heritage matters to the City of London.

As per UTRCA regulation mapping, the UTRCA considers the northern wetlands and wetland features with associated drainage features within the existing woodland to be within the UTRCA regulation area (**Figure 6**). The south surface drainage feature is shown as a flooding hazard although development has proceeded, and this flow does not appear to be present. This drainage feature is assumed to now be subsurface in the storm sewer system.

2.6 Implementation Considerations

An assessment of the quality and extent of natural heritage features and functions found on, and adjacent to, the Subject Lands was undertaken to comply with the requirements of applicable legislation, plans and policies. Federal and provincial legislation that is not subject to the provisions of the *Planning Act* has been considered in the context of the implementation of the proposed development plan and application of recommended mitigation and avoidance measures. The applicability of these documents shall be contingent upon the presence of natural heritage features, site-specific conditions, and the availability of critical habitat. Additional policy and legislative documents considered in support of anticipated planning approval and implementation requirements are summarized in the following sections.

2.6.1 Endangered Species Act

The provincial *Endangered Species Act, 2007 (ESA*; Consolidated 2021) protects all threatened, endangered and extirpated listed on the Species at Risk in Ontario (SARO) list. As defined under the *ESA*, these species are protected from killing, harm, harassment or possession, and their associated habitats are protected from damage or destruction. Activities that have the potential to impact protected species, or their associated habitats, shall be reviewed in consultation with the Ministry of the Environment, Conservation and Parks (MECP) to determine if an authorization may be granted under the *ESA*, subject to applicable exemptions.

A Species at Risk (SAR) Screening Report was submitted to MECP on August 13, 2020, to assess the need for an authorization in support of the proposed development under subsection 9(1) or 10(1) of the *ESA*. The Screening Report included the entire west half of the Legal Parcel (Phase 7 and 8), including the Subject Lands. A response was received on February 17, 2021, indicating no contravention of section 9 or 10 of the *ESA* was anticipated as long as the proposed mitigation measures provided in the preliminary screening report are implemented (**Appendix A**).

2.6.2 Migratory Birds Convention Act

The federal *Migratory Birds Convention Act, 1994 (MBCA*; 2017) aims to protect and conserve migratory birds (and their nests) as populations and individuals. No work is permitted to proceed that would result in the damage, destruction, removal or disturbance of nests, or the wounding, capture, removal or killing of bird species protected under the regulations of the *MBCA*.

2.6.3 Fish and Wildlife Conservation Act

The Fish and Wildlife Conservation Act, 1997 (Consolidated 2023) regulates hunting, trapping, fishing, and related activities in Ontario in order to support the conservation of fish and wildlife resources in the province. Under the authority of the Act, a licence administered by the Ministry of Natural Resources and Forestry (MNRF) is required to permit the hunting or trapping of fish and wildlife (i.e., including the capture fish and wildlife for the purposes of salvage and relocation).

3.0 PHYSICAL ENVIRONMENT

Consideration of the larger ecological matrix contributes to developing a better understanding of potential interactions between abiotic and biotic flows and exchanges. As depicted on **Figure 1**, the larger local landscape setting surrounding the Subject Lands is composed of a mixture of residential subdivisions and a single residential home to the north. In terms of potential movement corridors, primary linkage features traversing the broader landscape are limited as the Subject Lands are largely surrounded by residential homes and roads. The existing woodland in the southwest corner may provide marginal connection to Talbot Park along the pedestrian trial to the Talbot Village Wetland. From the Talbot Village Wetland, movement is further limited by roads and development.

Surrounding road networks (i.e., Southdale Road West) function as a physical barrier to wildlife movement and may limit abiotic and biotic exchanges north of the Subject Lands.

3.1 Physiography

The Study Area is located within the Mount Elgin Ridges physiographic region of southern Ontario. This area is characterized by successions of ridges and vales from St. Thomas to Drumbo with the ridges comprised of brown calcareous clay and silty clay and the vales composed of alluvium gravel, sand and silt creating contrasting soils (Chapman & Putnam, 1984).

3.2 Soils & Geology

Surficial geology mapping available through the Ministry of Energy, Northern Development and Mines (2017) indicates that the Subject Lands and broader Study Area are underlain by till which is predominantly composed of clay to silt textured till deposits derived from shale and or glaciolacustrine deposits.

The Subject Lands is largely located on the Ingersoll Till Moraine with a small area along the south boundary on the Port Stanley Till (EXP, 2024a). Based on boreholes completed by EXP between 2018 and 2020, the Subject Lands are generally underlain by a low permeability silty clay/silt till layer with a sand-silt aquifer beneath the till. A permeable sand and gravel lens within the till layer and a sand unit was recorded beneath the till at the southern boundary of the Subject Lands (EXP, 2024a).

3.3 Surface Water Features & Drainage

The Study Area is situated within the Dingman Creek Quaternary Subwatershed, which forms a component of the larger Lower Thames River Watershed. The Dingman Creek Subwatershed included the municipality of the City of London, Thames Centre and Middlesex Centre. The natural cover consists of 18.4% of vegetation cover and 5.4% of wetland cover with a goal of a minimum of 6% wetland cover to align with Environment Canada recommendations (UTRCA, 2022). An un-named municipal drain (Class F drain) is mapped through the south portion of the existing woodland feature connecting to the central wetland. This drain is shown to continue west on UTRCA mapping, but it was not observed within the woodland and the west adjacent lands are fully developed. No off-site hydrogeological connection was observed. The municipal drain is further mapped as a closed/tiled drain to the north connecting to the northern wetland features (OMAFRA, 2024).

Based on field investigations and London Plan mapping, three wetlands are present within the Subject Lands (**Figure 7**). The north wetland has two sections and appears to be wet most of the year (EXP, 2024a). A second wetland is present directly east of the woodland on site. A third small (~0.03 ha) wetland inclusion is present within the south Subject Lands. This inclusion is a pool in a low part of the woodland edge. No other surface water features are present within the Subject Lands.

The existing topography of the Subject Lands is generally flat, with topographic lows associated with the wetlands and drainage feature on site (EXP, 2024a). Drainage is primarily through surface infiltration and overland flow, with runoff generally following topography. Surface runoff appears to drain to the southwest.

3.4 Hydrogeology

A review of the Source Protection Plan (TSRSPC, 2015) developed by the Upper Thames River, Lower Thames Valley and St. Clair Region Conservation Authorities, in partnership with the Source Protection Committee, was conducted to characterize existing hydrogeologic conditions within the Study Area. As per Source Protection Plan mapping, the Study Area occurs within the Upper Thames Valley Source Protection Area of the Thames-Sydenham and Region Source Protection Region established under Ontario Regulation 284/07. As per the Source Protection Plan and a review of Source Protection Information Atlas (MECP, 2023), the Subject Lands are outside of any Significant Groundwater Recharge Area, Highly Vulnerable Aquifer or Wellhead Protection Area.

As per the Hydrogeological Assessment prepared by EXP (2024a), groundwater levels were collected monthly from May 2018 or July 2020 to July 2021, and then again from October 2023 to May 2024. A datalogger was also installed in BH101-BH103 from July 2020 to July 2021. Groundwater levels in the shallow silty clay till ranged from dry to 0.19 m above ground surface (ags). All wells screened in sand were dry the entire monitoring period.

The north wetland had shallow groundwater levels with above ground surface water some of the year (EXP, 2024a). The north portion (Polygon 5) was most wet during spring freshet, and the south portion (Polygon 4) was wet January – July 2020. At BH101 (west edge), groundwater

levels changed seasonally (higher levels in spring freshet), did not respond to precipitation directly, and had levels relatively consistent between 2020-2021 and 2023-2024. At BH102 along the east edge of the north wetland, the groundwater levels had minimal seasonal changes but did respond to precipitation. Measurements at the north wetland (both sections) indicate a downward gradient with recharge conditions.

At BH103 along the north of the woodland-associated wetland (Polygon 2), groundwater levels were higher during spring freshet, responded to precipitation, and were consistent between the two monitoring periods (EXP, 2024a). Groundwater at BH6/WH (screened at lower depth next to BH103) and BH104/MW (south of wetland) had relatively consistent levels throughout the period. This wetland appears to be fed by both surface and groundwater (EXP, 2024a).

4.0 BACKGROUND REVIEW

MTE has conducted a background review to delineate regionally designated natural heritage features and linkage corridors within, the Study Area. Aerial imagery and existing natural heritage feature mapping available through The London Plan (2023), Land Information Ontario (LIO) and UTRCA regulation mapping has been reviewed to provide insight into the overall character of the Subject Lands. Natural heritage databases have also been reviewed to supplement ecological field investigations.

4.1 Biological Setting

The Study Area occurs within Lake Erie - Lake Ontario Ecoregion 7E which extends from Lake Ontario to Lake Erie and includes most of the Lake Erie shoreline. Ecoregion 7E is located within the Great Lakes Watershed and is characterized by the mild climate associated with the Deciduous Forest Region.

Natural features overlapping the Study Area include a woodland as per the provincial LIO geographic database (MNRF, 2021) and Natural Heritage Information Centre (NHIC) mapping (2023). The woodland is situated along the west boundary of the Subject Lands in the southwest corner.

Based on a review of MNRF, UTRCA and City of London mapping, two valleylands, unevaluated wetlands, a provincially significant wetland (PSW) and an unevaluated vegetation patch are present on, or adjacent to, the Subject Lands. The PSW is not currently shown on MNRF mapping as this wetland was downlisted in 2022. No PSWs are present within the Study Area.

4.2 Background Information

Background resources were reviewed to inform the overall character of the Subject Lands and to develop baseline data with regards to species and habitat with the potential to occur within the Study Area. Background documents and databases reviewed included:

- Aerial imagery;
- MNRF's NHIC database for SAR occurrences (2020);
- DFO Aquatic SAR Mapping (2023);
- Bird Studies Canada's Atlas of Breeding Birds of Ontario (2005);
- Ontario Nature's Reptile and Amphibian Atlas (Ontario Nature, 2019); and
- Online citizen science databases (e.g., eBird and iNaturalist).

The results of the background review are summarized below. This data assisted in defining targeted ecological field investigations conducted on the Subject Lands as well as level of survey effort. Field investigations are intended to confirm and refine species occurrence data, as applicable, for features present within the Study Area in order to inform the significance assessment provided in the subsequent sections of this report.

4.2.1 Species Occurrence Data

Species listed as endangered or threatened on the SARO list are legally protected from harm or harassment and their associated habitats are protected from damage or destruction, as per the *ESA* (2007). Species of Conservation Concern (SOCC) include those species listed as Special Concern on the SARO list as well as provincially rare species (i.e., ranked S1 to S3). Provincial conservation status rankings are established by the NHIC based on the number of occurrences in Ontario and are defined as follows:

- S1: critically imperiled; often fewer than 5 occurrences;
- S2: imperiled; often fewer than 20 occurrences;
- S3: vulnerable; often fewer than 80 occurrences;
- S4: apparently secure;
- S5: secure; and
- S?: unranked, or, if following a ranking, rank uncertain (e.g., S3?).

Provincial status rankings do not provide an indication of regional abundance or rarity (i.e., species uncommon in the province may still be locally abundant in some regions).

The NHIC database (2020) was reviewed for records of provincially significant species and/or habitats occurring within the Study Area. Occurrence data is provided for 1 km² area squares, with eight squares overlapping a portion of the Study Area (17MH7454, 7453, 7452, 7554, 7553, 7552, 7653, 7652). The Ontario Breeding Bird Atlas (OBBA; 2001-2005 occurrence data) and the Ontario Reptile and Amphibian Atlas contain detailed information regarding the distribution of bird and reptile species in Ontario. Data is presented on 10 km² area blocks, with one data square overlapping the Study Area (17MH75). Online citizen science sources (i.e., iNaturalist and eBird) were also reviewed to identify protected species and SOCC that have the potential to occur within the Study Area.

As per background data sources, a total of six species protected under the *ESA* (2007) were recorded within the atlas squares that overlap the Study Area, with the following species of interest noted (**Appendix B**):

Eastern Hog-nosed Snake (Heterodon platirhinos)

Furthermore, nine species of provincial interest (i.e., listed as Special Concern on the SARO list or ranked S1 to S3) were identified within the atlas squares overlapping the Study Area (**Appendix B**).

Of these species, the following species of interest are noted:

- Green Dragon (Arisaema dracontium);
- Eastern Wood-Pewee (Contopus virens):
- Wood Thrush (Hylocichla mustelina); and
- Snapping Turtle (Chelydra serpentina).

As species records only provide general occurrence data, the final determination of species presence or absence shall be subject to the availability of suitable habitat on the Subject Lands as determined through site-specific field investigations and discussed in Section 5.0.

Additional SAR with the potential to occur within the Study Area include Little Brown Myotis (*Myotis lucifugus* – END), Northern Myotis (*Myotis septentrionalis* – END), and Tri-coloured Bat (*Perimyotis subflavus* – END). These species are not well-represented within background information sources and will therefore be considered on a site-specific basis where suitable habitat is present.

Critical habitat and distribution data for aquatic species was reviewed through DFO's aquatic SAR mapping (2023). No aquatic SAR were identified within the Study Area.

5.0 NATURAL ENVIRONMENT

The Natural Heritage System (NHS) is intended to support regional and site level connectivity among natural heritage features and processes to maintain biological and geological diversity, natural functions, viable native species populations and ecosystems. For this site, despite prior compensation elsewhere as part of the community planning process, any critical components of the NHS that are identified shall be protected, conserved, enhanced and managed to improve the ecological integrity, connectivity and biodiversity of the natural environment over the long term

In consideration of the type and extent of natural heritage features and areas present within the Study Area, environmental studies have been scoped in consultation with the City and relevant agencies as part of the pre-consultation process for site-specific development. A Scoped EIS shall incorporate targeted ecological field investigations that reflect the species and habitats known or anticipated to occur within the Study Area in support of the development application.

As per the Scoping Checklist established in consultation with reviewing authorities, a suite of ecological field investigations was conducted on the Subject Lands to inform the evaluation of significance. Field investigations have been conducted on this property since 2017, however only the most recent and relevant data to the Subject Lands will be provided in this EIS.

Adjacent lands were assessed from the property boundary or publicly accessible areas, as applicable. Protocol information for each of the field investigations conducted on the Subject Lands are summarized below and discussed in detail in the following sections. Dates and conditions of the fieldwork are summarized in Table 1, below. Surveys conducted by MTE are presented in the following sections and summarized in Table 1, below.

- Preliminary Ecological Site Assessment to document existing conditions, confirm the natural heritage features present, and inform field investigations;
- Two-season botanical inventory and vegetation community classification using sampling protocols outlined in the Ecological Land Classification for Southern Ontario (Lee et. al., 1998) manual;
- Breeding Bird Surveys following protocols set forth by the Ontario Forest Bird Monitoring Program (Cadman et al., 1998) and the Ontario Breeding Bird Atlas participant's guide (OBBA, 2001) for diurnal birds;
- Anuran Surveys conducted based on the standardized Marsh Monitoring Program (BSC, 2009a) protocols for amphibians, which have been adapted based on professional experience;

- Snake Visual Encounter Surveys (VES) and snake coverboard surveys conducted based on the protocols defined within the Survey Protocol for Ontario's Species at Risk Snakes (MNRF 2016);
- Bat Habitat Assessment following the Survey Protocol for Species at Risk Bats within Treed Habitats (MNRF, 2017) and the Bat and Bat Habitats: Guideline for Wind Power Projects (MNRF, 2011);
- Acoustic Monitoring for bat species conducted based on the guidance provided within the Survey Protocol for Species at Risk Bats within Treed Habitats (MNRF, 2017) and the Bat and Bat Habitats: Guideline for Wind Power Projects (MNRF, 2011);
- Headwater drainage feature assessment (HDFA) as guided by the Constrained Headwater Sampling Protocol in the Ontario Stream Assessment Protocol (OSAP; 2017);
- Wildlife and Species at Risk Habitat Assessment (including a bat habitat assessment);
 and
- A Significant Wildlife Habitat Assessment using guidance from the Significant Wildlife Habitat Technical Guide (OMNR, 2000) and Criteria Schedules for Ecoregion 7E (MNRF, 2015).

Table 1: Ecological Field Investigations & Natural Area Inventories (2017-2020)

Survey Type	Date	Time		Temperature	Cloud Cover	MTE Surveyor(s)	
Survey Type	Date	Start	End	(°C)	(%)	WITE Surveyor(s)	
Anuran Calling Survey #1	April 9, 2024	22:48	13:16	16	40	Will Huys	
Anuran Calling Survey #2	May 7, 2024	21:03	21:45	19	60	Will Huys	
Anuran Calling Survey #3	June 20, 2024	22:45	23:32	22	40	Allie Leadbetter, Cortney Groenestege	
Bat Habitat Assessment	May 9, 2018	14:00	16:00	26	0	Lindsay McKay, Will Huys	
Bat Acoustic Monitoring	June 4, 2020- June 18, 2020	1	-	-	-	Lindsay McKay, Heather Arseneault	
Summer Floral Inventory	July 4, 2024	10:30	14:30	27	40	Elise Roth, Victoria Schveighardt	
Spring Floral Inventory	May 7, 2024	18:41	21:03	22	95	Will Huys	
Breeding Bird Survey #1	June 7, 2024	6:30	7:45	17	40	Will Huys	
Breeding Bird Survey #2 June 21, 2024		6:45	7:45	20	0	Will Huys	
Snake Coverboard	May 20 - June 18, 2020	-	-	-	-	Lindsay McKay	

Survey Type	Date	Time		Temperature	Cloud Cover	MTE Curveyer(e)	
Survey Type	Date	Start	End	(°C)	(%)	MTE Surveyor(s)	
Surveys and VES							
HDFA #1	April 22, 2024	16:30	19:00	12	50	Elise Roth, Victoria Schveighardt	
HDFA #2	May 16, 2024	16:45	18:30	23	15	Elise Roth, Victoria Schveighardt	
HDFA #3	July 4, 2024	10:30	14:30	27	40	Elise Roth, Victoria Schveighardt	

5.1 Terrestrial Habitat & Species

5.1.1 Ecological Land Classification

Ecological Land Classification (ELC) was completed to the finest level of resolution (i.e., Vegetation Community Type) in accordance with the sampling protocols outlined in the E-cological Land Classification for Southern Ontario (Lee et al., 1998) manual. Vegetation community types were sampled, verified and revised, if necessary to determine the provincial and regional significance of features present within the Study Area based on the rankings assigned by the NHIC (2022).

Five vegetation cover types were identified within the Study Area, as illustrated on **Figure 7** and summarized in Table 2, below. All vegetation communities are ranked secure in Ontario. Field data collection sheets are provided in **Appendix C**.

Polygon	ELC Code	Description	S-Rank	Area (ha) on the Subject Lands
1	FOD7	Fresh-Moist Deciduous Lowland	N/A	3.86
2	MAM	Mineral Meadow Marsh	N/A	0.21
3	OAGM1	Annual Row Crops	N/A	7.14
4	MAS2	Mineral Shallow Marsh	N/A	0.14
5	SWD3	Maple Mineral Deciduous Swamp	N/A	0.27

Table 2: Ecological Land Classification

Polygon 1

Polygon 1 is a Fresh-Moist Deciduous Lowland (FOD7) community dominated by American Basswood and Black Walnut in the canopy with Sugar Maple and Northern Red Oak to a lesser extent. Hawthorn species are dominant in the understorey along with Common Buckthorn, Gray Dogwood, and Tartarian Honeysuckle. Garlic Mustard, White Avens, Black Raspberry, and Common Burdock are frequently found in the ground layer. This community has a small (~0.03 ha) wetland inclusion in the south. Surface water was observed in parts of the woodland during spring freshet in 2021 and 2024 (EXP, 2024a).

Polygon 2

Polygon 2 is a Mineral Meadow Marsh (MAM) embedded in the east side of the existing woodland dominated by Eastern Buttonbush, White Willow and Red-osier Dogwood. As per the

previous owner's recollection, Polygon 2 was created between 1954-1962 as a pond for horses and cattle on the property. In 2017, the pond was partially filled as it was no longer used for cattle and horses as the property transitioned to crop farming. The wetland has decreased in size due to partial filling in 2017; however, here is still a wetland feature present along the woodland functioning as a wetland. The feature appears to be wet for most of the year based on observations by MTE.

Polygon 3

Polygon 3 is active agricultural lands surrounding Polygons 1, 2, 4 and 5. A portion of Polygon 3, to the east of the existing woodland, was previously a Dry-Moist old Field Meadow (CUM1-1) used for pasture; however, it has been annexed into agricultural lands and has been farmed with rotational crops. A portion of the agricultural lands to the east has been developed as a part of Phase 7 of the residential subdivision.

Polygon 4

Polygon 4 is a Mineral Shallow Marsh (MAS2) located to the north of the woodland within the agricultural field, south of Polygon 5. Polygon 4 is dominated by Narrow-leaved Cattails. A downward gradient is present, indicating surface infiltrating conditions (EXP, 2021). Polygon 4 was considered the same wetland unit as Polygon 5 during the original OWES assessment, although it should be noted that the two sections are not connected by wetland habitat (<50% wetland plant cover), and they do not have a permanent surface water connection.

Polygon 5

Polygon 5 is a Maple Mineral Deciduous Swamp (SWD3) wetland community along the north border of the Subject Lands, to the north of Polygon 4. The canopy is largely dominated by Silver Maple with Eastern Buttonbush, Common Buckthorn and Gray Dogwood in the understory. Eastern Buttonbush is currently dominant in the understory. Polygon 5 had standing water during all manual surface water measurements from April to September 2021 (EXP, 2024a).

Assessment of Candidate Significant Wildlife Habitat

The Significant Wildlife Habitat Technical Guide (OMNR, 2000) and the Criteria Schedules for Ecoregion 7E (MNRF, 2015) provide guidance to planning authorities with respect to the identification and protection of SWH in the context of the municipal planning process. Candidate habitat has been evaluated in accordance with ELC Ecosite Codes and habitat criteria defined within the Criteria Schedules for Ecoregion 7E (MNRF, 2015) to identify potential protection areas. Not all sites identified as candidate habitat will be protected due to habitat limitations and based on minimum standards for habitat quality and sustainability.

Appendix D provides a detailed screening of SWH types with the potential to occur within the Study Area. Based on the results of the SWH assessment, the following candidate habitat types were identified on, or adjacent to, the Subject Lands:

Candidate Significant Wildlife Habitat (Subject Lands)

- Bat Maternity Colonies (FOD7);
- Colonially-Nesting Bird Breeding Habitat (Trees/Shrubs; SWD3);
- Amphibian Breeding Habitat (Woodland; FOD7, SWD3, MAM, MAS2);
- Marsh Breeding Bird Habitat (MAM, SWD3);
- Terrestrial Crayfish (MAM, MAS2, SWD3); and
- Habitat for SOCC species: Green Dragon, Eastern Wood-Pewee, Wood Thrush and Snapping Turtle.

Candidate SWH shall subsequently be reviewed in Section 6.5 in the context of defining criteria for confirmed SWH based on the results of targeted ecological field investigations assessing species presence, abundance and diversity.

5.1.2 Vascular Plants

A two-season botanical inventory was completed in 2024 to confirm the provincial status of vascular plant species on the Subject Lands. Spring ephemerals were surveyed in April to May while summer flowering periods were captured in June to August. A fall inventory was not completed in 2024 due to restricted survey timelines; however, no fall-blooming rare or protected species were recorded in the background review or previous study years. The status of all plant species is based on the provincial NHIC database (2022) and the List of Vascular Plants for Ontario's Carolinian Zone (Oldham, 2017).

A total of 149 vascular plant species were identified on the Subject Lands, of which 136 or 92% are native to Ontario and 13 or 8% are introduced species. A full species list is provided in **Appendix E**. The majority of the species (72%) observed on the Subject Lands are ranked S4 or S5 (apparently secure or secure in Ontario).

No species ranked S1 to S3 (i.e., provincially rare species) or nationally rare (i.e., G1 to G3 and SAR) were observed within the Subject Lands. Three species locally rare in Middlesex County were recorded within the Subject Lands including Larger Straw Sedge (*Carex normalis*) and Rock Polypody (*Polypodium virginianum*) in Polygon 1, and Rusty Flatsedge (*Cyperus odoratus*) in Polygon 5.

Although not rare species but worthy of protection, six mature, large diameter Oak tree specimens were identified within Polygon 1 (FOD7). These trees are very large and in good health. The approximate locations of these trees are shown on **Figure 9**.

Coefficient of Conservatism (CoC) values were applied to species in each vegetation community to assist in the identification of potentially sensitive native plants. CoC values range from 0 to 10 and are assigned based on a species tolerance of disturbance and degree of fidelity to certain ecological parameters (Oldham et al., 1995; Wilhelm & Masters, 1995). Species occurring within a wide range of habitat types are assigned a low CoC value, while species occurring only within a narrow range of habitat parameters are assigned a high CoC value. No species identified on the Subject Lands had a high CoC value (i.e., 9 or 10).

Floristic Quality Analysis

Floristic quality is generally defined by the mean CoC and the Floristic Quality Index (FQI). This evaluation system provides an assessment of the fundamental character of the site, without relying on ambiguous parameters such as frequency, dominance, physiognomy, or productivity. Floristic quality allows for an objective numerical comparison between two or more natural areas or vegetation community types by evaluating native plant species' tolerance to disturbance and their degree of fidelity to specific habitats. Each native species is assigned a numerical value (i.e., CoC) in order to calculate a mean CoC that may be used to compare the relative quality of natural areas based on species degree of fidelity to a range of ecological parameters (Wilhelm & Ladd, 1988; Wilhelm & Masters, 1995).

Botanical inventories conducted on the Subject Lands were used to inform associated vegetation community assessments using the Southern Ontario Floral Inventory Analysis (SOFIA; Lebedyk, 2018). SOFIA assigns quantitative plant community values based on floral inventories to evaluate the ecological significance and natural quality of vegetation communities. Results of the floristic quality analysis are provided in Table 3 for each ELC unit identified on the Subject Lands.

Through SOFIA, the mean CoC of vegetation communities was calculated based on all species observed to provide a measure of floristic quality (Lebedyk, 2018). A mean CoC greater than 3.5 is indicative of a floristic quality characteristic of remnant natural habitats. A mean CoC greater than 4.5 indicates a relatively intact natural area with high floristic quality (Oldham, et. al., 1995; Wilhelm & Masters, 1995).

The FQI defined through SOFIA is intended to quantify the overall vegetative quality of a community based on the mean CoC and the number of species present (Oldham et.al., 1995). A community with a FQI less than 20 is considered to have minimal significance from a natural quality perspective, while a community with a FQI greater than 20 is of high floristic quality and a community with a FQI greater than 35 is considered to have sufficient conservatism and richness to be floristically important from a provincial perspective (Wilhelm & Ladd, 1988). No mean CoC or values identified for community types on the Subject Lands are higher than the minimum thresholds for moderate floristic quality (i.e., 3.5). Polygon 1 was the only community type with a mean FQI higher than the minimum threshold for high floristic quality (i.e., greater than 20).

Table 3: Southern Ontario Floral Inventory Analysis (SOFIA) Results

Vegetation Community	Mean CoC	FQI	Native Species (%)	Non-Native Species (%)	Conservative Species (CoC ≥7)
Polygon 1	2.68	29.39	74	26	1
Polygon 2	2.68	16.55	74	26	1
Polygon 3	-	-	-	-	-
Polygon 4	2.00	6.63	73	27	0
Polygon 5	2.77	19.97	69	31	3

Due to the requested timing of the EIS submission, an updated fall plant inventory has not been conducted. Fall flowering plants were recorded in previous years (2018) and some species that are likely to still be present were included in the analysis based on professional judgement. An updated fall inventory is not considered necessary based on previous surveys and lack of likely fall-blooming rare or protected floral species.

5.1.3 Breeding Birds

Breeding bird surveys were conducted following protocols set forth by the Ontario Forest Bird Monitoring Program (Cadman et al., 1998) and the Ontario Breeding Bird Atlas participant's guide (OBBA, 2001) for diurnal birds. As point count stations are intended for repeat and long-term monitoring, wandering transects through the various habitat types present on the Subject Lands to characterize breeding bird communities were surveyed. Surveys were conducted at least ten days apart between dawn and five hours after dawn during the peak breeding season (i.e., Round 1: May 24 to June 17 and Round 2: June 15 to July 10) when no high winds, heavy fog or precipitation was present. All species within a 100 m radius of the sampling station were recorded during a five-minute period. The number of individuals present, and the highest level of breeding evidence were recorded for all avian species observed.

Results

A total of 25 breeding bird species were identified on the Subject Lands. All species are provincially ranked secure (i.e., S5) or apparently common and secure (i.e., S4; NHIC 2022) in Ontario. One SOCC species was detected within the Subject Lands.

One singing Eastern Wood-Pewee was observed during the first breeding bird survey in Polygon 1 (FOD7). Two singing male Eastern Wood-Pewees were observed during the second breeding bird survey in Polygon 1. This species is considered likely to be breeding in this woodland.

A complete list of the bird species observed within the Subject Lands in 2024 is provided in **Appendix F**.

5.1.4 Amphibians

Targeted surveys for calling anurans (i.e., frogs and toads) were completed for suitable habitats (e.g., wetlands, ponds) located on, and immediately adjacent to, the Subject Lands in accordance with the standardized Marsh Monitoring Program (BSC 2009a) protocols for amphibians. Surveys were conducted at least 15 days apart in early spring (i.e., April 1 to April 15), mid-spring (i.e., May 1 to May 15), and late spring (i.e., June 1 to June 15) when nighttime air temperatures exceeded 5°C, 10°C and 17°C, respectively. Each station was surveyed for a total of three minutes and call levels of all amphibians detected within a 100 m radius were recorded. Surveys began no earlier than 30 minutes after sunset and were completed before midnight.

A summary of observations is provided in Table 4, below. Complete data sheets are provided in Appendix G and station locations are shown on **Figure 8**.

0.11	Survey	Species						
Station	Round	No Amphibians	Spring Peeper	Western Chorus Frog	American Toad	Gray Tree Frog		
	1		3 ¹		1-2			
1	2	x						
	3	х						
	1		3					
2	2		1-5			1-2		
	3				1-1			
	1			3				
3	2	х						
	3				1-1 ¹			

Table 4: Amphibian Call Count Survey Results

A total of four amphibian species (i.e., Spring Peeper, Chorus Frog, American Toad and Gray Tree Frog) were detected during amphibian call count surveys on the Subject Lands and two species (i.e., Spring Peeper and American Toad) were recorded within the wetland feature

¹Indicates calls detected outside of the 100 m radius of the call count station (Figure 8).

²Indicates calls detected outside of the Subject Lands.

located to the northeast along Southdale Road West outside of the Study Area. Of these, all amphibian species are provincially ranked secure (i.e., S5) or apparently common (i.e., S4) in Ontario.

Station 1 was located along Southdale Road West facing south into the wetland feature to the northeast of the Study Area. Only two individual American Toads were heard from this feature.

Station 2 was located to the north within the Subject Lands facing east into the Maple Mineral Deciduous Swamp (Polygon 5) and Mineral Shallow Marsh (Polygon 4). Spring Peeper was heard at Call Code 3 in the swamp portion (Polygon 5) in April 2024. Five individual Spring Peeper were heard from this same swamp in May, and two individual Gray Treefrogs were detected in the marsh portion (Polygon 4) at that time. One American Toad was heard in the marsh in June, with no frogs detected from the swamp.

Station 3 was located at the end of Frontier Avenue facing northwest into the Mineral Meadow Marsh (Polygon 2). Spring Peepers were heard at Call Code 3 in April, but no frogs were detected in this feature in May or June 2024.

5.1.5 Snake Visual Encounter and Coverboard Surveys

Visual encounter and coverboard surveys were conducted during the spring emergence period (i.e., late April and late June) based on the protocols defined within the Survey Protocol for Ontario's Species at Risk Snakes (MNRF, 2016). Where no SAR snake species were detected through background reviews, survey protocols and level of effort have been refined to more accurately coincide with the detection probabilities of generalist species.

Area searches conducted on the Subject Lands generally targeted open, semi-open and forest edge habitats where species tend to be more abundant to increase detection rates. A total of 14 coverboards were placed within the Subject Lands. Suitable habitats were searched to detect foraging and basking snakes during the first sunny, warm days of early spring. All survey rounds were completed during sunny conditions when ambient temperatures were between 10°C and 25°C or under overcast conditions when air temperatures were between 15°C and 30°C.

Results

Visual encounter and coverboard surveys were conducted in various habitat types on the Subject Lands, as depicted on **Figure 8**. In accordance with the Survey Protocol for Ontario's Species at Risk Snakes (MNRF, 2016), survey effort was based on one or two person hours per hectare within suitable habitats, depending on the complexity of the habitat. A summary of survey results is provided in **Appendix H**.

In total, three Eastern Gartersnakes were encountered under coverboards over the course of the survey period (May 20, 2020 – June 18, 2020). On May 20, an Eastern Gartersnake was also incidentally encountered in the field near Board #14.

Potential hibernacula sites identified on the Subject Lands are limited to Terrestrial Crayfish burrows, which may be used by Butler's Gartersnake. General locations of areas where chimneys/burrows and crayfish individuals were found are depicted on **Figure 9**. Butler's Gartersnake typically prefer open grassy areas next to water sources; however, they have also been recorded along tree edges and vacant urban areas (MECP, 2019). No Butler's Gartersnake or other snake species protected under the *ESA* were observed during targeted coverboard surveys suggesting there are no protected species present to utilize the crayfish burrows for hibernation.

5.1.6 Bat Habitat Assessment

A bat habitat assessment was conducted following the Survey Protocol for Species at Risk Bats within Treed Habitats (MNRF, 2017) and the Bat and Bat Habitats: Guideline for Wind Power Projects (MNRF, 2011) as amended through the Bats & Treed Habitats - Maternity Roost Survey (MECP, 2022) protocol to identify candidate maternity roosting habitat. In accordance with the Significant Wildlife Habitat Criteria Schedules for Ecoregion 7E (MNRF, 2015), maternity colonies may occur within anthropogenic structures and mature forested communities and support critical life cycle functions.

With respect to SWH, snag density provides an indicator of high quality potential maternity roost habitat based on the number of snags/cavity trees with a diameter at breast height (DBH) greater than or equal to 25 cm occurring within each ELC plot (MNRF, 2017). In terms of SAR bats, potential habitat is characterized "as any standing live or dead trees ≥ 10 cm [DBH] with cracks, crevices, hollows, and/or loose or naturally exfoliating bark" in accordance with the Survey Protocol for Species at Risk Bats within Treed Habitats (MNRF, 2017). As such, all trees with a DBH of 10 cm or greater were reviewed to assess candidate maternity roosting SWH and potential SAR habitat. Targeted surveys were conducted within suitable ecosites identified on the Subject Lands. Surveys were conducted during the leaf-off period (i.e., spring or fall) when tree cavities would not be obscured by foliage.

Results

A cumulative total of 11 candidate maternity trees were identified on the Subject Lands. The locations of all snag/cavity trees are depicted on **Figure 9** and field sheets are provided in **Appendix I**.

Species at Risk Bats

Snag/cavity trees with a DBH \geq 10 cm were documented to evaluate suitable roosting habitat for SAR bats (i.e., Little Brown Myotis, Northern Myotis and Tri-coloured Bat) within coniferous, deciduous and mixed forest communities (i.e., FO and SW) on the Subject Lands. As per the Survey Protocol for Species at Risk Bats within Treed Habitats (MNRF, 2017), high quality potential maternity roost habitat for SAR bats was identified where an ELC unit contained \geq 10 snags with a DBH \geq 10 cm per hectare.

No communities within the Subject Lands meet this density criteria but targeted acoustic surveys were proposed regardless to evaluate the presence/absence of SAR bats. Where proposed tree removals may occur within suitable habitat for SAR bat populations (i.e., where multiple snags with >10 cm DBH occur), acoustic monitoring surveys have been conducted.

Bat Maternity Colony Significant Wildlife Habitat

With respect to bat maternity colony SWH, snag density surveys considered trees ≥25 cm DBH occurring within mixed and deciduous forest and swamp communities (i.e., FOD, FOM, SWD and SWM). Where a snag/cavity tree density of ≥10 snags per hectare occurred (i.e., for trees with a DBH of ≥25 cm), ecosites were identified as candidate maternity colony roost habitat in accordance with the Bat and Bat Habitats: Guideline for Wind Power Projects (MNRF, 2011) and the Significant Wildlife Habitat Criteria Schedules for Ecoregion 7E (MNRF, 2015). A summary of bat habitat assessment results for each ELC unit surveyed on the Subject Lands is provided in Table 5, below.

Of the two habitat polygons assessed on the Subject Lands, Polygons 1 and 5 do not meet suitable maternity roost habitat criteria based on snag/cavity density. Acoustic data collected is evaluated for the presence of SWH-associated species (i.e., Big Brown Bat, Silver-haired Bat) but SWH is not considered likely to be present.

Table 5: Bat Habitat Assessment Results

Polygon	ELC Ecosite	Area (ha)	Cavity Trees ≥10 cm DBH		Snag Density (i.e., for trees ≥10 cm DBH)	Snag Density (i.e., for trees >25 cm DBH)
1	FOD7	3.86	0	11	N/A	~2.8 snags/ha
5	SWD3	0.27	0	0	N/A	N/A

No other forested ecosites identified on the Subject Lands meet suitable habitat criteria to be considered candidate SWH.

5.1.7 Bat Acoustic Monitoring

Acoustic monitoring was conducted within each ELC unit determined to have suitable candidate maternity roost habitat in accordance with the guidance provided within the Survey Protocol for Species at Risk Bats within Treed Habitats (MNRF, 2017) and the Bat and Bat Habitats: Guideline for Wind Power Projects (MNRF, 2011) as amended through the Bats & Treed Habitats - Maternity Roost Survey (MECP, 2022) protocol. Monitoring was conducted using broadband bat detectors, Song Meter SM4Bat Full Spectrum Bioacoustic Recorders, in conjunction with computer software analysis using Kaleidoscope to determine the composition of the species present on the Subject Lands. Acoustic monitoring is intended to detect species presence/absence but does not allow for a direct estimate of species abundance as the number of passes does not have a 1:1 relationship with the number of individuals present (i.e., it is not possible to distinguish between several passes by one individual or a single pass by multiple individuals).

Acoustic surveys are to be conducted over at least ten consecutive evenings (i.e., ambient temperature >10°C) between June 1 and June 30, when ambient temperature are above 10°C and there are low winds (i.e., <6 m/s) and no precipitation.

Two Song Meter SM4Bat Full Spectrum Bioacoustic Recorders (Wildlife Acoustics) were deployed in Polygon 1 (FOD7) from June 4 to June 18, 2020. Batcorder 1 (BD1) was equipped with an omni-directional SMM-U1 microphone (Wildlife Acoustics) and Batcorder 2 (BD2) was equipped with an omni-directional SMM-U2 microphone (Wildlife Acoustics). Both microphones were set up 8' off the ground to record bats and recordings were collected from 30 minutes before sunset to 30 minutes after sunrise each night. Batcorder 1 was located at the northern forest edge of Polygon 1 near the farm field (UTM 42.934231, -81.303670) and Batcorder 2 was at the western forest edge of Polygon 1 near a school sports field (UTM 42.932942, -81.303954).

Results

A total of five bat species were recorded on the Subject Lands: Big Brown Bat, Silver-haired Bat, Hoary Bat, Eastern Red Bat and Northern Myotis. Results of acoustic monitoring are summarized in Table 6.

Table 6: Bat Acoustic Monitoring Results

Station	Bat Species								
	Silver-haired/ Big Brown	Big Brown	Hoary	Hoary/ Silver-haired	Silver- haired	Eastern Red Bat	Northern Myotis		
BD1	82	42	14	27	2	0	1		
BD2	267	433	74	134	28	18	0		

Species at Risk Bats

Northern Myotis, listed as endangered on the SARO list, was detected at Bat Detector 1 within Polygon 1; however, only passes with three or more clear calls were considered in analysis thus only a single Northern Myotis pass was recorded. Suitable roosting habitat for this species is characterized by mature wooded forest habitat along forest edges in hollow trees with cavities or under loose bark. The single recorded pass of Northern Myotis over the course of bar recorder deployment is not indicative of maternity roost colonies as many recordings would be expected at dusk and dawn when bats typically emerge and return to roosts. There is no consistent Northern Myotis calling activity; therefore, the ELC community is not considered to represent confirmed maternity roost habitat for species at risk bats. No other protected bat species were detected within the Subject Lands.

Bat Maternity Colony Significant Wildlife Habitat

In accordance with the Criteria Schedules for Ecoregion 7E (MNRF, 2015), maternity colonies with *confirmed use* by greater than 10 Big Brown Bats or greater than five adult female Silverhaired Bats meet defining criteria for confirmed bat maternity colony SWH. However, as acoustic monitoring does not allow for a direct estimate of species abundance, age or sex, the number of passes does not correlate with the number of individuals present (i.e., it is not possible to distinguish between several passes by one individual or a single pass by multiple individuals).

Acoustic does confirm that Big Brown Bat and Silver-haired Bat are present within the Subject Lands, though exact numbers of individuals and time of calls were not determined. Silver-haired Bat was detected at relatively low numbers with several nights having no calls recorded; therefore, it is considered unlikely that the SWH criterion (>5 adult female Silver-haired Bat) is met. Big Brown Bats were more numerous, but six nights still had fewer than 10 passes recorded.

Bat maternity colony SWH is considered to be absent from Polygon 1 (FOD7) based on the relatively low occurrence of target species.

5.1.8 Incidental Observations

Incidental encounters with wildlife were documented during all ecological field investigations conducted on the Subject Lands from 2017-2024 to supplement targeted wildlife surveys.

Two bird and one mammal species were recorded incidentally during field investigations and are noted below.

Table 7: Incidental Species Observations

Species	Date	Observation Type	# of Species Observed	ELC Ecosite
Wood Duck	May 6, 2020	Individual	1 Adult Male	MAS2
Wild Turkey	May 25, 2020	Individual		
White-tailed Deer	May 28, 2020	Individual	1 Fawn	Farm field
White-tailed Deer	June 11, 2020	Individual	1 Fawn	FOD7
Big Brown Bat	June 15, 2020	Individual	3	FOD7 adjacent
Eastern Wood-Pewee	June 18, 2020	Heard call	1	FOD7
Eastern Wood-Pewee	July 4, 2024	Individual	1	FOD7
Mallard	April 22, 2024	Individual	1 Adult Male	FOD7
Red-tailed Hawk	May 16, 2024	Individual	1 Flying	FOD7
Red-tailed Hawk	July 4, 2024	Pair	2 Flying	FOD7
Wild Turkey	July 4, 2024	Individual	1 Adult Male	FOD7

All incidental species observed on the Subject Lands are provincially ranked secure (i.e., S5) or apparently common and secure (i.e., S4) in Ontario. Species identified as SAR, locally uncommon, or as potential SWH indicator species (e.g., S1-S3) are discussed below.

A calling Eastern Wood-Pewee male (Special Concern) was observed in Polygon 1 (FOD7) during snake coverboard surveys. As discussed in Section 5.1.3, this species was heard calling during breeding bird surveys in 2024 and is likely breeding in Polygon 1. No incidental observations of turtle basking or activity was noted at any of the wetland features.

5.2 Aquatic Habitat & Species

The biological components of aquatic ecosystem types present within the Study Area have been reviewed through ecological field investigations conducted by MTE in 2024. Field investigations conducted on the Subject Lands include a headwater drainage feature assessment. No other aquatic habitat investigations were conducted within the Study Area. The lower reaches of the drainage feature now appear to sheet flow westward based on contours, but no flow was observed during any visit in 2024. This drainage feature is considered to be contained within the stormwater system of previously developed phases of this North Talbot Community and as a result, the flow paths are isolated from surface water.

5.2.1 Headwater Drainage Feature Assessment

Despite a lack of observed downstream connection, an HDFA was completed to assess the potential flowpath within the Subject Lands noted on spring aerial imagery, as well as identification of a closed/tiled drain on UTRCA mapping. The feature labelled as "UT-DC-285" was assessed. The feature further east ("UT-DC-478") is not present as this area has been developed.

Methods

A headwater drainage feature assessment (HDFA) was conducted on the Subject Lands in accordance with Credit Valley Conservation and Toronto and Region Conservation Authority Evaluation, Classification and Management of Headwater Drainage Features Guidelines (2014). As per the guidelines, three site visits are required to assess headwater drainage features (HDFs).

Results

The first site visit was conducted in the spring on April 22, 2024. The second visit to assess baseflow conditions was conducted in late spring on May 16, 2024. The third-round survey was completed on July 4, 2024, when flows were expected to cease.

Eight (8) reaches of this one intermittent tributary were studied (**Figure 10**). Data collection sheets are provided in **Appendix J**.

Overall, the drainage feature was largely dry with poor definition and no water (standing or flowing) being observed in many of the reaches, including both HDF1-7 and HDF1-8. Through the assessment, this drainage feature was determined to possibly convey surface flows in the early spring, but otherwise have no flow. Only the wetlands were consistently wet, and these will be addressed as wetland features under London policy. Neither of the downstream reaches (HDF1-7 or HDF1-8) were wet during any visit April to July and reach HDF1-8 was not clearly visible within the woodland. No connection to a downstream feature was observed. The purpose of an HDFA is to identify drainage features that provide fish habitat or are a source of food, sediment, water, nutrient, or organic matter to downstream reaches. With no clear downstream connection to a watercourse, this drainage feature has limited contributions to the overall watershed function. A complete assessment and assignment of management recommendations is therefore not considered appropriate for this feature. Considerations for future development will be protection of wetlands and management of overland flows through stormwater management controls.

5.3 Animal Movement Corridors & Ecological Linkages

Animal movement corridors and ecological linkages are defined as habitat areas where wildlife movement and important life cycle functions are concentrated or particularly susceptible to the impacts of adjacent land uses. As per Policy 1354 of The London Plan (2023), the significance of these areas shall be assessed following criteria outlined within the NHRM (OMNR, 2010), Significant Wildlife Habitat Technical Guide (OMNR, 2000) and the associated Ecoregion 7E Criteria Schedule (MNRF, 2015). Given the previous development, the site is isolated from habitat towards the Dingman Creek and as a result, there are no aquatic, lowland or terrestrial linkages.

6.0 EVALUATION OF SIGNIFICANCE

In accordance with applicable provincial, municipal, and conservation authority regulatory policies, the significance of natural heritage features and more particularly any critical ecological functions identified within the Study Area was reviewed to determine appropriate levels of protection and/or compensation given prior planning approvals and compensation previously provided through the Community Planning process.

As per the PPS (2020), the following significant natural heritage features and areas shall be evaluated to assess significance and ecological functions on the landscape to inform the planning process:

- Significant Wetlands
- Significant Coastal Wetlands
- Significant Woodlands
- Significant Valleylands
- Significant Wildlife Habitat
- Significant Areas of Natural and Scientific Interest
- Fish Habitat, and,
- Habitat of Endangered and Threatened Species.

The above features are reviewed in the context of municipal policies where applicable since The London Plan (2023) includes guidelines for evaluation and policies for all relevant features.

6.1 Significant Wetlands and Wetlands

Within the City of London, provincially significant wetlands, wetlands and unevaluated wetlands are protected in accordance with Policies 1330 to 1336 of The London Plan (2023) in conjunction with applicable conservation authority regulations. Provincially significant wetlands and unevaluated wetlands are identified on Map 5 of The London Plan (2023) and may be subject to a significance evaluation through the Ontario Wetland Evaluation System (OWES; MNRF, 2022). Unmapped wetlands identified through vegetation community classification may also require a significance evaluation per OWES.

According to Map 5 of the London Plan, there are four wetland units within the Subject Lands. Two wetlands are to the north of the existing woodland and one wetland borders the woodland along the east side. The south unevaluated wetland is partially present along the property boundary. It is unclear if this feature was partially removed for the south adjacent residential development, or it was always smaller than mapped. One additional unevaluated wetland is shown on Map 5 off property to the west. The west adjacent wetland was not studied or confirmed in the field.

Evaluated Wetlands

The two wetland units to the north (Polygons 4 and 5) were previously complexed into the North Talbots Wetlands PSW. A previous MTE OWES evaluation was completed under a separate cover and a wetland boundary revision request was submitted to the MNRF. The wetland boundary revision request was accepted by the MNRF on July 4, 2022. As such, the LIO mapping has been updated and no longer includes Polygons 4 and 5 as PSW. The London Plan mapping should be updated to reflect this change. The wetland units will be carried forward to the impacts section as non-significant 'Wetlands' under London policy. As per Policy 1333, wetlands confirmed to be non-PSWs by the MNRF will remain as wetlands on Map 5 and the Green Space place type on Map 1.

Unevaluated Wetlands

There is one unevaluated wetland unit along the east side of the existing woodland. The wetland is approximately 0.21 ha (Polygon 2). Typically, wetlands less than 0.5 ha are not evaluated under OWES as units must be a minimum of 0.5 ha to be considered a separate vegetation community (MNRF, 2022). The unevaluated wetland will be carried forward to the impacts section as a non-PSW.

The south wetland inclusion is very small (~0.03 ha) and is a shallow pool at the edge of the woodland. This inclusion is too small to map according to OWES protocol, however, since The London Plan requires the protection of all wetlands in some form, the inclusion will be carried forward in this EIS as a 'Wetland' (non-PSW) under London policy.

For non-significant wetlands, as per Policy 1334 of the London Plan, no net loss of wetland functions or features is to occur. Wetlands between 0.1 and 0.5 ha may be considered for less than 1:1 replacement provided there is a net gain to the wetland system in addition to the overall natural heritage system. Where a wetland is less than 0.1 ha, the City may consider replacement on a less than one-to-one land area basis and/or additional measures to achieve no net loss of function.

6.2 Significant Coastal Wetlands

As with significant wetlands, significant coastal wetlands are identified by MNRF or their designates and are defined under the NHRM (OMNR, 2010) as:

- "any wetland that is located on one of the Great Lakes or their connecting channels (Lake St. Clair, St. Mary's, St. Clair, Detroit, Niagara and St. Lawrence Rivers); or
- any other wetland that is on a tributary to any of the above-specified water bodies and lies, either wholly or in part, downstream of a line located 2 kilometres upstream of the 1:100 year floodline (plus wave run-up) of the large water body to which the tributary is connected."

No significant coastal wetlands were identified within the Study Area.

6.3 Significant Woodlands

Significant woodlands are included in the Green Space Place Type on Map 1 and identified on Map 5 of The London Plan (2023). Potential woodlands are identified as Unevaluated Vegetation Patches on Map 5 – Natural Heritage. The existing woodland is currently mapped as an unevaluated vegetation patch on Map 5, though it is not mapped on the SWAP (2019). No mapped significant woodlands occur within the Study Area.

As per previous community plans and the SWAP plan, the wooded feature within Phase 8 was designated for development given the previous compensation and connectivity linkage provided through prior phases of development.

Although this woodland has been designated for development, the unevaluated vegetation patch within the Subject Lands will still be assessed using criteria from the 2021 EMGs to determine critical components of the woodland that could be considered for retention and/or compensation. The evaluation of functions is outlined in Table 8, below.

Table 8: Woodland Evaluation for Subject Lands (City of London 2021 EMGs)

Evaluation Category	Woodland Characteristics	MTE Assessment
1.1 Site Protection	 HIGH – Small (0.2 ha) wetland is not large enough to qualify as a separate wetland community worthy of OWES evaluation nor do City criteria specify wetland size; however, wetland is contiguous with the patch. LOW – Minimal erosion risk (slope <10%) 	High

Evaluation Category	Woodland Characteristics	MTE Assessment
1.2 Landscape Integrity	 LOW – landscape richness (<7% local vegetation cover within a 2 km radius from the patch centroid) LOW – landscape connectivity (barriers include roads and urban development; patch minimally connected to west trail leading to North Talbot PSW) LOW – patch distribution (isolated patch, no patch cluster >20 ha) 	Low
2.1 Age and Site Quality	HIGH – Mature forest (FOD7) community LOW – mean coefficient of conservatism <4.2	High
2.2 Size and Shape	 MEDIUM – Patch is ~4 ha (2.0 - 9.0 ha) LOW – Patch has no interior habitat. MEDIUM – Patch provides breeding habitat for Eastern Wood-Pewee (SC) 	Medium
2.3 Diversity	 LOW – low community diversity (patch contains two ELC communities) MEDIUM – Patch contains two communities; wetland and bottomland topographic features LOW – no critical habitat for amphibians LOW – no conifer communities LOW – no fish habitat available 	Low
4.1 Significant Habitat for Threatened or Endangered Species	 No Threatened or Endangered species were observed within the patch. Eleven candidate maternity roost trees were identified; however, this does not represent significant habitat of Threatened or Endangered species. MECP generally accepts compensation for the removal of a small number of potential habitat trees. Only one Northern Myotis call was detected through acoustic surveys throughout the survey duration period. One single call is not indicative of significant (i.e., roosting or foraging) endangered species habitat. 	NO
5.1 Distinctive, Unusual, or High Quality Communities	 LOW – no communities with S-rank greater than S5 HIGH – Eastern Wood-pewee and Terrestrial Crayfish SWH confirmed within FOD7 MEDIUM – One regionally rare plant in the City of London (Larger Straw Sedge) MEDIUM – Trees greater than 50 cm dbh are occasional throughout the patch MEDIUM – average basal area for all communities in the patch is >16m²/ha for trees >10 cm DBH 	High
5.2 High Quality Landform	MEDIUM – patch is located on the Ingersoll Till Moraine	Medium

Based on data collected from 2017-2020 and using the 2021 EMGs provided by the City of London above, the woodland provides functions which score high for presence of a wetland, maturity, and significant wildlife habitat. Wetland size and location on the Ingersoll Tille Moraine are also contributing factor (medium scores). As a result, the proponent has revised development plans to retain these components in their development application.

6.4 Significant Valleylands

No significant valleylands have been identified by the planning authority within the Study Area. The two valleylands shown on Map 5 are not connected to features downstream and would not qualify as significant valleylands. These drainage features will be discussed in this EIS in terms of stormwater management on site.

6.5 Significant Wildlife Habitat

The Significant Wildlife Habitat Technical Guide (OMNR, 2000), Criteria Schedules for Ecoregion 7E (MNRF, 2015) and the NHRM (OMNR, 2010) provide technical guidance for the identification and evaluation of SWH in the context of the municipal planning process. Candidate SWH was evaluated at the onset of the project (Section 5.1.1), based on ELC Ecosite Codes and general habitat criteria defined within the Criteria Schedules for Ecoregion 7E (MNRF, 2015), to define the scope of ecological field investigations conducted on the Subject Lands. Candidate SWH has subsequently been reviewed in the context of defining criteria for confirmed SWH based on the results of targeted ecological field investigations assessing species presence, abundance and diversity.

In addition to provincial evaluation criteria for the designation of SWH defined through the Significant Wildlife Habitat Technical Guide (OMNR, 2000), Criteria Schedules for Ecoregion 7E (MNRF, 2015), and the NHRM (OMNR, 2010), key considerations outlined under Policies 1352 and 1354 of The London Plan (2023) shall also be reviewed to inform the determination of SWH.

Four categories of SWH are defined within the Criteria Schedules for Ecoregion 7E (MNRF, 2015): Seasonal Concentration Areas of Animals, Rare Vegetation Communities or Specialized Habitat for Wildlife, Habitat for Species of Conservation Concern and Animal Movement Corridors. A detailed screening of each SWH type with the potential to occur within the Study Area is provided in **Appendix D**. Based on the results of the SWH assessment, the following candidate and confirmed habitat types were identified within the Study Area:

- Terrestrial Crayfish SWH (FOD7, MAS2, MAM);
- Habitat for Eastern Wood-Pewee (FOD7); and
- Assumed habitat for Snapping Turtle (MAM. 2. SWD3)

Candidate SWH types have been carried forward for further evaluation where screening requirements could not be satisfied through detailed, site-specific studies (e.g., timing windows missed, access restrictions, etc.). As such, candidate SWH types that could not be confirmed absent are assumed to be present within the Study Area for the purposes of evaluating potential impacts of the proposed development. Only habitat for Snapping Turtle is unconfirmed and therefore will be assumed present.

Confirmed and assumed SWH types identified within the Study Area are discussed below in detail to outline the targeted surveys completed, habitat suitability, habitat location(s), and defining habitat criteria. SWH that has been confirmed absent is discussed in **Appendix D**.

Terrestrial Crayfish

There is suitable MAM, MAS2 and SWD3 habitats to support terrestrial crayfish life processes. Terrestrial crayfish chimneys and individuals were observed along all wetland communities within the Subject Lands; therefore, confirming significance in Polygons 5 (SWD3), 4 (MAS2), and 2 (MAM).

Habitat for SOCC Species – Eastern Wood-pewee

Eastern Wood-pewee was observed (calling males) during both breeding bird surveys in Polygon 1 (FOD7), confirming significance. This species is found in a variety of deciduous and mixed forests, with a preference for intermediate-age mature forests with limited understory vegetation.

Habitat for SOCC Species - Snapping Turtle

There is wetland habitat within the Subject Lands that may be suitable to support this species during the spring/summer, although all wetlands are isolated by agricultural lands and not connected online to permanent watercourses. Snapping turtles prefer slow-moving water but have been found in most freshwater habitats. No targeted surveys to confirm presence or absence of turtles were conducted; however, no incidental encounters were observed during any site investigation from 2017 to 2024 and no nesting habitat has been observed. Habitat for Snapping Turtle conservatively remains candidate in Polygons 2, 4, and 5 to flag for wetland compensation to ensure wildlife capture and relocation is considered.

6.6 Significant Areas of Natural and Scientific Interest

Significant ANSIs are identified as provincially significant by MNRF in accordance with evaluation procedures established by the province.

As per LIO ANSI Mapping, no significant ANSIs were identified within the Study Area.

6.7 Fish Habitat

No direct fish habitat is present within the Study Area. There are no observed opportunities for upstream fish movement and there is a lack of permanent surface water in the reaches within the Subject Lands. In consideration of potential biophysical and ecological contributions to downstream fish habitat, surface water drainage features on the Subject Lands have been evaluated not significantly contributing as indirect fish habitat.

Fish habitat will not be considered further in this EIS.

6.8 Habitat of Endangered or Threatened Species

In accordance with the *ESA* (2007), the habitat of all provincially ranked threatened or endangered species shall be protected from damage or destruction. Delineation of endangered, threatened or special concern species' habitat is required through secondary plans, SLSRs and EISs where known. Habitat of special concern species will also be evaluated through considerations listed in Policy 1327 (1-3) of the London Plan. Development or site alteration is generally not permitted except in accordance with applicable provincial and federal requirements.

Through the background review, one threatened (i.e., Eastern Hog-nosed Snake) and three endangered species (i.e., Little Brown Myotis, Northern Myotis, Tri-coloured Bat) with the potential to occur on, or adjacent to, the Subject Lands were identified (**Appendix B**). Targeted field investigations were completed to assess habitat suitability and presence of these species, and the results are summarized below.

All other species occurrences detected through the background review were evaluated in the context of the Subject Lands based on the availability of suitable habitat and detailed ecological field investigations. No threatened or endangered species or associated suitable habitats for these species were detected on, or adjacent to, the Subject Lands.

Eastern Hog-nosed Snake

There is no critical habitat (i.e., open grassy areas with loose, sandy soils) present to support life processes (i.e., nesting and overwintering) of Eastern Hog-nosed Snake. There is a very low potential for Eastern Hog-nosed Snake to be present within the Subject Lands due to a lack of critical habitat, minimal habitat suitability, isolation by roads and development, and limited distribution in central London. No Eastern Hog-nosed were observed during any field investigations, including snake coverboards surveys, though it is acknowledged they are a cryptic species. Overall, this species is not considered likely to be present within the Study Area.

Little Brown Myotis, Northern Myotis & Tri-coloured Bat

Suitable maternity roosting habitat is present within the Polygon 1 (FOD7) woodland for Little Brown Myotis, Northern Myotis and/or Tri-coloured Bat. As discussed in Section 5.1.8, targeted acoustic surveys were conducted in June 2020 to identify species at risk bats. Acoustic results revealed no Little Brown Myotis, Northern Myotis and Tri-coloured Bat were utilizing the Subject Lands for roosting. Only a single Northern Myotis call was recorded, which is not indicative of roost habitat presence.

No endangered or threatened species or their habitat is present in the Subject Lands.

6.9 Environmentally Significant Areas

As per Map 1 and Map 5 of The London Plan (2023), confirmed ESAs are designated Green Space Place Type while potential ESAs requiring further evaluation are included in the Environmental Review Place Type designation. As per the evaluation criteria defined within the Environmental Management Guidelines (2021), potential ESAs that satisfy two or more evaluation criteria shall be considered for designation as a confirmed ESA.

There are no mapped ESAs within or adjacent to the Subject Lands as per Map 5 of The London Plan. Three or more criteria as set out in the London EMGs (2021) has not been met to confirm a regional ESA.

6.10 Upland Corridors

Upland corridors are vegetated areas that connect natural heritage features. There are no mapped upland corridors as per Map 5 of The London Plan.

6.11 Summary of Identified Features and Functions

The PPS (2020) and The London Plan (2023) define key natural heritage features to be considered in terms of the impact and net effects assessment. The following ecological components within the Study Area were considered for impact avoidance, mitigation and/or potential offsets.

- Wetlands:
- Woodland components scoring High or Medium (patch size, maturity, wetland presence, SWH) - a large portion of woodland has been removed from development designation for this application as a result; and
- Significant Wildlife Habitat.

Figure 9 depicts all potential constraints identified on the Subject Lands.

7.0 PROPOSED DEVELOPMENT

The proposed development includes 74 single detached residential homes and 38 street townhouses with approximately 4.4 ha of open space. An extension of Jack England Drive is proposed to connect to Old Garrison Boulevard in the south and an extension of Raleigh Boulevard in the north. The townhouses are proposed along the northern limits of the Subject Lands while the remaining lots are proposed for single detached residential homes (**Figures 11 and 12**).

A multi-use pathway may be considered, extending between lots 19 and 20 heading south along the edge of the proposed wetland compensation area described below. The details for the pathway would be determined by the City of London. A 10 m buffer to the wetland compensation area has been incorporated into the proposed development plan.

Stormwater Management

The Stormwater Management (SWM) design for Phase 8 is consistent with the North Talbot Community Plan and the Talbot Village Stormwater Management Functional Design Report. A conceptual SWM report has been provided in Section 12.0 of the FPR which includes preliminary Stormwater Management details.

The north portion of the development will consist of a network of storm sewers and manholes along the Phase 8 internal streets to collect drainage via catchbasins and ultimately connect to the proposed storm sewer along the easement. Drainage from the west woodland is expected continue to drain uncontrolled to the west to the existing storm pond and PSW. The remainder of the Phase 8 natural lands will be graded and a berm will be constructed at the west and north limits of the Phase 8 easement to maintain and create new wetland. Drainage in excess of the volume of standing water required to maintain the wetlands will overflow into the existing ditch inlet drain at the intersection of the easement and Jack England Drive. The south-east corner of Phase 8 drains to the existing storm stub at Mersea Street via proposed storm sewer on Jack England Drive. Please refer to Figure 3: Storm Drainage (Arcadis, 2024b) for the preliminary storm sewer design and layout.

Please refer to Figure 4: Existing Storm Drainage Areas for the interim major flows and Figure 5: Grading Plan the ultimate overland flow directions (Arcadis, 2024b). The grading design aims to provide a drainage strategy to safely convey proposed major flows from the Phase 8 lands. The wooded area located at the middle west and southwestern corner of the Subject Lands will drain overland via the south-west corner. Drainage designs have been coordinated with EIS and hydrogeological recommendations to target maintenance of stormwater conveyance to natural features and/or water balance during development/buildout and post-construction. Final detail calculations will be confirmed and provided at the detailed design stage.

8.0 IMPACTS & NET EFFECTS ASSESSMENT

In accordance with provincial standards, potential impacts, predicted effects, mitigation and enhancement measures associated with the proposed development and/or site alteration should be assessed through an EIS, or like study, prepared to the satisfaction of the municipality and appropriate conservation authority. The impact assessment and mitigation measures presented herein shall address the requirements of the PPS (2020) to ensure that the test of no negative impacts to natural heritage features and areas or their ecological functions is demonstrated. Potential impacts to the natural heritage features and environmental functions that occur on, and adjacent to, the Subject Lands have been evaluated over the short and long term to ensure that proposed avoidance and/or mitigation strategies will contribute to the sustainability and resiliency of a diverse ecosystem over the long term.

The predominant natural heritage features present on, and adjacent to, the Subject Lands include woodland, significant wildlife habitat, and wetlands (**Figure 9**). Potential impacts of proposed development and/or site alteration on existing ecological features and functions shall be reviewed in the context of:

- 1) Direct Impacts: Associated with the direct removal or alteration of natural heritage features that may occur in support of a proposed land use application;
- 2) Indirect Impacts: Potential secondary effects to ecological functions or pathways that could result in long-term, negative impacts to natural heritage features;

Potential direct and indirect effects based on the proposed limit of development illustrated on **Figure 12**, and a summary of general recommended mitigation and restoration strategies are provided below. Mitigation measures are outlined on **Figure 13 and 14**.

A preliminary Environmental Management Plan (EMP) has also been created based on these recommendations. The EMP is provided in **Appendix K** and includes all recommendations from this EIS, as well as recommendations from other consultants where available.

8.1 Direct Impacts

Direct impacts associated with the proposed limit of development are reviewed in the following section. Potential effects on the the viability and integrity of natural heritage features and associated ecological functions within the Study Area have been evaluated over the short and long term.

8.1.1 Wetlands

Based on the outcome of the OWES assessment/ecological surveys, all wetlands on the Subject Lands are non-PSWs. For non-PSWs, as per Policy 1334 of the London Plan no net loss of wetland function or feature is to occur. Wetlands between 0.1 and 0.5 ha may be considered for less than 1:1 replacement provided there is a net gain to the wetland system in addition to the overall natural heritage system. Where a wetland is less than 0.1 ha, the City may consider replacement on a less than one-to-one land area basis and/or additional measures to achieve no net loss of function.

Wetland Removals

No wetlands greater than 0.5 ha are present within the Subject Lands. Polygons 4 and 5 are proposed to be fully removed (0.14 ha and 0.27 ha respectively). A small portion (~0.02 ha) of Polygon 2 in the south is proposed to be removed to allow for lot construction and associated grading. The south wetland inclusion (~0.03 ha) will also be removed, though this wetland habitat is less than 0.1 ha and has limited wetland functions. The proposed limit of development has been refined through the design process to limit the interface between development and Polygon 2 to the maximum extent possible.

In addition to the wetlands within the Study Area, the northeast SAS1 pond is proposed to be removed for the City-approved road-widening of Southdale Road and the approved subdivision connection to Southdale Road. As part of the Draft Plan Conditions for this overall subdivision, the City of London requires the Proponent to compensate for their portion of this wetland to be removed (~0.13 ha) at a rate of 2:1 surrounded by a 10 m buffer.

Wetland Compensation and Buffers

A 0.70 ha wetland compensation area has been included in the development plan to account for the removal of a total of 0.46 ha of wetland habitat from the Subject Lands plus double the 0.13 ha (i.e., 0.26 ha) of SAS1 to be removed in the northeast. Exactly 1:1 compensation for the on-

site wetlands is not required as they are less than 0.5 ha in size and the compensation area aims to provide a net benefit to the natural heritage system. A 10 m buffer between the created wetland and development is incorporated into the development plan as required by the Draft Plan Conditions.

The impacted wetlands will be recreated within the allotted area adjacent to the existing mineral meadow marsh (Polygon 2) contiguous with the remaining woodland. The compensation area location was strategically chosen to retain the existing mineral meadow marsh and take advantage of suitable soil conditions. In 2020, a borehole/monitoring well was installed to the east of the mineral meadow marsh as a part of the hydrogeological investigation (EXP, 2021). The borehole logs revealed fill underlain by silty clay till followed by sand and gravel and silty clay till. The location of the proposed wetland compensation area is therefore underlain by silty clay till. The silty clay till is stiff and slightly impervious; therefore, able to support wetlands if graded appropriately. This is similar to the soils of the existing Polygons 4 and 5, and therefore considered a suitable area for wetland compensation (EXP, 2024a). In addition, the created wetland area will provide enhanced function as it is connected to existing natural features thereby providing a greater range of habitat and connectivity for species life processes.

The functions of the wetlands to be removed include non-significant amphibian breeding habitat, terrestrial crayfish habitat, and general storage and conveyance of water on site. The wetland compensation area is proposed to provide a similar sized area of diverse wetland habitat that can support all of these functions but with the benefit of less isolated features (i.e., more connectivity to a variety of natural habitats) and increased natural quality. The improvement to linkage habitat may be particularly beneficial for woodland breeding amphibians that require different spring breeding and summer habitats. Meadow marsh, thicket swamp, and emergent native species are recommended to be planted within the compensation area among a variety of topographies and water depths to provide a connected network of diverse wetland habitats. Clean water will continue to be collected in this area as in the existing wetlands. The compensation area is considered a net benefit to the natural heritage system within the Subject Lands. In addition to the 0.13 ha of the northeast SAS1 pond compensated on the site, it is MTE's opinion this created wetland area may also be considered as compensation for the remainder of that wetland to be removed from the north adjacent property and the City's lands.

A detailed wetland design will be provided as part of the detailed design process, but a concept has been produced in conjunction with input from the hydrogeological and engineering consultants to provide a framework for the future compensation area. The concept is provided in **Figure 14**. Water will be sourced from clean overland flow from the backyards and rooftops of the north and south lots. To ensure water is collected within the compensation area, a berm may be placed along the east, along the 10 m buffer that will also contain servicing and possibly a pathway. Details for this area will need to be confirmed as part of detailed design. The compensation area is proposed to include several habitat types to make up for the different types of wetlands removed and produce a biodiverse feature:

Open shallow aquatic habitat – Permanent deeper open water (0.5 - 1.5 m) with surrounding emergent vegetation planted on shallower shelf edges.

- Deeper depths encourage multi-season use by turtles (i.e., summer basking, overwintering).
- · Open water encourages use by waterfowl.

Thicket swamp - Shallow standing water (pools up to 1 m deep) with standing water at least until spring or early summer with shrubs like dogwood.

• Thicket provides shade and respite areas for amphibians and other wildlife.

- Shrubs can provide foraging opportunities (e.g., berries) for wildlife.
- Consider transplanting (from Polygon 5) or planting Buttonbush live stakes.

Meadow marsh - Grassy wetland area with spring flooding and shallow pools.

- Meadow marsh could act as overflow areas surrounding the deeper wetland areas.
- Water table to be consistently high to support terrestrial crayfish.
- Variation in topography to encourage pooling in spring for woodland breeding amphibians (maximum of 0.5 m water depth in the pool centres).
- Pollinator species (e.g., Milkweed) can be included in the seed mix.

A detailed wetland plan including grading and landscaping will be provided at detailed design.

EXP completed a water balance for the future wetland compensation area as part of the Hydrogeological Assessment (2024a). The post-development conditions are compared to the pre-development conditions of the north wetland (Polygons 4/5) and Polygon 2 to allow a quantitative comparison. Runoff volumes per area are also considered. When considering the growing season (March-August), approximately 0.89 m of surface water is expected to be delivered to the 0.7 ha compensation area. This runoff is 82% of what Polygons 4, 5, and 2 currently receive. In addition, the deeper areas of the compensation wetland are anticipated to be maintained by shallow groundwater contributions, similar to the existing condition of Polygon 2. From a biological perspective, the proposed surface and groundwater inputs are expected to be sufficient to support wetland plants and soils, as well as habitat for wetland wildlife such as Terrestrial Crayfish and amphibians. Runoff inputs also do not need to exactly match the existing wetlands because the new wetland area will include a wider variety of wetland habitats. including meadow marsh that will dry out throughout the summer. A detailed wetland plan will be needed at detailed design, and hydrogeological monitoring during and post-development will be required to confirm hydrogeological conditions are appropriate for wetland creation in the long-term.

A multi-use paved pathway is being considered between lots 19 and 20 following the east wetland buffer, though this will need to be confirmed with the City of London. The multi-use pathway would likely be 5 m wide within the 10 m buffer, leaving 5 m to be naturalized with suitable upland native species adjacent to the wetland compensation area. It is recommended that the multi-use pathway be created on the outer edge of the wetland buffer.

Recommendation 1:

The wetland buffer and compensation area should be actively naturalized with pollinator-friendly native seed mixes and native shrub species to support the ecological function of the area. Plant species should be native to Ecoregion 7E and appropriate for the soil conditions and water depths present.

Recommendation 2:

An amphibian and reptile salvage plan should be developed for Polygons 4, 5, and the northeast SAS1 pond prior to removal. Species should be relocated to the existing wetland (Polygon 2) and created wetland habitat. A wildlife collection permit will be required for this work.

Recommendation 3:

Wetland removal should occur outside of the breeding bird period (April 1 to August 31) to ensure maximum protection of species. Alternatively, a nest sweep can be completed prior to vegetation removal to ensure no active bird nests are present. If nesting birds are present, works in the area should not proceed until after August 31 or until the nest has been confirmed inactive (e.g., young have fledged).

Recommendation 4:

The wetland compensation area should begin to be established prior to wetland removal. This is recommended to allow for wildlife relocation and pumping of water to the compensation lands to help initiate wetland creation.

8.1.2 Woodlands

No important woodland functions are proposed to be removed. As detailed in Section 6.3, natural treed communities (FOD7) on the Subject Lands shall be largely retained on the landscape to maintain a size greater than 2 ha and retain a mature woodland with only a small portion (~0.60 ha) of the woodland proposed for removal. The contiguous wetland (Polygon 2) will be maintained and enhanced with additional wetland area. The forest will remain mature in age and most of the largest specimens are retained. Finally, Eastern Wood-pewee breeding habitat will remain. Although trees will be removed, the functions of this patch will be preserved. This is in comparison to the full removal in the previous North Talbot Community Plan (1999) which provided compensation for the woodland. Additional recommendations to mitigate the effects of tree removals and preserve the remaining woodland are provided below.

Special attention has been given to retaining the mature, large diameter (>100 cm dbh) oak trees that were flagged as high-quality specimens worthy of protection as natural heritage trees due to their size, age and habitat provisions. The lot limits of Lots 9 and 10 have specifically been reduced to protect the critical root zone of the large oak tree identified the northwest woodland. Critical root zones of trees are established using the tree's diameter at breast height (dbh). For every cm dbh 10 cm is added to the buffer distance plus an added 5 m. Only one large diameter tree (Red Oak greater than 100cm dbh) will be removed under the proposed development.

Recommendation 5:

Complete a Tree Preservation Report to inform tree protections and site design prior to earth or construction works. Include the surveyed locations of the large diameter natural heritage trees within the Tree Preservation Report.

Recommendation 6:

Install fencing without gates along the rear of lots where lots are directly abutting the remaining woodland in the south and along the north. Material, height and style details should be determined in consultation with City of London staff.

8.1.3 Significant Wildlife Habitat

As discussed in Section 6.5, confirmed SWH for Terrestrial Crayfish (MAS2, MAM, SWD3) and Habitat for Eastern Wood-Pewee (FOD7) was identified within the proposed development boundary. The following recommendations are listed to mitigate impacts to confirmed SWH.

Terrestrial Crayfish SWH

The terrestrial crayfish habitat in Polygon 2 will be retained and incorporated into the proposed wetland compensation area. Polygons 4 and 5 are proposed for removal, but the wetland compensation area will be built on similar soils with a high water suitable for terrestrial crayfish burrowing and foraging habitat. An additional benefit will be reduced disturbance to crayfish habitat from agricultural activities (e.g., adjacent ploughing). By retaining and creating habitat for terrestrial crayfish, there will be no net negative impact and populations of terrestrial crayfish will be able to persist in the post-development landscape.

Eastern Wood-pewee SWH

Eastern Wood-pewee habitat will be largely retained in Polygon 1. Eastern Wood-pewee is not a sensitive species; it does not require interior habitat, uses small woodland patches, and is known to be relatively tolerant of adjacent development (Friesen et al., 1995; Mancke & Gavin, 2000). Although the woodland will be reduced in size, the function of the SWH will be retained.

Candidate Snapping Turtle SWH

Although unlikely to be present based on limited deep-water habitat and lack of observations, Snapping Turtle may use the wetland habitat (Polygons 2, 4, 5) within the Subject Lands. Polygons 4 and 5 will be removed for the proposed development. Wetland compensation and a salvage is proposed in Section 8.1.1. No additional recommendations are proposed.

Recommendation 7:

Tree removals should occur outside of the breeding bird nesting period (April 1 to August 31) unless a nest sweep confirms no active nests are present.

8.1.4 Habitat for Endangered and Threatened Species

MECP was consulted in 2020-2021 regarding the potential for species at risk within the Subject Lands. In 2021, the MECP responded that no protected habitat appears to be present, and no contraventions of the *ESA* are anticipated to occur under the current proposal given the provided mitigation measures are implemented. Although the development plan has changed since correspondence with MECP, impacts have been reduced with the new plan. The plan provided to MECP proposed the removal of all wetlands and woodlands on site. The new plan is similar and is considered to have no expected impacts on protected species.

Although the Subject Lands are not considered habitat for Eastern Hog-nosed Snake and no encounters with this species are anticipated, mitigation measures were conservatively proposed in the Preliminary Screening Report to MECP to account for incidental encounters. The mitigation measures proposed in the report are listed below.

Recommendation 8:

Prior to conducting any work on site, project personnel and contractors should be made aware of the possible presence of Eastern Hog-nosed Snake and their protection under the *ESA*, 2007.

Recommendation 9:

Vegetation clearing, including grubbing, should occur when weather conditions are suitable to allow snakes to flee (sunny and at least 18°C). Vegetation clearing and grubbing should occur in an orderly and systematic manner to direct wildlife movement in one direction, and to reduce the possibility of wildlife encounters with equipment. Vegetation clearing will occur under the supervision of a qualified biologist to ensure no reptiles or other protected species are harmed. Clearing of vegetation can occur without the supervision of a qualified biologist if it occurs during the inactive season (between December 1 and March 31) and no grubbing or below-ground works are undertaken. Vegetation clearing during the inactive season should be performed in a manner that avoids soil compaction; vegetation can be cleared by hand, or cleared while the soil is frozen with light machinery that is equipped to reduce compaction.

Recommendation 10:

Once vegetation has been cleared, geotextile fencing should be installed as snake exclusion barrier along the construction boundary. ESC fencing may function as exclusion fencing. The geotextile fence should be at least 1.0 meters high from grade at all locations and buried at least 0.2 meters below grade. Exclusion fencing should extend out from its terminal edges by a distance of at least 5 meters and angle out or back at a 45° angle (whichever is most beneficial)

to direct wildlife away from the construction site. Installation of fencing during the active season (April 1 to November 30) will be supervised by a qualified biologist. Outside the active season, fencing may be installed without the supervision of a qualified biologist.

Recommendation 11:

To prevent entanglement of wildlife, including snakes, mesh or netting-type material must not be used for erosion control. Net-free materials, such as Curlex Net-Free blanket, riprap over geotextile fabric, or similar alternative is recommended.

Recommendation 12:

Between April 1 and November 30, all equipment and machinery that is left idle for over 1 hour, or overnight, on the property must be visually examined prior to (re)ignition, to ensure snakes are not present within the machinery. This visual examination should include all lower components of the machinery, including operational extensions and running gear.

Recommendation 13:

Any protected species that is encountered on site (not anticipated) must be protected from harm and harassment. Should a snake protected by the ESAct be observed in the work area and presumed to be unharmed, all project personnel and operating machinery should maintain a minimum 30-meter distance from it at all times until it has left the area. Contact MECP immediately if this cannot be done. A large Rubbermaid type container with ventilated lid should be kept on site at all times in the event a snake is injured or killed during the project. If an *ESA*-protected snake is injured, it should be immediately transported in the container to a licensed Wildlife Custodian. During transport, the snake inside the container should be maintained at a temperature between 10 and 30°C. MECP immediately if any protected snakes are harmed or killed during construction.

Recommendation 14:

The property should be clean and free of debris for any activities that occur during the active season for snakes (April 1 to November 30). Snakes may find and occupy materials and equipment stored on site and could be harmed when materials and debris are handled or used. The creation and duration of debris stockpiles within the development footprint should be limited. Materials such as excavated soils, lumber, and other construction materials should only be stored in areas that previously had understorey vegetation (1 m or shorter), mowed to a height of 5 cm or shorter. Excavated soil should not be stored on the sites long term. Flat materials such as plywood or rubber mats should not be left lying on the ground. Any material stockpiles created on the property during the project must be visually examined for snakes prior to disturbance or removal.

Recommendation 15:

Cleared areas should be maintained at a height of 7-10 cm. Allowing grass to grow greater than 15 cm in height could attract snakes to the construction sites.

8.1.5 Summary of Direct Impacts

The impact assessment outlined in Table 9 provides a summary of predicted natural heritage feature removals based on the proposed development footprint. Areas to be maintained, and where possible, enhanced, are identified on **Figure 14**.

Table 9: Direct Impacts by Vegetation Community Type Within the Subject Lands

Natural Heritage Features & Associated Functions	Polygon	ELC Code	Polygon Area (ha)	Proposed Removal Area (ha)
Mature Woodland (Eastern Wood-Pewee SWH)	1	FOD7	3.86	0.60
Wetland (Terrestrial Crayfish SWH)	2	MAM	0.21	0.21
Wetland (Terrestrial Crayfish SWH)	4	MAS2	0.14	0.14
Wetland (Terrestrial Crayfish SWH)	5	SWD3	0.27	0.27

8.2 Indirect Impacts & Mitigation

Indirect impacts identify potential adverse effects on the biophysical environment that may occur as a result of proposed development. This may include erosion from the work area and associated sedimentation into natural features, accidental spills, impacts to migratory birds, and the introduction of exotic and/or invasive plant species. Each of these are discussed in the following sections.

8.2.1 Sediment and Erosion Control Measures

The most critical time for the protection of natural heritage features is during the construction phase. For all works, and especially those within 30 m of adjacent natural heritage features, an Erosion and Sediment Control Plan (ESC) will be required to contain ground disturbances on site and to protect adjacent natural heritage features identified in this report from sediment transport and potential sedimentation.

Recommendation 16:

A multi-barrier approach for sediment and erosion control should be used for this development and contained within a project-specific ESC Plan. Prior to works on site, robust sediment and erosion control fencing should be installed in areas immediately adjacent to retained natural features and across low-lying areas prone to receiving overland runoff. The fencing will act as a barrier to keep construction equipment and spills away from vulnerable natural areas and features where sediment loading has the potential to negatively impact wildlife habitat.

Recommendation 17:

During construction, the lands between the sediment and erosion control fencing must be maintained. The fencing should remain in place until construction is complete and the remainder of the natural areas to remain are stabilized and/or naturalized.

Recommendation 18:

Sediment and erosion control fencing should be inspected prior to construction to ensure it has been installed correctly and during construction to ensure that the fencing is being maintained and is functioning properly. Any issues that are identified are to be resolved in the same day.

Recommendation 19:

Sediment and erosion control fencing must be installed according to the City of London Design Specifications and Requirements Manual specifications (2019b), the Guidelines for Erosion and Sediment Control for Urban Construction Sites (TRCA 2019), and the applicable standards established in the Ontario Provincial Standard Specification/Ontario Provincial Standard Drawings (OPSS/OPSD) documents.

Recommendation 20:

Sediment and erosion control fencing should not be removed until adequate re-vegetation and site stabilization has occurred. Additional re-vegetation plantings and/or time for vegetation to establish may be required; however, two growing seasons are typically sufficient to stabilize most sites.

Recommendation 21:

Re-seed all disturbed areas as soon as possible to maximize erosion protection and to minimize the establishment of invasive species, which may spread to the adjacent natural features.

Recommendation 22:

Site runoff over bare ground can generate considerable sediment movement beyond the construction limits. Until the lots have been vegetated and are stable for development adjacent to vegetation, site/lot runoff should be directed to nearby stabilized vegetated areas or ditches.

Recommendation 23:

The implementation of select non-infiltration based low impact development (LID) techniques to maintain surface water inputs into the natural features (i.e., provision of clean rooftop water) on the Subject Lands should be considered as part of the stormwater management plan.

8.2.2 Construction Site Management

Construction on the Subject Lands should be organized, executed and controlled to ensure compliance with approved EIS requirements, erosion and sediment control monitoring and applicable legislation. Development should be directed away from natural areas to minimize impacts and/or damage to adjacent properties.

Recommendation 24:

Regular cleanup of the site must be completed during construction and post-construction to ensure the adjacent natural heritage features are not degraded.

Recommendation 25:

Dust abatement measures (e.g., watering) are recommended if site grading will occur during extended dry weather periods.

Recommendation 26:

Equipment should be cleaned prior to arrival on site including tires, undercarriage, and any part of the equipment that may transport invasive seeds to the site. Clean equipment protocols are provided by the Ontario Invasive Plant Council's Clean Equipment Protocol for Industry (Halloran, Anderson & Tassie, 2016) and London's Invasive Plant Management Strategy (2017) and should be followed where appropriate.

8.2.3 Migratory Birds & Wildlife

Recommendation 27:

As per the *MBCA* (1994), it is recommended that any tree removals occur outside of the migratory breeding bird season (i.e., April 1 to August 31). If this window cannot be avoided, nest searches to determine the presence or absence of nesting birds or breeding habitat should be conducted until clearing is complete, or until August 31, whichever comes first.

Recommendation 28:

Advise workers of potential encounters with wildlife during construction. If an animal enters the work site, work at that location will stop and the animal should be permitted to leave unharassed.

Recommendation 29:

Where tree removal is proposed, removal of trees of any size should occur outside the bat maternity roost period, which is approximately May 1 to September 31. All trees proposed for removal must be assessed for bat habitat. This avoidance measure includes dead standing trees.

8.2.4 Landowner(s) Education

Informing landowners or residents within the future development of their potential impacts on the natural environment can help mitigate encroachment impacts. It is important that residents understand how they can reduce their impacts and act as stewards to the remaining woodland and created wetland feature.

Recommendation 30:

The installation of educational signage on permanent fencing post-development is recommended to inform future landowner(s) of the significance of the adjacent features. Signage discussing the ecological value of the wetland areas and wildlife species present may be particularly effective. Some studies show the public are more likely to avoid damaging activities (ex: littering, trampling plants, dumping landscape waste) if they are aware of the link between their actions and the subsequent negative impacts, and if they feel they are responsible for the stewardship of a natural area (Gamman et al., 1995; Johnson and Van de Kamp, 1996). People are also more likely to respect a barrier if they understand the reason for it (Johnson, 1989).

Recommendation 31:

For the future development, provide homeowners with the "Living with Natural Areas" brochure published by UTRCA in 2005. This will help educate residents on appropriate ways to interact with natural areas and discourage damaging encroachment activities such as dumping landscape waste, using chemicals on lawns, mowing past residential boundaries, and creating trails.

8.2.5 Noise and Lighting Impacts

A portion of the Subject Lands proposed for development includes woodland and wetlands. Noise is managed through existing By-laws (By-law No. PW-12) implemented by the City of London, which restrict excessive noise. Increased noise due to traffic, construction and general ongoing use of the proposed mixed residential space is not expected to significantly impact adjacent natural areas. Lighting associated with exterior building lights, streetlights and other exterior lighting may impact adjacent natural features. Recommendations to avoid or reduce impacts related to lighting are provided below:

Recommendation 32:

Exterior lighting should be fully shielded and pointed downward to minimize skyglow, glare and light trespass into the adjacent natural features.

9.0 MONITORING PLAN

Recommendations in this EIS aim to avoid, minimize or compensate for direct and indirect impacts to significant natural heritage features and functions. A monitoring plan will be needed for the future proposed development to document the implementation of the mitigation and compensation measures during construction and post-construction.

The monitoring plan will be two-phase and will consist of a construction monitoring plan and a long-term post-construction plan. The construction monitoring plan will monitor for construction-

related impacts, document successes or deficiencies of the implemented mitigation measures and provide guidance on remedial actions for circumstances when mitigation is not successful. This plan should continue from clearing and grubbing through to the home building construction until rear yards and grounds adjacent to natural features are vegetated and stabilized. This plan will be developed during the detailed design stage. Reports should be made available to the appropriate staff at the City of London.

Long-term post-construction monitoring shall evaluate the success of the proposed encroachment prevention strategies, wetland compensation creation and invasive species management. This plan should include remedial actions that are triggered if effects exceed predetermined thresholds. Monitoring requirements should be determined at the detailed design stage in consultation with City of London staff. Recommendation for monitoring include but are not limited to the following.

9.1 Buffer and Wetland Naturalization – Vegetation Monitoring Plan

- Complete vegetation monitoring in the created wetland and associated buffer over three years (monitor in Year 2 and 3 coordinated with hydrogeological monitoring) after enhancement efforts to document compliance with a prepared landscape plan. Monitoring in Year 1 by the landscape contractor should document success of seed germination/cover and tree/shrub installation and confirm the correct seed mixes and trees/shrubs species were used. Monitoring in Years 2 and 3 should document plant establishment and growth through completion of a floral inventory through one visit conducted by a qualified professional during the growing season.
- Implement adaptive management strategies such as supplemental plantings and or control of non-native invasive species if required. Adaptative management may be triggered by poor survival of planted material (triggered at <80% survival of seeded species or woody materials), insufficient vegetation cover (triggered at <80% if planted at 100%) and the presence of unacceptable invasive species (triggered at >20% invasive groundcover; 80% non-native/native is target)
- Adaptive management strategies within the wetland buffer and created wetland habitat will depend on the issue encountered but may include:
 - Removal of invasive species with a species-specific method outlined in the Best Management Practices (BMPs) from the Ontario Invasive Plant Council. These may include biological, physical/mechanical, chemical management strategies or a combination of strategies;
 - Re-seeding with a target seed mix;
 - Re-planting of dead trees/shrubs or other plant materials; and
 - o Increased monitoring frequency or length (e.g., adding monitoring in Year 4).
- Inventory invasive plants throughout the ecological monitoring period. This should include identification of invasive species type, location and abundance within the wetland buffer and created wetland feature as well as a record of completed management strategies.

9.2 Wetland Habitat Monitoring Plan

 Complete targeted searches for Terrestrial Crayfish (i.e., visual survey for chimneys) in Years 2 and 3 to confirm presence/absence. Habitat suitability is to be reviewed in collaboration with groundwater level monitoring.

9.3 Encroachment Monitoring Plan

- Encroachment monitoring should be completed for two years (Years 2 and 3) in coordination with the wetland monitoring. Monitoring should focus on the wetland compensation area and remaining woodland. Observations should include looking for litter in natural features, dumping of yard waste, informal trail creation, fence damage and other impacts.
- If encroachment is an issue post-construction, additional strategies should be implemented. The strategy should be tailored to the issue but may include additional signage, fences, monitored garbage cans along the multi-use pathway, additional landowner awareness, or other identified strategies.

9.4 Wetland Hydrogeological Monitoring Plan

 As outlined in the Hydrogeological Assessment (EXP, 2024a) implement a development phase monitoring plan to monitor wetlands during construction and complete postdevelopment hydrological monitoring of the created wetland for three years to ensure sufficient soil saturation is achieved to maintain suitable growing conditions for wetland plants. The details for this monitoring plan are provided in the EMP (Appendix K) and should be finalized at detailed design.

10.0 NET EFFECTS SUMMARY

Table 10 below summarizes potential impacts to natural heritage features and functions as well as proposed mitigation, compensation and enhancement measures.

Table 10: Summary of Net Effects

Source of Impact	Affected Feature	Predictions of Impact	Mitigation Strategy	Net Effects Summary	Recommendations for Management and Monitoring
Artificial Lighting	Woodland, created wetland	Low impacts expected - residential and streetlights	Exterior lighting to be shielded and pointed downward to minimize skyglow, glare and light trespass into the adjacent natural features.	No net effect	N/A
Litter and Garbage	Woodland, created wetland	Low impacts expected - garbage litter from residential area	Permanent fence between remaining woodland and development; public education (brochure, signage).	No net effect	Encroachment monitoring as part of the long-term post-construction monitoring plan.
Yard Waste	Woodland, created wetland	Medium impacts expected - residents transporting yard waste from dwellings to woodland and wetland	Public education (brochure, signage); permanent fence between woodland and residential homes.	No net effect	Encroachment monitoring as part of the long-term post-construction monitoring plan. Ongoing education of residents.
Increased access to sensitive area	Woodland, created wetland	Medium impacts expected - vegetation could get trampled	Public education (brochure, signage); permanent fence between woodland and residential area.	No net effect	Encroachment monitoring as part of the long-term post-construction monitoring plan. Ongoing education of residents.
Creation of new trails	Woodland, created wetland	Medium impacts expected - ad-hoc trails may trample ground cover, transport invasive species	Public education (brochure, signage) to discourage off-property wandering; permanent fence between natural areas and residential homes.	No net effect	Encroachment monitoring as part of the long-term post-construction monitoring plan.
Tree removals and damage	Woodland	High impacts expected - woodland removed to accommodate development	Tree compensation provided through North Talbot Community Plan process; prepare tree preservation report prior to removals, retain trees at the rear of lots as possible; provide appropriate critical root zone	No net effect	Monitor for tree damage during construction and follow recommendations set out in a Tree Preservation Report if needed. Complete encroachment monitoring as part of the long-term post-construction monitoring plan.

Source of Impact	Affected Feature	Predictions of Impact	Mitigation Strategy	Net Effects Summary	Recommendations for Management and Monitoring
			setback to identified natural heritage trees.		
Increased noise	Woodland, created wetland	Low impacts expected - one bird species of concern was observed within the woodland, but it is not a sensitive species to development.	The created wetland will act as a natural buffer from residential homes to the east to the remaining woodland.	No net effect	Residential by-laws restrict excessive noise.
Disturbance to wildlife during construction	Wildlife in adjacent natural features	of nearby wildlife	Restrict timing of habitat and vegetation removal to outside breeding and sensitive periods for birds and other wildlife; make workers aware of potential incidental encounters and necessary protections; if an animal enters the work site, work at that location will stop and the animal should be permitted to leave unharassed; if there are repeat observations of wildlife in the work area, barrier fencing may be used to direct wildlife away from active construction and toward natural areas.	No net effect	Protocols for incidental wildlife encounters should be followed.
Decreased infiltration and increased run-off	Woodland, created wetland	Low to medium impacts expected - impervious surfaces decrease infiltration	LID measures should be used where appropriate; ESCI fencing at edge of development; fencing should remain until the area is serviced by storm sewers and disturbed areas are seeded; all issues with sediment and erosion control measures should be resolved the same day.	No net effect	Post-construction monitoring to be recommended by the Hydrogeological Assessment (EXP).

Source of Impact	Affected Feature	Predictions of Impact	Mitigation Strategy	Net Effects Summary	Recommendations for Management and Monitoring
Increased erosion	Woodland, created wetland	Low impacts expected	Sediment and erosion control fencing at edge of development; fencing should remain until the area is serviced by storm sewers and disturbed areas are seeded; all issues with sediment and erosion control measures should be resolved the same day.	No net effect	Monitor sediment and erosion control fence during construction.
Increased nutrient, pesticide and sediment	Woodland, created wetland	Low impacts expected - wetland may receive regular seasonal nutrient and sediment loads	Sediment and erosion control plan during construction; ban on cosmetic pesticides; limit the use of commercial fertilizers and other chemical applications, especially adjacent to wetlands; consider the use of grass varieties which are heartier and require less extensive watering or fertilizers.	No net effect	Post-construction water quality monitoring to be recommended by the Hydrogeological Assessment (EXP).
Visual intrusion	Woodland, created wetland	Low impacts expected	Maximum retention of trees within the rear lots as per the Tree Preservation Report.	No net effect	N/A
Domestic animals	Woodland, created wetland	Medium impacts expected - cats that roam and catch small animals; off leash dogs can trample plants	UTRCA brochure includes information on the impacts of domestic animals on wildlife; signage; permanent fence between woodland and residential homes to limit access.	No net effect	Encroachment monitoring as part of the long-term post-construction monitoring plan. Ongoing education of residents.
Introduced invasive plants	Woodland, created wetland	Medium impacts expected - disposed yard waste can have invasive species that can spread if disposed incorrectly; invasive species may be planted	UTRCA brochure; permanent fence between woodland and residential homes to limit access; invasive species removal from the removed wetlands and planting native species in the compensation area.	Positive net effect	Monitor the success of establishment of native species within the created wetland. Ongoing education of residents.

Source of Impact	Affected Feature	Predictions of Impact	Mitigation Strategy	Net Effects Summary	Recommendations for Management and Monitoring
Increase in urban wildlife species	Woodland, created wetland	Medium impacts expected - garbage can attract nuisance wildlife	UTRCA brochure including information on what attracts nuisance wildlife.	No net effect	Ongoing education.
Air pollution	Woodland, created wetland	No impacts expected	Residential homes will not generate substantial air pollution.	No net effect	N/A
Fire Hazards	Woodland, created wetland	Low impacts expected - potential for recreational gatherings in the woodland and wetland	UTRCA brochure including information on potential impacts of encroachment on the woods; permanent fence between retained woodland and residential homes.	No net effect	Encroachment monitoring as part of the long-term post-construction monitoring plan. Ongoing education of residents.
Use of heavy machinery – broken limbs	Woodland, created wetland	High impacts expected - machinery too close to woodland edge can break off branches unintentionally	Complete a Tree Preservation Report; install construction fence to restrict access to the remaining woodland; tree protection fencing/sediment and erosion control fencing should be inspected frequently; all issues with fencing should be resolved the same day; remain outside of the critical root zones of natural heritage trees.	No net effect	Regular monitoring during construction to ensure tree protection fencing and sediment and erosion control fencing is functioning.
Use of heavy machinery – soil compaction	Woodland, created wetland	High impacts expected - machinery too close to the woodland can compact soils over vital tree roots	Complete a Tree Preservation Report for the Subject Lands; install construction fence to restrict access to retained woodland. Remain outside of the critical root zones of natural heritage trees.	No net effect	Regular monitoring during construction to ensure tree protection fencing and sediment and erosion control fencing is functioning, and tree roots are protected.

11.0 CONCLUSIONS

Southside Construction Management Limited has initiated the Draft Plan of Subdivision and Zoning By-law Amendment process for Phase 8 of the Talbot Village residential subdivision development at 3095 Bostwick Road in London, Ontario.

The proposed development will require the removal of several small wetlands within the Subject Lands, as well as a portion of woodland. Compensation will be provided through a wetland compensation area which will result in the creation of a diverse wetland area with improved natural quality, enhanced linkage between wetland and woodland habitats, and retention of terrestrial crayfish and non-significant amphibian breeding habitat. The wetland compensation area will additionally compensate for removal of a northeast adjacent shallow aquatic wetland and fulfill a Draft Plan Condition for replacement of 0.13 ha of this wetland at a ratio of 2:1. A 10 m naturalized buffer is also proposed for the wetland creation area. The west woodland will be retained to the extent possible, retaining the important functions of the woodland. Large natural heritage trees have been identified and prioritized for retention. A Tree Preservation Plan will be needed. A wetland design and Landscape Plan will also be required for the wetland compensation area as part of the detailed design process.

Indirect impacts are to be managed through general site management recommendations, an ESC Plan, landowner education, and avoidance of light and noise impacts.

Provided the recommendations in this EIS and the related technical reports supporting the proposed development are followed, it is our opinion that Phase 8 of the Talbot Village Subdivision can proceed. Detailed design phases of the development application can be assessed through a revision of the Environmental Management Plan (EMP). This EIS does not need to be updated once Draft Plan approval has been obtained.

MTE seeks comments from the City of London and the UTRCA with respect to the contents of the EIS. Formal comments can be submitted in writing to MTE of behalf of the client. Should you wish to clarify any questions or require additional information as part of the review of this EIS, do not hesitate to contact us.

All of which is respectfully submitted,

MTE CONSULTANTS INC.

Elise Roth Biologist

519-204-6510 ext. 2297

eroth@mte85.com

Allie Leadbetter

Biologist 519-204-6510 ext. 2243

Allie Lesolbettez

aleadbetter@mte85.com

Dave Hayman

Senior Biologist

519-204-6510 Ext. 2241

dhayman@mte85.com

EXR:sdm

\mte85.local\mte\Proj_Mgmt\46666\100\05 - Reports\Phase 8\EIS\Text\46666-100 EIS_Phase 8_2024-08-19.docx

12.0 REFERENCES

Arcadis. 2024a. Talbot Village – Phase 8 Grading Plan.

Arcadis. 2024b. Final Proposal Report – 3095 Bostwick. August 2024. 21 pp.

B.A Blackwell & Associates Ltd. and City of London. 2014. City of London Urban Forest Strategy: Enhancing the Forest City. Retrieved from:

https://d3n8a8pro7vhmx.cloudfront.net/londonenvironmentalnetwork/pages/1361/attachments/original/1611171940/London_Urban_Forestry_Strategy_Final-compressed.pdf?1611171940

Bird Studies Canada (BSC). 2005. Ontario Breeding Bird Atlas (2001-2005). NatureCounts. Retrieved from https://www.birdscanada.org/birdmon/default/searchquery.jsp?

Bird Studies Canada (BSC). 2009a. Marsh Monitoring Program Participant's Handbook for Surveying Amphibians. Bird Studies Canada in cooperation with Environment Canada and U.S. Environmental Protection Agency. February 2009.

Bird Studies Canada (BSC). 2009b. Marsh Monitoring Program Participant's Handbook for Surveying Marsh Birds.

Cadman, M.D., H.J. Dewar, and D.A. Welsh. 1998. The Ontario Forest Bird Monitoring Program (1987-1997): Goals, methods and species trends observed. Technical Report Series No. 325, Canadian Wildlife Service.

Chapman, L.J. and D. F. Putnam, 1984. The Physiography of Southern Ontario, 3rd Edition. Ontario Geological Survey, Special Volume. Ontario Ministry of Natural Resources. 270pp.

City of London. 2023. The London Plan. Consolidated May 25, 2023.

City of London. 2021. Environmental Management Guidelines. December 2021. 148 pp.

City of London. 2019. Design Specifications & Requirements Manual. Updated August 2019. 385pp.

City of London. 2017. London's Invasive Plant Management Strategy. 47pp. Retrieved from https://london.ca/sites/default/files/2020-11/Invasive Plant Management Strategy.pdf

Conservation Authorities Act, R.S.O. 1990, c. C.27

Credit Valley Conservation and Toronto and Region Conservation Authority (CVC & TRCA). 2014. Evaluation, Classification and Management of Headwater Drainage Features Guidelines. January 2014. 26 pp.

EXP Services. 2024a. Hydrogeological Assessment – Proposed Talbot Village Phase 8. August 2024

EXP Services. 2024b. Geotechnical Investigation – Proposed Talbot Village Phase 8. May 2024. 47 pp.

EXP Services. 2021. Hydrogeological Assessment and Water Balance Talbot Village Phase 8. August 2021. 166 pp.

eBird. 2021. Ontario eBird Hotspot Data Map. Retrieved from https://ebird.org/hotspots?env.minX=-95.155986&env.minY=41.708293&env.maxX=-74.345974&env.maxY=56.869721&yr=all&m=

Endangered Species Act, 2007, S.O. 2007, c. 6

Fish and Wildlife Conservation Act, 1997, S.O. 1997, c. 41

Fisheries Act, R.S.C., 1985, c. F-14

Fisheries and Oceans Canada (DFO). 2023. Fish and Fish Habitat Protection Program, August 2019. Request a Review of Your Project Near Water: Step 3. Check if Your Project Needs a Review. Retrieved from http://www.dfo-mpo.gc.ca/pnw-ppe/reviews-revues/request-review-demande-d-examen-003-eng.html

Fisheries and Oceans Canada (DFO) 2019. Fish and Fish Habitat Protection Policy Statement, August 2019. 36 pp.

Fisheries and Ocean Canada (DFO). 2019. Aquatic Species at Risk Map. Retrieved from https://www.dfompo.gc.ca/species-especes/sara-lep/map-carte/index-eng.html

Friesen, L.E. Eagles, P.F.J., and Mackay, R.J. 1995. Effects of residential development on forest-dwelling Neotropical migrant songbirds. Conservation Biology 9:1408–1414.

Gamman, J.H., Bonifield, R.L., Kim, Y. 1995. Effect of personality and situational factors on intentions to obey rules in outdoor recreation areas. J Leisure Res, 27(4), 326–343.

Government of Ontario. n.d. Wildlife Values Area (Dataset). Retrieved from https://open.canada.ca/data/en/dataset/88591622-4001-456a-adfb-cfa34dbc9004

Halloran, J., Anderson, H. and Tassie, D. 2016. Clean Equipment Protocol for Industry. Peterborough Stewardship Council and Ontario Invasive Plant Council. Peterborough, ON.

iNaturalist. 2021. Observations Map. Retrieved from https://www.inaturalist.org/observations *Invasive Species Act*, 2015, S.O. 2015, c. 22

Johnson, D.R. and Van de Kamp, M.E. 1996. Extent and control of resource damage due to non-compliant visitor behaviour: a case study from the US National Parks. Nat Area J, 16(2), 134–141.

Lebedyk, D. 2018. Southern Ontario Floral Inventory Analysis (SOFIA). Version 2.51. Essex Region Conservation Authority. Essex, ON.

Lee, H.T., W.D. Bakowsky, J. Riley, J. Bowles, M. Puddister, P. Uhlig, and S. McMurray. 1998. Ecological Land Classification for Southern Ontario: First Approximation and its Application. Ontario Ministry of Natural Resources, Southcentral Science Section, Science Development and Transfer Branch. Field Guide FG.

Mancke, R.G. and Gavin, T.A. 2000. Breeding bird density in woodlots: Effects of depth and buildings at the edges. Ecological Applications 10:598–611.

Migratory Birds Convention Act, 1994, S.C. 1994, c. 22

Ministry of Environment, Conservation and Parks (MECP). 2022. Bats & Treed Habitats - Maternity Roost Surveys. [Unpublished document].

Ministry of Environment, Conservation and Parks (MECP). 2022. Species at Risk Bats Survey Note. [Unpublished document].

Ministry of Environment, Conservation and Parks (MECP). 2021. Use of Buildings by Species at Risk Bats Survey Methodology. [Unpublished document].

Ministry of the Environment, Conservation and Parks (MECP). 2019. Recovery Strategy for the Butler's Gartersnake (*Thamnophis butleri*) in Ontario. Ontario Recovery Strategy Series. Prepared by the Ministry of the Environment, Conservation and Parks, Peterborough, Ontario. iv + 6 pp. + Appendix. Adoption of the Recovery Strategy for the Butler's Gartersnake (*Thamnophis butleri*) in Canada (Environment Canada 2018).

Ministry of Natural Resources and Forestry (MNRF). 2017. Survey Protocol for Species at Risk Bats in Treed Habitats – Little Brown Myotis, Northern Myotis & Tri-colored Bat. April 2017. 12 pp.

Ministry of Natural Resources and Forestry (MNRF). 2016. Survey Protocol for Ontario's Species at Risk Snakes. Peterborough: MNRF Species Conservation Policy Branch.

Ministry of Natural Resources and Forestry. (MNRF). 2015. Significant Wildlife Habitat Criteria Schedule B Ecoregion 7E. 40pp. January 2015.

Ministry of Natural Resources and Forestry (MNRF). 2011. Bats and Bat Habitats: Guidelines for Wind Power Projects. Queen's Printer for Ontario.

Ministry of Energy, Northern Developments, and Mining. 2017. OGSEarth - Southern Ontario Surficial Geology. Retrieved from

https://www.geologyontario.mndm.gov.on.ca/ogsearth.html#surficial-geology

Ministry of Natural Resources and Forestry (MNRF). 2022. Ontario Wetland Evaluation System (OWES) Southern Manual. Queen's Printer for Ontario. Fourth Edition.

Ministry of Natural Resources and Forestry (MNRF). 2021. Land Information Ontario (LIO) mapping. Ontario GeoHub. Retrieved from https://geohub.lio.gov.on.ca/

Natural Heritage Information Centre (NHIC). 2023. Make a Map: Natural Heritage Areas. Retrieved from

https://www.lioapplications.lrc.gov.on.ca/Natural_Heritage/index.html?viewer=Natural_Heritage.Natural_Heritage&locale=en-CA

Natural Heritage Information Centre (NHIC). 2022. All Species Lists. Retrieved from https://www.ontario.ca/page/get-natural-heritage-information

Oldham, M.J. 2017. List of Vascular Plants of Ontario's Carolinian Zone (Ecoregion 7E). Carolinian Canada and Ontario Ministry of Natural Resources and Forestry. Peterborough, ON. 132 pp.

Oldham, M.J., Bakowsky, W.D., and Sutherland, D.A. 1995. Floristic Quality Assessment System for Southern Ontario. Prepared for Ontario Ministry of Natural Resources, Peterborough, Ontario. December 1995. 69 pp.

Ontario Breeding Bird Atlas (OBBA). 2001. Ontario Breeding Bird Atlas Guide for Participants. Atlas Management Board, Federation of Ontario Naturalists, Don Mills.

Ontario Invasive Plant Council. 2023. Best Management Practices. Retrieved from https://www.ontarioinvasiveplants.ca/resources/best-management-practices/

Ontario Ministry of Agriculture, Food and Rural Affairs (OMAFRA). 2020. AgMaps. Retrieved from https://www.lioapplications.lrc.gov.on.ca/AgMaps/Index.html?viewer=AgMaps.AgMaps&locale=en-CA

Ontario Ministry of Municipal Affairs and Housing (MMAH). 2020. Provincial Policy Statement. Ontario Ministry of Municipal Affairs, Toronto, Ontario. 50 pp.

Ontario Ministry of Natural Resources (MNR). 2010. Natural Heritage Reference Manual for Natural Heritage Policies the Provincial Policy Statement, 2005. April 2010. Toronto, Ontario.

Ontario Ministry of Natural Resources (MNR). 2000. Significant Wildlife Habitat Technical Guide. October 2000. 151 pp.

Ontario Nature. 2019. Ontario Reptile and Amphibian Atlas. Retrieved from https://www.ontarioinsects.org/herp/

Species at Risk Act, 2023, S.C. 2002, c. 29

Species at Risk in Ontario (SARO) List, Ontario Regulation 230/08. 2007 (Consolidated 2018). Retrieved from https://www.ontario.ca/laws/regulation/080230

Stanfield, L. Editor. 2017. Ontario Stream Assessment Protocol. Version 10 – 2017. Fisheries Policy Section. Ontario Ministry of Natural Resources. Peterborough, Ontario. 26 pp. 548 pp.

Thames-Sydenham & Region Source Protection Committee (TSRSPC). 2015. Upper Thames River Source Protection Area Assessment Report. September 6, 2015.

Toronto and Region Conservation Authority (TRCA). 2019. Erosion and Sediment Control Guide for Urban Construction. 236 pp.

Upper Thames River Conservation Authority (UTRCA). 2017. Environmental Planning Policy Manual for the Upper Thames River Conservation Authority. Retrieved from https://thamesriver.on.ca/wp-content/uploads/EnvPlanningPolicyManual-update2017.pdf

Upper Thames River Conservation Authority (UTRCA). 2022. Watershed Report Card Dingman Creek. Retrieved from: https://thamesriver.on.ca/wp-content/uploads/RC_Dingman.pdf


Urban Forest Association Inc. 2002. Invasive Exotic Species Ranking for Southern Ontario. 7 pp. Retrieved from http://chapter.ser.org/ontario/files/2012/08/exotics.pdf


Wilhelm, G.S. and D. Ladd. 1988. Natural Area Assessment in the Chicago Region. The Morton Arboretum. Lisle, Illinois.

Wilhelm, G.S. and L.A. Masters. 1995. Floristic Quality Assessment in the Chicago Region and Application Computer Programs. The Morton Arboretum. Lisle, Illinois 60532.

Figures







LEGEND

——— SUBJECT LANDS

STUDY AREA (120m from Subject Lands)

LEGAL PARCEL


REFERENCES

CITY OF 2023 LONDON PARCEL AND AERIAL IMAGERY, CITY OF LONDON ROAD AND WATER NETWORK, OPEN DATA SET.

NOTES

THIS FIGURE IS SCHEMATIC ONLY AND TO BE READ IN CONJUNCTION WITH ACCOMPANYING TEXT.

ALL LOCATIONS ARE APPROXIMATE.








ENVIRONMENTAL IMPACT STUDY 3095 BOSTWICK ROAD LONDON, ONTARIO

PROJECT LOCATION

Drawn	Scale	F
DCH	1:4,000	
Checked	Project No. 46666-100	
Date	Rev No.	
2024-08-14	0	l















Figure 6: UTRCA Regulation Areas (2024) CRANBROOK RD **Regulated Areas** Regulation under s.28 of the Conservation Authorities Act Prohibited Activities, Exemptions and Permits. O. Reg. 41/24. SOUTHDALE RD W Legend Assessment Parcel (MPAC) Watercourse (UTRCA, 2020) Open Closed Design/Tiled Wetlands (MNRF) Evaluated-Provincial Evaluated-Other Not Evaluated Regulated Wetland Flooding Hazard Limit **Erosion Hazard Limit** Regulation Limit 2024 UT-DC= OLD GARRISON BLVD The mapping is for information screening purposes only, and shows the approximate regulation limits. The text of Ontario Regulation 41/24 supersedes the mapping as represented by this data layer. This mapping is subject to change. A site specific determination may be made by the UTRCA. This layer is the approximate limit for areas regulated under Ontario Regulation 41/24: Prohibited Activities, Exemptions and Permits, which came into effect April 1, 2024. The UTRCA disclaims explicitly any warranty, representation or guarantee as to the content, sequence, accuracy, timeliness, fitness for a particular purpose, merchantability or completeness of any of the data depicted and provided herein. The UTRCA assumes no liability for any errors, omissions or inaccuracies in the information provided herein and further assumes no liability for any decisions made or actions taken or not taken by any person in reliance upon the information and This map is not a substitute for professional advice. Please contact UTRCA staff for any changes, updates and amendments to the information provided. PACKRO This document is not a Plan of Survey. Sources: Base data, Aerial Photography used under licence with the Ontario Ministry of Northern Development, Mines, Natural Resources and Forestry Copyright © King's Printer for Ontario; City of London. 200 3095 Bostwick Road, London UPPER THAMES RIVER CONSERVATION AUTHORITY Created By: AL July 5, 2024 Copyright ©2024 UTRCA. * Please note: Any reference to scale on this map is only appropriate when it is printed landscape on legal-sized (8.5" x 14") paper.




















Appendix A

Record of Pre-application Consultation



APPENDIX A

Environmental Impact Study ISSUES SUMMARY CHECKLIST REPORT

Application Title: Topping La	nds			
Date Submitted: April 6, 2020				
Proponent: Southside Constr	uction Limited			
Qualifications				
Primary Consultant: Southsid	le Construction Limited			
Key Contact Person: Michael				
Other Consultants/ field persor	nnel:			
Hydrogeology/ Hy				
Biological – Flora	Biological – Flora: MTE Consultants			
Biological – Faun	Biological – Fauna: MTE Consultants			
Other: Zelinka Priamo & IBI Group				
Context for Background Inform	nation_			
Subwatershed: Dingman Cree	ek			
Tributary Fact Sheet Number:				
Planning / Policy Area: North	Talbot Village			
Technical Advisory Review Tea	ı <u>m</u>			
	James MacKay			
Planner for File	Nancy Pasato (new planner to be identified)			
F EEPAC	Sandy Levin			
✓ Conservation Authority UTRCA				
☑ Ministry of Natural Resources N/A & MECP				
☐ Ministry of Municipal Affairs and				
☐ Ministry of Agriculture a	ind			

☐ Other Review Groups (e.g., Community Associations, Field
1.0 DESCRIPTON OF THE ENVIRONMENT (Features) Purpose: To have a clear understanding of the current status of the land, and the proposed "development" or land use change.
1.1 Mapping (Location and Context) Current aerial photography
☑ Land Use — Excerpts of the Official Plan for the City of London Ontario Schedules A, B, showing a 5-10 km radius of subject site ☑ Terrain setting @ 1:10,000 — 1:15,000 scale showing landscape features, subwatershed divides ☑ Existing Environmental Resources showing @1:2,000 — 1:5,000 showing Vegetation, Hydrology, contours, linages. ☑ Environmental Plan or Strategy from Subwatershed reports (tributary fact sheet), Community (Area) Plans, or other
1.2 Description of Site, Adjacent lands, Linage with Natural Heritage System List all supporting studies and reports available to provide background summary (e.g. subwatershed, hydrological, geo-technical, natural heritage etc.).
• North Talot Village Community Plan Area Ecological Inventory and Analysis 1998. • Ping maへ しには Subwahish がらたが (みのら)
· Southwest Area plan (SWAP)
· South dole Road Widening (2018)
Check the first box if the information is relevant and required as part of this study. Check the second box if sufficient data is available.
1.2.1 Terrain Setting
তি Soils (surface and subsurface)
Glacial geomorphology – landform type
IV Subwatershed

			<u> </u>	Topographic features	
)	Ground water discharge	
			<u> </u>	Shallow ground water/baseflow	
	<u>v</u>		Γ	Ground water discharge/aquifer	
	Γ			Aggregate resources	
1.2.2		Н	ydrology		
	~		Г	Hydrological catchment boundary + definine cofihment arcos ox all wetlands. Surface drainage pattern	
	<u>~</u>		Γ	Surface drainage pattern	
	~		<u></u>	Watercourses (Permanent, Intermittent)	
	<u> </u>			Stream order (Headwater, 1 st , 2 nd , 3 rd or higher)	
	<u> </u>		厂	Agricultural Drains	
	<u> </u>			Downstream receiving watercourse	
	<u> ~ </u>		<u>v</u>	Hazard Line (Map 6)	
1.2.3		N	atural Hazar	ds	
	<u> ~</u>		<u> </u>	100 year Erosion Line	
	<u>v</u>		<u> ~ </u>	Floodline mapping	
			[v	Max line mapping - UTRCA mapping + text based reynhald areas	
1.2.4		V	egetation		
	[V	Vegetation F	Patch Number 10054	
	<u> </u>	V	System (Terrestrial, Wetland, Aquatic)		
	<u>~</u>	\	Cover (Open, Shrub, Treed)		
	<u>v</u>	V	Community Type(s)		
		V	ELC Community Class (Bluff, Forest, Swamp, Tallgrass Prairie, Savannah & Woodland, Fen, Bog, Marsh, Open Water, Shallow Water)		
	<u> </u>	<u>v</u>	ELC Community Series		
	▽	<u> </u>	Rare Vegetation Communities		

1.2.5	Flora	
V	<u> </u>	Flora (inventory dates, source)
		3-season - Aug 25, 28, Nov 8, 20/7
		May 9, June 11, June 28, July 28, 2018
V	V	Rare flora (National, Provincial, Regional)
		NHIC databour, MNRF/MECP, Oldhom (2017)
1.2.6	Fauna	,
▽		Fauna (Inventory dates; sources)
		Bat habitat and acoustic survey patch 10054 MELP/MNNF ProtoCols
ⅳ	∀	Breeding Birds June 11, June 28 2018 * MECP/MNNF Profecols it fequired.
Ĭ✓	V	Migratory Birds May 9, 2018
J₹	V	Amphibians Apr 21, May 10, June 18 2018
V	厂	Reptiles Cover boards, wetlands+patch 10054 and Turtle booking surveys, wetlands.
√	V	Mammals other incidental
J	<u>~</u>	Butterflies incidental
₩	<u>v</u>	Odonata
厂	广	Other
V	√	Bird Species of Conservation Priority PIF birds
₩	ſ <u>-</u>	Rare Fauna

Wildlife Habitat - 93 per MNRF 2015 criteria, as amended from time to time,
and all applicable official plan 1.2.7 Species-At-Risk Regulated Habitat critical habitat ~ Г mapping ~ Winter habitat for deer, wild turkey Waterfowl Habitat (wetlands, poorly drained V landscape – bottomlands, beaver seasonally flooded areas, staging areas, feeding Colonial Birds Habitat V Hibernacula V Habitat for Raptors | ~ Forests with springs or seeps Ephemeral ponds Wildlife trees (snags, cavities, x-large trees > 65 V cm DBH) _ Forest Interior Birds ~ Area-sensitive birds 1.2.8 Aquatic Habitat Not required, UTRCA to Confirm (SWS Aquatic Resources Management Reports) Fish communities Fish spawhing areas Fish migration routes

Thermal refuge for fish

Γ	_	Benthic inventory
	-	Substrate
Γ	Γ	Riparian habitat (extent and type)
	/	
	(The	ages and Corridors diversity of natural features in an area, and the natural connections een them should be maintained, and improved where possible. PPS

~	Γ	Valleylands
<u> </u>	Γ	Significant Watercourses (Thames River, Stoney Creek, Medway Creek, Dingman Creek, Pottersburg Creek, Wabuno Creek, Mud Creek, Stanton Creek (Drain), Kelly Creek (Drain)
_		
<u> ~ </u>	J	Upland Corridors / species migration routes
厂	Γ	Big Picture Cores and Corridors
<u> ~</u>	<u></u>	Linkages between aquatic and terrestrial areas (riparian habitat, runoff)
~	<u> </u>	Groundwater connections
V		Patch clusters (mosaic of patches in the landscape)

1.3 Social Values

1.2.9

1.3.1 Human Use Values

V	Γ	Recreational linkages for hiking, walking
V	厂	Nature appreciation, aesthetics
Γ	Γ	Education, research
Γ	厂	Cultural / traditional heritage
<u> </u>	Г	Social (parks and open space)
Γ		Resources Products (e.g. timber, fish, furbearers, peat)
Г		Aggregate Resources

1.3.2		Lan	d Use - Cultural	
	<u> </u>	Γ:	Archaeological (pre 1500)	Archaeological Stages
	Г	Γ	Historical (post 1500 – present)	as required
	Γ.	Γ	Adjacent historical and archeological	
	Г	Γ	Future	
1.3.3		Lan	d Use - Active	
			Archaeological (pre 1500)	
	Γ	Γ	Historical (post 1500 – present)	
	Γ	Γ	Adjacent historical and archeological	
	Г	Γ	Future	/
1.3.4		Oth	er	CONTROL CONTROL AND CONTROL AND CONTROL CONTRO

2.0 EVALUATION OF SIGNIFICANCE

Components of the Natural Heritage System

The policies in Section 15.4 apply to recognized and potential components of the natural heritage system as delineated on Schedule 'B' or features that may be considered for inclusion on Schedule 'B'. They also address the protection of environmental quality and ecological function with respect to water quality, fish habitat, groundwater recharge, headwaters and aquifers.

- A component of a Subject Lands Status Report that is required to be included in the EIS is the evaluation of significance of all potential natural heritage features and areas recognized by In-force London Plan policies and/ or Official Plan policies.
- A component of a Subject Lands Status Report that is required to be included in the EIS is the confirmation and mapping of boundaries of all natural heritage features and areas.

2.1	Environmentally	Significant	Areas
-----	-----------------	-------------	-------

Г	Identified Environmentally Significant Areas (ESA)
	Name

Г	Potential ESAs – Expansion of an Existing ESA
	Name
J	Potential ESA – Area not associated with an existing ESA
	Name
2.2 Wetl	
<u> </u>	Provincially Significant Wetlands
	Name North Talbot PSW complex
	Wetlands
	Name
<u> ~</u>	Unevaluated Wetlands
2.3 Area	s of Natural and Scientific Interest
Г	Provincial Life Science ANSI
ļ	Regional Life Science ANSI
	Earth Science ANSI
2.4 Habi	tat of Species-At-Risk (SAR)
\	Endangered
Īv	Threatened
▽	Vulnerable / Special Concern
2.5 Woo	dlands and Vegetation Patches
Г	Significant Woodlands
,	
▼	Unevaluated Vegetation Patches and/ or other patches > 0.5ha
	dors and Linkages
\	River, Stream and Ravine Corridors
<u></u>	Upland Corridors
Г	Naturalization and Anti-fragmentation Areas

3.0 IDENTIFICATION AND DESCRIPTION OF FUNCTIONS

Ecological Functions the natural processes, products or services that species and non-living environments provide or perform within or between ecosystems and landscapes. Check those functions that will be required to assess for the study (key and supporting functions).

3.1 Biological Functions

▼	Species life histories (reproduction and dispersal)
Г	Habitat guilds
 	Indicator species
Γ.	Keystone species
[V	Introduced species
Γ	Predation / parasitism
<u> </u>	Population dynamics
<u> ~</u>	Vegetation structure, density and diversity
<u> </u>	Food chain support
Γ	Productivity
V	Diversity
Γ.	Carbon cycle
J	Energy cycling
	Succession and disturbance processes
 	Relationships between species and communities
3.2 Hydro	ological and Wetland Functions
3.2 Hydro √	Ological and Wetland Functions Groundwater recharge and discharge (hydrogeology)
_	_
<u> </u>	Groundwater recharge and discharge (hydrogeology)
- ▽	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology)
고 고 고	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance)
 	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement
\ \ \ \ \ \ \	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement Flood damage reduction
	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement Flood damage reduction Shoreline stabilization / erosion control
	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement Flood damage reduction Shoreline stabilization / erosion control Sediment trapping
	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement Flood damage reduction Shoreline stabilization / erosion control Sediment trapping Nutrient retention and removal / biochemical cycling
	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement Flood damage reduction Shoreline stabilization / erosion control Sediment trapping Nutrient retention and removal / biochemical cycling Aquatic habitat (fish, macroinvertebrates)
F F F F T 3.3 Lands	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement Flood damage reduction Shoreline stabilization / erosion control Sediment trapping Nutrient retention and removal / biochemical cycling Aquatic habitat (fish, macroinvertebrates) scape Features and Functions Size Connections, corridors and linkages
マ マ マ に て 3.3 Lands	Groundwater recharge and discharge (hydrogeology) Water storage and release (fluvial geomorphology) Maintaining water cycles (water balance) Water quality improvement Flood damage reduction Shoreline stabilization / erosion control Sediment trapping Nutrient retention and removal / biochemical cycling Aquatic habitat (fish, macroinvertebrates) scape Features and Functions Size

3.4 Functions, Benefits and Values of Importance to Humans

Contributing to healthy and productive landscapes
 Improving air quality by supplying oxygen and absorbing carbon dioxide
 Converting and storing atmospheric carbon
 Providing natural resources for economic benefit
 Providing green space for human activities
 Aesthetic and quality-of-life benefit
 Environmental targets and/or environmental management strategies

4.0 ADDITIONAL COMPONENTS AND NOTES

- EIS to show and demonstrate conformity with the Provincial Policy Statement (2020), inforce London Plan (as of Nov. 2019) policies, and current Official Plan policies (1989), Environmental Management Guidelines (2006).
- Full Hydrogeological study and water balance for all features scope to be determined through discussions with the UTRCA and approved by the UTRCA and City of London.
- EIS to integrate and speak to Hydrogeological study and water balance findings and recommendations for the short and long-term protection of the features and functions.
- EIS to address Section 28 regulated areas requirements that are present on the subject site as confirmed by the UTRCA.
- Natural heritage features and areas boundaries to be staked and GPS located in the field with City of London and UTRCA staff.
- EIS to address buffers, additional mitigation and/or compensation based on the proposed development.
- See City of London Proposal Review Meeting Summary & Record of Consultation (January 22, 2020).

Elise Roth

From: Species at Risk (MECP) <SAROntario@ontario.ca>

Sent: Wednesday, February 17, 2021 12:03 PM

To: Lindsay McKay
Cc: Dave Hayman

Subject: RE: Preliminary Screening Request

Hello Lindsay,

RE: Residential Development – Topping Family Farm Inc. (Southside Group), City of London, Middlesex County and the Endangered Species Act, 2007

The Ministry of the Environment, Conservation and Parks (MECP) Species at Risk Branch (SARB) has reviewed the documentation provided on August 13th, 2020 and February 12th, 2021 regarding the proposed residential development on the Topping Lands south of Southdale Road and west of Bostwick Road in the City of London, Middlesex County to assess the potential impacts of the project on endangered and threatened species at risk (SAR) protected under the *Endangered Species Act*, 2007 (ESA 2007).

MECP has reviewed the record for Eastern Hog-nosed Snake submitted to NHIC through the Ontario Reptile and Amphibian Atlas. An individual was observed in Springbank Park. However, aerial photography shows no connection between Springbank Park/Thames River corridor and the Topping Lands (e.g. there is no naturalized corridor between the two sites, travel between the sites would require crossing numerous roads and areas of extensive development).

Based on SARB's review of the project documentation and information that has been provided, MECP is of the opinion that neither section 9 (species protection) nor section 10 (habitat protection) of the ESA 2007 will be contravened for endangered and threatened SAR as long as the proposed mitigation measures identified in the preliminary screening document (e.g. timing of vegetation removal, etc.) are implemented.

Should any of the project activities change from what has been presented to MECP, please notify SARB immediately (<u>SAROntario@ontario.ca</u>) to obtain guidance on whether the changes require authorization under the ESA 2007 in order to remain in compliance with the Act. Failure to carry out the project as described to MECP could potentially result in contravention of the ESA 2007. Please be advised that it is the proponent's responsibility to be aware of and comply with all other relevant provincial or federal requirements, municipal by-laws or required approvals from other agencies.

MECP notes that the client has committed to mitigation measures being implemented as part of the project to ensure that unanticipated impacts to SAR do not occur. We encourage the proponent to carry out these mitigation measures. Further, it is recommended that you continue to monitor for SAR activity during the course of the project to document changes, in the event that there should be any.

The position of SARB is based on the information that has been provided for this project. Please contact SARB as soon as possible (<u>SAROntario@ontario.ca</u>) to discuss next steps should any of the following situations arise:

- Information has not been made available and considered in MECP's review;
- New information comes to light that changes the conclusions;
- If on-site conditions and circumstances change so as to alter the basis for the conclusions; or,
- If any of the mitigation measures cannot be completed.

Regards,

Kathryn Markham

Management Biologist
Permissions and Compliance Section, Species at Risk Branch
Ministry of the Environment, Conservation and Parks

From: Lindsay McKay

Sent: February 12, 2021 3:56 PM **To:** Species at Risk (MECP)

Cc: Dave Hayman

Subject: RE: Preliminary Screening Request

CAUTION -- EXTERNAL E-MAIL - Do not click links or open attachments unless you recognize the sender.

Hello Kathryn,

For the Topping Lands project (MTE#46666-100), the Eastern Hog-nosed Snake observation was recorded in the Ontario Reptile and Amphibian Atlas. Within the 10km map square (17MH75) that contains the subject property, this species was recorded most recently in 2017.

The list of observations can be found here:

https://www.ontarioinsects.org/herp/php/SQLname.php?name=all&records=all&char1=&lowYear=1333&highYear=999 9&spIndex=13&areaID=17MH75&areaName=undefined&type=recordsAll&sp=one&area=squares&order=date

Let me know if I can provide any other information,

Lindsay

Lindsay McKay, B.Sc., M.E.S. | Biologist MTE Consultants Inc.

T: 519-204-6510 x2244 | <u>LMcKay@mte85.com</u>

From: Species at Risk (MECP) < SAROntario@ontario.ca>

Sent: Friday, February 12, 2021 3:31 PM
To: Lindsay McKay < LMcKay@mte85.com >
Cc: Dave Hayman < DHayman@mte85.com >
Subject: RE: Preliminary Screening Request

Hello Lindsay,

The Ministry of Environment, Conservation and Parks (MECP) has reviewed the information provided on the Topping
development in the City of London. The preliminary screening report references an observation of Eastern Hog-nosed
Snake on or near the subject property. Could you provide the observation information or the citizen science database
where the observation has been recorded?

Thank you,

Kathryn Markham

Management Biologist

Permissions and Compliance Section, Species at Risk Branch

Ministry of Environment, Conservation and Parks

From: Lindsay McKay < LMcKay@mte85.com >

Sent: August 13, 2020 2:54 PM

To: Species at Risk (MECP) < <u>SAROntario@ontario.ca</u>>

Cc: Dave Hayman < <u>DHayman@mte85.com</u>> **Subject:** Preliminary Screening Request

CAUTION -- EXTERNAL E-MAIL - Do not click links or open attachments unless you recognize the sender.

To Whom it May Concern,

Please find attached the Preliminary Screening Request for a proposed residential development in London, ON.

The attached documents are submitted as part of our discussions with MECP with respect to the Endangered Species Act. Until a final decision has been reached with respect to this application, it is our expectation these documents will be treated as Personal and Confidential.

Kind regards,

Lindsay McKay, B.Sc., M.E.S. | Junior Terrestrial Biologist MTE Consultants Inc.

T: 519-204-6510 x2244 | LMcKay@mte85.com

123 St George St., London, Ontario N6A 3A1 www.mte85.com | Twitter | LinkedIn | Instagram | Facebook

COVID-19 Update: We remain operational and are currently available by email and phone, however, our offices are closed. Staff that are required to visit job sites or perform field work are required to follow MTE health and safety policies and procedures, as well as additional COVID-19 protocols, which can be viewed here.

Notice: The electronic information provided is confidential and privileged, and may not be used for purposes other than work related to the subject project. Redistribution or copies to others made without written permission from MTE Consultants Inc. is strictly prohibited. MTE assumes no liability or responsibility, and makes no guarantee or warranty with respect to the data contained, either expressed or implied.

Appendix B

Species at Risk Screening Tables



Table B1. Habitat potential for Threatened and Endangered species based on satellite photo interpretation, background data review and MTE field investigations.

Common Name	Scientific Name	SARO	Source	Habitat Requirements and Range (MECP, 2018)	Potential Habitat on Subject Lands?	Potential Habitat on Adjacent Lands?	Rationale
Birds	-	-	-	-	-	-	-
Bank Swallow	Riparia riparia	THR	OBBA, eBird	Nests in natural and disturbed settings where there are vertical faces in silt and sand deposits. Many found along rivers and lakes, but also in active sand and gravel pits. Range: Found across southern Ontario, sparse in northern Ontario. Largest populations found along Lake Erie and Lake Ontario shorelines, and along the Saugeen River.	No	No	There are no vertical silt or sand deposits or tall watercourse banks to provide suitable nesting opportunities for this species within the Study Area.
Bobolink	Dolichonyx oryzivorus	THR	OBBA, eBird	Found in large, open expansive grasslands with dense ground cover; hayfields, meadows or fallow fields, marshes. Grasslands size requirements have been reported to range from 5 ha to 50 ha depending on the study (MNR, n.d.). Range: Widely distributed throughout most of the province south of the boreal forest. May be found in the north where suitable habitat exists.	No	No	There is no suitable grassland, meadow or open habitat to support nesting of this species within the Study Area.
Chimney Swift	Chaetura pelagica	THR	OBBA	Found in urban and rural areas near buildings. Nest and roosts in hollow trees, crevices of rock cliffs and, most commonly, in unlined chimneys. Suitable sites are reused annually. Range: Estimated 7500 breeding individuals in Ontario; most widely distributed in the Carolinian south and southwest.	No	No	There are no suitable structures such as chimneys or large hollow trees to provide suitable roosting habitat for this species within the Study Area.
Eastern Meadowlark	Sturnella magna	THR	OBBA	Breeds mostly in moderately tall grasslands (native prairies and savannahs), also pastures, hayfields, herbaceous fencerows, roadsides, orchards, airports, shrubby overgrown fields, or other open areas. Eastern Meadowlarks may not be strongly area-sensitive (McCracken et al. 2013), however large tracts of grasslands (5 ha or greater) are preferred over smaller fragments (Herkert 1991, Vickery et al. 1994). Range: Primarily found south	No	No	There is no suitable grassland, meadow or open habitat to support nesting of this species within the Study Area.

Common Name	Scientific Name	SARO	Source	Habitat Requirements and Range (MECP, 2018)	Potential Habitat on Subject Lands?	Potential Habitat on Adjacent Lands?	Rationale
				of the Canadian Shield, but also inhabits Lake Nipissing, Timiskaming, and Lake of Woods areas.			
Reptiles	-	-	-	-	-	-	-
Eastern Foxsnake (Carolinian Population)	Patherophis gloydi	END	ORAA	Mainly unforested, early successional vegetation communities during active season. Eastern Foxsnakes in the Carolinian population are usually found in old fields, marshes, along hedgerows, drainage canals and shorelines. Females lay their eggs in rotting logs, manure or compost piles, which naturally incubate the eggs until they hatch. During the winter, Eastern Foxsnakes hibernate in groups in deep cracks in the bedrock and in some man-made structures.Range: Restricted to two discrete regions in Essex-Kent and Haldimand-Norfolk. 70% of species range is in Ontario.	No	No	While there may be suitable forested foraging and nesting habitat for this species, the Study Area is outside of the known range of this species.
Eastern Hog- nosed Snake	Heterodon platirhinos	THR	ORAA	Prefer habitats with sandy, well-drained soil and open vegetative cover such as woods, brushland, fields, forests, edges, and disturbed sites; often near water where amphibian prey are abundant. Generally avoids dense or dark moist forest (Rowell, 2012). Roads are considered a barrier to movement, however if suitable habitat is present on both sides the barrier may be considered incomplete (Kraus, 2011). Range: Isolated populations in along southern Lake Huron, Lake Erie and eastern Georgian Bay.	No	No	The Subject Lands and adjacent lands include forest habitat, but it is moist (not preferred) and isolated by surrounding major roads and residential developments. Much of the area is also active agriculture and no loose sandy soils are present to support critical life processes (i.e., nesting and overwintering). No Eastern Hognosed were observed during any field investigations, including snake coverboards surveys, though it is acknowledged they are a cryptic species. It should also be noted that this species is not typically found within central London. Overall, this species is not considered likely to be present within the Study Area.
Mammals	-	-	-	-	-	-	-
Eastern Small- footed Myotis	Myotis leibii	END	SARO	Roosts in caves, mine shafts, crevices, or buildings in or near a woodland. Hibernates in cold dry caves or mines. Range: From south of Georgian Bay to Lake Erie, east to Pembroke.	No	No	There are no caves, mines or shafts within the Study Area to support roosting habitat for this species.
Little Brown Myotis	Myotis lucifugus	END	SARO	Little Brown Myotis roosts in caves, quarries, tunnels, hollow trees, or buildings. Little Brown	No	No	There is forest and swamp habitat that may support roosting habitat for this species.

Common Name	Scientific Name	SARO	Source	Habitat Requirements and Range (MECP, 2018)	Potential Habitat on Subject Lands?	Potential Habitat on Adjacent Lands?	Rationale
				Myotis typically prefer buildings or building- associated features for maternity roosting rather than natural features (Gerson, 1984; Humphrey & Fotherby, 2019). This species hibernates in humid caves and forages in wetlands and forest edges. Range: Widespread across southern Ontario.			Acoustic monitoring on site in 2020 confirmed this species is absent from the Subject Lands.
Northern Myotis	Myotis septentrionalis	END	SARO	Roosts in houses, manmade structures, but prefers hollow trees or under loose bark. Hunts in forests. Range: Throughout forested areas in southern Ontario.	Yes	No	There is forest and swamp habitat that may support roosting habitat for this species. Acoustic monitoring on site in 2020 confirmed this species is absent from the Subject Lands.
Tri-colored Bat	Perimyotis subflavus	END	SARO	Roosts in older forests and occasionally barns/structures. Hibernate in damp, draft-free caves. Hunt over water and along streams in a forest.	Yes	No	There is forest and swamp habitat that may support roosting habitat for this species. Acoustic monitoring on site in 2020 confirmed this species is absent from the Subject Lands.

Table B2. Habitat potential for Species of Conservation Concern (SOCC) based on satellite photo interpretation, background data review and MTE field investigations.

Common Name	Scientific Name	Source	Habitat Requirements (MECP, 2018)	Potential Habitat on Subject Lands?	Potential Habitat on Adjacent Lands?	Rationale
Plants	-	-	-	-	-	-
Green Dragon	Arisaema dracontium	NHIC	Grows in moderate to wet deciduous forests along streams, associated highly with maple forests and forests dominated by Red Ash and White Elm. Range: Great Lakes Region; specifically, southwestern Ontario.	Yes	Yes	The Study Area contains wetland and forest habitat with embedded wetlands that may provide suitable growing habitat for this species.
Birds	-	-	-	-	-	-
Bald Eagle	Haliaeetus leucocephalus	eBird	Nest in a variety of habitats and forests in close proximity to a major lake or river. Range: Higher density of nesting in northwest Ontario, with successful reintroductions in southern Ontario.	No	No	There is no forest habitat in proximity to a major body of water as preferred by this species.
Barn Swallow	Hirundo rustica	OBBA, eBird	Barn Swallows are typically found nesting in close association with human rural settlements, such as in old sheds, barns, and under bridges or culverts. This species forages for aerial insects in open habitats including grassy fields, pastures, agricultural fields and farms, lake and river shorelines, wetlands, and clearings. Range: Throughout southern Ontario and as far north as Hudson Bay.	No	No	There are no old sheds, barns or culverts within the Study Area to support nesting habitat of this species.
Common Nighthawk	Chordeiles minor	OBBA	Lives in open areas with little to no ground vegetation. Tend to occupy natural sites. Range: All over the province, except James and Hudson Bay regions.	No	No	There is no open habitat within the Study Area to support this species as the forest is likely too dense and the remaining open lands are active agricultural lands.
Eastern Wood- Pewee	Contopus virens	OBBA	Lives in mid-canopy layer of forest clearings and the edges of deciduous and mixed forests. Abundant in middle-aged forests with little understory. Range: Found across most of southern and central Ontario.	Yes	No	There is forest habitat present within the Subject Lands that may support nesting habitat for this species. Breeding bird surveys in 2024 confirmed this species is present in the woodland and likely breeding.
Peregrine Falcon	Falco peregrinus	eBird	Nests on tall, steep cliff ledges close to large bodies of water. Also adapted to city life using tall buildings and ledges. Range: Nest in and around Toronto and other southern Ontario cities, majority of breeding is found around Lake Superior.	No	No	There are no tall, steep cliff edges close to large bodies of water within the Study Area nor are there tall buildings and ledges that may be used for nesting.

Common Name	Scientific Name	Source	Habitat Requirements (MECP, 2018)	Potential Habitat on Subject Lands?	Potential Habitat on Adjacent Lands?	Rationale
Wood Thrush	Hylocichla mustelina	OBBA	Lives in mature deciduous and mixed forests, seeking moist stands with well-developed undergrowth. Prefer large forests but will use smaller. Range: Across southern Ontario, less common up north to Lake Superior.	Yes	No	There is forest habitat within the Subject Lands that may support nesting habitat for this species. Breeding bird surveys in 2024 confirmed this species is absent.
Reptiles	-	-	-	-	-	-
Northern Map Turtle	Graptemys geographica	ORAA	Lives in rivers and lakeshores. Basks on emergent rocks and fallen trees, and hibernates in deeps, slow-moving sections of the river. Range: Great Lakes region and west. Primarily on shores of Georgian Bay, Lake St. Clair, Lake Erie, and Lake Ontario. River includes the Thames, Grand, and Ottawa.	No	No	The Study Area is not in close proximity to a major river or lake as preferred by this species.
Snapping Turtle	Chelydra serpentina	ORAA	Spend most of their time in water, preferring shallow waters to hide in soft mud and leaf litter. Nest in gravelly or sandy areas along streams, taking advantage of manmade structures for nesting sites, including roads, dams, and aggregate pits. Range: Limited to southern part of Ontario.	Yes	No	The Study Area contains several wetland pockets, though the water levels were relatively low based on 2020 EXP measurements, and they dried out in August 2020. No turtles have been observed incidentally during any site visit, though no targeted surveys have been completed. Spring/summer habitat may be suitable.

References

Environment and Climate Change Canada (ECCC). 2021. Species at risk public registry. Government of Canada. Retrieved from https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry.html

Gerson, H. 1984. Habitat Management Guidelines for Bats of Ontario. Ontario Ministry of Natural Resources. 42 pp.

Herkert, J.R. 1991. Prairie birds of Illinois: population response to two centuries of habitat change. Illinois Natural History Survey Bulletin, 34:393-399.

Humphrey, C. and Fotherby, H. 2019. Recovery Strategy for the Little Brown Myotis (*Myotis lucifugus*), Northern Myotis (*Myotis septentrionalis*) and Tri-colored Bat (*Perimyotis subflavus*) in Ontario. Ontario Recovery Strategy Series. Prepared by the Ministry of the Environment, Conservation and Parks, Peterborough, Ontario. vii + 35 pp. + Appendix. Adoption of the Recovery Strategy for the Little Brown Myotis (*Myotis lucifugus*), the Northern Myotis (*Myotis septentrionalis*), and the Tricolored Bat (*Perimyotis subflavus*) in Canada (Environment and Climate Change Canada 2018).

Kraus, T. 2011. Recovery Strategy for the Eastern Hog–nosed Snake (*Heterodon platirhinos*) in Ontario. Ontario Recovery Strategy Series. Prepared for the Ontario Ministry of Natural Resources, Peterborough, Ontario. i + 6 pp + Appendix vi + 24 pp. Adoption of the Recovery Strategy for the Eastern Hog–nosed Snake (*Heterodon platirhinos*) in Canada (Seburn, 2009).

McCracken, J.D., R.A. Reid, R.B. Renfrew, B. Frei, J.V. Jalava, A. Cowie, and A.R. Couturier. 2013. Recovery Strategy for the Bobolink (*Dolichonyx oryzivorus*) and Eastern Meadowlark (*Sturnella magna*) in Ontario. Ontario Recovery Strategy Series. Prepared for the Ontario Ministry of Natural Resources, Peterborough, Ontario. viii + 88 pp.

Ministry of the Environment, Conservation and Parks. 2018. *Species at risk in Ontario*. Government of Ontario. Retrieved from https://www.ontario.ca/page/species-risk-ontario#section-3

Ministry of Natural Resources (MNR). n.d. General Habitat Description for the Bobolink (*Dolichonyx oryzivorus*). Retrieved from https://files.ontario.ca/environment-and-energy/species-at-risk/mnr_sar_ghd_bblnk_en.pdf

Rowell, J.C. 2012. The Snakes of Ontario: Natural History, Distribution, and Status. Privately published, Toronto, Ontario. 411 pp.

Vickery, P.D., Hunter Jr., M.L. and Melvin, S.M. 1994. Effects of habitat area on the distribution of grassland birds in Maine. Conservation Biology 8:1087-1097.

Appendix C

Ecological Land Classification Data



ELC	SITE: Ç	Smath	ماري	-tom	14	ndo	POLY	GON:	I	
COMMUNITY		YOR(S):		1.1	DATE	Aug 25	TI	ME: start finish		
DESCRIPTION & CLASSIFICATION	UTMZ:	<u> </u>	JTME:		NW		TMN:	1111211		*
OLYGON DI	ESCRII	11 1	-	·						
SYSTEM		STRATE	То	POGRAPHIC	Н	ISTORY	PLA	NT FORM	CON	MUNITY
				FEATURE					-	AINIO ATT
¥ TERRESTRIAL □ WETLAND □ AQUATIC	☐ PARI	ANIC ERAL SOIL ENT MIN. IIC BEDRK. C BEDRK.		ACUSTRINE IVERINE OTTOMLAND ERRACE ALLEY SLOPE ABLELAND OLL. UPLAND LIFF ALUS	5	TURAL LTURAL			☐ MA	ND /ER REAM RSH /AMP
SITE	☐ CAR	B. BEDRK.	빌	ALUS REVICE / CAVE LVAR	(COVER		NIFEROUS	DA!	RREN ADOW AIRIU
OPEN WATER SHALLOW WATER SURFICIAL DEP. BEDROCK				OCKLAND EACH / BAR AND DUNE LUFF	□ OP! □ SHI ☑ TRE	RUB			\$ 10 8 WC	CKET WHATH HEST WIATION
STAND DESC	RIPTIC	N:				\$100000				
LAYER	НТ	CVR		SPECIES IN OR						
1 CANOPY	7_	4	TIL	anaer = 1	U61	NoY ZA	C5.5	asa=a	115,0	whr
2 SUB-CANOPY	3	3	TI	-ancer=				Sa5a >	GUIS	<u> کولون</u>
UNDERSTOREY	12	3	CRI	JT sp. >						~1-
GRD. LAYER	5	4	ALL					Apec & Al		dia.
IT CODES: CVR CODES				3 = 2 <ht 10="" m<br="">0% 2= 10 < CV</ht>						r # 117=0 2 m
TAND COMPOSIT	ION:	***				Š.			BA:	
SIZE CLASS AN	ALYSIS:		0	< 10	0	10 - 24	A	25 - 50	U	> 50
TANDING SNA	GS:	**************************************	0	< 10	0	10 - 24	R	25 - 50	R	> 50
EADFALL / LOC	GS:		0	< 10	0	10 - 24	A	26 - 60	文	> 50
BUNDANCE COD	ES: N	= NONE	R=	RARE 0=	OCCA	SIONAL	Λ = Λ[TUNDAUT		· · · · · · ·
OMM. AGE:		PIONEER	1	YOUNG		MID-AGE	X	MATURE		OLD.
OIL ANALYS	is:		3.5	18		7				<u>OROWIH</u>
EXTURE:			DEF	то мот нт	TLES	/ GLEY	0 =		Øе	
IOISTURE:			DEF	TH OF ORG	ANIC	S:				(011)
OMOGENEOUS	VAF	RIABLE	DEF	TH TO BED	ROC	ζ:				(ain)
OMMUNITY	CLASS	IFICAT	ION:			-		RIa	001	<u>)R</u>
COMMUNITY	CLASS	FOR	EST					(0		
COMMUNITY	SERIES	: DEC	1DU	045				<u> 1100 _</u>		
Е	COSITE			pist Lowe	ببهما	0		1014		
VEGETATIO	N TYPE	1								
INCLUSI	ON			200. 10					20	
COMPL	EX					7.7.		=		
tes:	A	1					 -			

		-			
ELC	SITE:	Te	pply		
LLO	POLYGON:	1			
MANAGEMENT /	DATE: AL		-		
DISTURBANCE	SURVEYOR	(S): كا كا 1	2	3	SCORE †
DISTURBANCE EXTENT	0 > 30 YRS	15 - 30 YRS	5 - 15 YRS	-06-YEARS-	3
TIME SINCE LOGGING INTENSITY OF LOGGING	NONE	FUEL WOOD	SELECTIVE-	DIAMETER LIMIT	
-	WARRANGE ST				6
EXTENT OF LOGGING	NONE	LIGHT	MODERATE	EXTENSIVE-	
SUGAR BUSH OPERATIONS	NONE				٥
EXTENT OF OPERATIONS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
GAPS IN FOREST CANOPY	NONE	SMAL-	INTERMEDIATE	LARGE	2
EXTENT OF GAPS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
LIVESTOCK (GRAZING)	NONE	LIGHT	MODERATE	HEAVY	0
EXTENT OF LIVESTOCK	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
ALIEN SPECIES	NONE	OCCASIONAL	ABUNDANT	DOMINANT	4
EXTENT OF ALIEN SPECIES	NONE	LOCAL	_WIDESPREAD	EXTENSIVE	
PLANTING (PLANTATION)	NONE	OCCASIONAL	ABUNDANT	DOMINANT	0
EXTENT OF PLANTING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
TRACKS AND TRAILS	NONE	FAINT TRAILS	WELL MARKED	TRACKS OR	2
EXTENT OF TRACKS/TRAILS	NONE	-LOCAL-	WIDESPREAD	EXTENSIVE	
DUMPING (RUBBISH)	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF DUMPING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
EARTH DISPLACEMENT	NONE	LIGHT	MODERATE	HEAVY	1 2 .
EXTENT OF DISPLACEMENT	NONE	LOCAL	WIDESPREAD	EXTENSIVE	2
RECREATIONAL USE	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF RECR, USE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	0
NOISE	NONE	SLIGHT	MODERATE	INTENSE	
EXTENT OF NOISE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
DISEASE/DEATH OF TREES	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF DISEASE / DEATH	NONE	LOCAL	WIDESPREAD-	EXTENSIVE	1 4
WIND THROW (BLOW DOWN)	NONE	LIGHT	MODERATE	HEAVY	2
EXTENT OF WIND THROW	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
BROWSE (e.g. DEER)	NONE	LIGHT	MODERATE	HEAVY	1
EXTENT OF BROWSE	NONE	LOCAL	WIDESPREAD	_EXTENSIVE	<u> </u>
BEAVER ACTIVITY	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF BEAVER	NONE	LOCAL	WIDESPRUAD	EXTENSIVE	
FLOODING (pools & puddling)	NONE	-LIGHT	морипати	HUVAA	1
EXTENT OF FLOODING	NONE	LOCAL	WIDEEPREAD	BXTENDIVE	
FIRE	NONE	LIGHT	MODERATE	HEAVY	0
EXTENT OF FIRE	NONE	LOCAL	OARHUBRICIW	руквинтки	
ICE DAMAGE	NONE	LIGHT	MODERATE	HOAVY	0
EXTENT OF ICE DAMAGE	NONE	LOCAL	WIDHAPRIAD	BXTANAIVA	
OTHER	NONE	LIGHT	MODURATE	HBAVY	0
EXTENT	NONE	LOCAL	WIDDSPREAD	BXTBNBIVO	10.75
-				† INTENDITY × BX	TENT = SCORE

			SITE:		Topic	11 . n. d					74-4
EL	C		POLYG	ON:		C. A. Marie)				
2.96			DATE:		418						
SOILS OF	VIARIO		SURVE	YOR(S):	JW	Η,	2B				
		200000000000000000000000000000000000000	Slope	les des es es des		,			UTM		
 	Position	Aspect		Type	Class	Z	I	ASTING	1/7	NORTHING 5 3248	
1 A 2 A	len C	160	3	7	<u> </u>	17	11-7	75 11 7 5 195	47	5 3322	-5=1
\mathbf{H}	, many	200	dem			┢	4/	3173	-1/	7 7044	-
									I		
SOIL	1			2	T	3		4		5	
TEXTURE x HORIZON	Α		A							/ * * * * * * * * * * * * * * * * * * *	
	,4SC		" u	fscL				72 r s			
		23		25							
				a program in the first hands and the second	+						
		_	<i>-</i> .	~							
	510	-and	Si								
	\$		n	م سب							
		52	B	56_	<u> </u>			49000			, i probani.
TEXTURE	v480	4.)	u-f	301	1			70			
COURSE FRAGMENTS	440C	5):	990		-		<u>کست سند</u> سنگ				
TEXTURE	111	1		1	-	w	2000				
องสาร์ทาร์สห์สามารถส	Si		Si		-						Special Control of the Control of th
COURSE FRAGMENTS TEXTURE	99		1888000 1/2/2005);							-
, IEMONE	99		99								_
COURSE FRAGMENTS	9(9)	Δ)	999	4		Carrier.					
EFFECTIVE TEXTURE	5.1	\bigcirc	Si	C	3 3 E.						200
SURFACE STONINESS	2		C	0							
SURFACE ROCKINESS	ho		Ω	0							
EPTH TO / OF						: :0:					
MOTTLES	25	>	999	1							
GLEY	5,9	9	99	9		artiri.					
BEOROCK	99	0	99	9							
WATER TABLE	90	9	99	19							September 1
CARBONATES	+	9	90	79						100	
DEPTH OF ORGANICS		escare.	2	1/						3.3.4.6	
PORE SIZE DISC #1	93		-	λQ							
		J.	90	<u> </u>							
PORE SIZE DISC #2	1	14		1							
MOISTURE REGIME	L		1					<u> </u>			<u> </u>
SOIL SURVEY MAP											
LEGEND CLASS											
									110		

ı	
L	حاد

STAND CHARACTERISTICS SITE: Topping
POLYGON: (
DATE: Aug 25
SURVEYOR(S): WH

TREE TALLY BY SPECIES:

PRISM FACTOR 2 m

SPECIES	TALLY 1	TALLY 2	TALLY 3	TALLY 4	TALLY 5	TOTAL	REL. AVG
TILaner	4	1.5	3	3.5	-	12	3.1
ACRESSA	4.5	- O	* [0		5.5	\$M
BETVICA	2.5	()		6.		3.5	9
AUERLE		U	2	1.5		4.5	12.
JUGniar	0	-6	0	5		Andrew States	29
FRADENA	ာ	0	·	0			3
ausalba	0	0	0	-		4	3
					31 A 18 A 18 A 18 A 18	Pera Libera	
					Mile Ster		
	1441. 1541.						
TOTAL	12	7.5	S	U ggav		39.5	100
BASAL AREA (BA)	24	- 15	16	22		77	19
DEAD	0	0	1.5	0		1.5	Ч

3	-		4 14 144	-			
6		Δ	NГ	MΩ	ı Pr	TIP	OM:

TILamer 31 JUG	Mar 29 ACESAS	a HQUEruby 12	

COMMUNITY PROFILE DIAGRAM

9 <u>-469</u> (1996) - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
and the fact of the control of the c	
 Restrictions of a control 	
I make pallacitation of the	
The man and the second of the	
The second Control Con	
Notes:	
Woles.	

ELC	SITE: 1	9000	20 L	acdo		POL	YGON:	- 1	
COMMUNITY DESCRIPTION &	SURVEY			<u> </u>	DATE: NOV8	1	TIME: star finisi		
	UTMZ:		UTME:			UTMN:		, si	
OLYGON DES	SCRIP	TION							
SYSTEM	SUBS	TRAT		POGRAPHIC FEATURE	HISTORY	PL	ANT FORM	CON	MUNIT
TERRESTRIAL	□ orga	NIC		ACUSTRINE IVERINE	NATURAL		PLANKTON SUBMERGED	□ LAI □ PO	
	☐ MINE		- 🔲 в	OTTOMLAND ERRACE	☐ CULTURAL	I□ F	LOATING-LVD.	RIV	ÆR
	☐ PAREI ☐ ACIDIO ☐ BASIC	C BEDR		ALLEY SLOPE ABLELAND OLL. UPLAND			FORB LICHEN BRYOPHYTE	MA □ SW □ FE	RSH /AMP N
	☐ CARB			LIFF ALUS REVICE / CAVE	COVER		DECIDUOUS CONIFEROUS MIXED	□ ME	RREN ADOW
OPEN WATER			□R	LV A R OCKLAND	■ OPEN	-		PR	ICKET
SHALLOW WATER SURFICIAL DEP.			□s	EACH / BAR AND DUNE	☐ SHRUB			□ wo	VANNAH DODLAND
BEDROCK			LIВ	LUFF	☐ TREED				REST ANTATION
TAND DESCR	IPTIQ	N:							1993
LAYER	нт	CVR			RDER OF DECRE ER THAN; > GRE				
CANOPY									
. aua asuaau									
SUB-CANOPY							garagina.		
	3	Î	C٤	Pocci=	SALalba	= C(Rsen		
UNDERSTOREY GRD. LAYER		ð.	PEN	sedo=F	ERlapa	<u> </u>	Rseń		
UNDERSTOREY GRD. LAYER IT CODES:	1 = >25 m		P 5 N	Sedo = ₹ 3=2 <ht 10="" m<="" td=""><td>2 R L Mp & 4 = 1 < HT 2 m 5 =</td><td>0.5<ht< td=""><td></td><td></td><td>7 = HT<0.2 i</td></ht<></td></ht>	2 R L Mp & 4 = 1 < HT 2 m 5 =	0.5 <ht< td=""><td></td><td></td><td>7 = HT<0.2 i</td></ht<>			7 = HT<0.2 i
UNDERSTOREY GRD. LAYER T CODES:	1 = >25 m 0= NONE		P 5 N	Sedo = ₹ 3=2 <ht 10="" m<="" td=""><td>ERlapa</td><td>0.5<ht< td=""><td></td><td></td><td>7 = HT<0.21</td></ht<></td></ht>	ERlapa	0.5 <ht< td=""><td></td><td></td><td>7 = HT<0.21</td></ht<>			7 = HT<0.21
UNDERSTOREY GRD. LAYER IT CODES: EVR CODES STAND COMPOSITION	1 = >25 m 0= NONE DN:		P 5 N	Sedo = ₹ 3=2 <ht 10="" m<="" td=""><td>2 R L Mp & 4 = 1 < HT 2 m 5 =</td><td>0.5<ht VR 60</ht </td><td></td><td>%</td><td>7 = HT<0.2 </td></ht>	2 R L Mp & 4 = 1 < HT 2 m 5 =	0.5 <ht VR 60</ht 		%	7 = HT<0.2
UNDERSTOREY GRD. LAYER IT CODES: EVR CODES ETAND COMPOSITION SIZE CLASS ANA	1 = >25 m 8= NONE DN: LYSIS:		P 5 N	3 = 2 <ht 10="" m<br="">10% 2= 10 < CV</ht>	2 C	0.5 <ht VR 60°</ht 	% 4= CVR > 60	%	> 50
UNDERSTOREY GRD. LAYER T CODES: VR CODES TAND COMPOSITIO IZE CLASS ANAI	1 = >25 m 0= NONE DN: LYSIS:		P 5 N	3 = 2 <ht 10="" m<br="">10% 2= 10 < CV</ht>	4=1 <ht 2="" 25%="" 3="25<C</td" 5="R" m=""><td>0.5<ht VR 60'</ht </td><td>25 - 50</td><td>%</td><td></td></ht>	0.5 <ht VR 60'</ht 	25 - 50	%	
UNDERSTOREY GRD. LAYER T CODES: VR CODES TAND COMPOSITIO IZE CLASS ANA TANDING SNAG	1 = >25 m 0= NONE DN: LYSIS: S:		PEN' <ht 25="" m<="" td=""><td>3=2<ht 10="" m<br="">10% 2=10 < CV</ht></td><td>2 C</td><td>0.5<ht 60'<="" td=""><td>% 4= CVR > 60</td><td>%</td><td>> 50 > 50</td></ht></td></ht>	3=2 <ht 10="" m<br="">10% 2=10 < CV</ht>	2 C	0.5 <ht 60'<="" td=""><td>% 4= CVR > 60</td><td>%</td><td>> 50 > 50</td></ht>	% 4= CVR > 60	%	> 50 > 50
UNDERSTOREY GRD. LAYER IT CODES: EVR CODES TAND COMPOSITION SIZE CLASS ANAI STANDING SNAG DEADFALL / LOG UBUNDANCE CODE	1 = >25 m 0= NONE DN: LYSIS: S:	1= 0%	P 2 N - < CVR - E R =	3=2 <ht 10="" m<br="">10% 2=10 < CV</ht>	2	1 1 4 A =	25 - 50 25 - 50 25 - 50	%	> 50 > 50 > 50 > 50
UNDERSTOREY GRD. LAYER T CODES: VR CODES TAND COMPOSITION IZE CLASS ANAITANDING SNAG EADFALL / LOG BUNDANCE CODE COMM. AGE:	1 = >25 m 0 = NONE DN: LYSIS: S: S: N	1= 0% = NON	P 2 N - < CVR - E R =	3 = 2 <ht 10="" m<br="">3 = 2<ht 10="" m<br="">10% 2 = 10 < CV < 10 < 10 < 10 < RARE 0</ht></ht>	2	1 1 4 A =	25 - 50 25 - 50 25 - 50 25 - 50	%	> 50 > 50 > 50 > 50
UNDERSTOREY GRD. LAYER TODES: VR CODES TAND COMPOSITIO STANDING SNAG DEADFALL / LOG UBUNDANCE CODE COMM. AGE:	1 = >25 m 0 = NONE DN: LYSIS: S: S: N	1= 0% = NON	PSN- HT 25 m < CVR	3 = 2 <ht 10="" m<br="">3 = 2<ht 10="" m<br="">10% 2= 10 < CV < 10 < 10 < 10 < RARE 0</ht></ht>	2	1 1 4 A =	25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	%	> 50 > 50 > 50 > 50
UNDERSTOREY GRD. LAYER T CODES: VR CODES TAND COMPOSITION IZE CLASS ANA TANDING SNAG BEADFALL / LOG BUNDANCE CODE COMM. AGE: SOIL ANALYS TEXTURE:	1 = >25 m 0 = NONE DN: LYSIS: S: S: N	1= 0% = NON	PSN- HT 25 m CVR E R = ER	3 = 2 <ht 10="" m<br="">3 = 2<ht 10="" m<br="">10% 2= 10 < CV < 10 < 10 < 10 < RARE 0</ht></ht>	10 - 24 10 - 24 10 - 24 MID-AGE	1	25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	% BA:	> 50 > 50 > 50 > 50
UNDERSTOREY GRD. LAYER TODES: VR CODES TAND COMPOSITION STANDING SNAG DEADFALL / LOG ABUNDANCE CODE COMM. AGE: SOIL ANALYS TEXTURE: MOISTURE:	1 = >25 m 0 = NONE DN: LYSIS: S: S: S: N	1= 0% = NON PIONE	PSN- HT 25 m COVR RE R= ER DE	3 = 2 <ht 10="" m<br="">3 = 2<ht 10="" m<br="">10% 2= 10 < CV < 10 < 10 < 10 < RARE 0 YOUNG</ht></ht>	10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:	1	25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	% BA:	> 50 > 50 > 50 > 50
UNDERSTOREY GRD. LAYER IT CODES:	1 = >25 m 0 = NONE DN: LYSIS: S: S: S: N	= NON PIONE	PSN- <ht 25="" <cvr="" cvr="" de="" de<="" e="" m="" r="DE" td=""><td>3 = 2<ht 10="" 10%="" 10<="" 2="10" 3="2<HT" <="" cv="" m="" td=""><td>10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:</td><td>1</td><td>25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE</td><td>% BA:</td><td>> 50 > 50 > 50 > 50 CLD GROWT</td></ht></td></ht>	3 = 2 <ht 10="" 10%="" 10<="" 2="10" 3="2<HT" <="" cv="" m="" td=""><td>10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:</td><td>1</td><td>25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE</td><td>% BA:</td><td>> 50 > 50 > 50 > 50 CLD GROWT</td></ht>	10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:	1	25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	% BA:	> 50 > 50 > 50 > 50 CLD GROWT
JUNDERSTOREY GRD. LAYER TODES: EVR CODES STAND COMPOSITION STANDING SNAG DEADFALL / LOG ABUNDANCE CODE COMM. AGE: SOIL ANALYS TEXTURE: HOMOGENEOUS	1 = >25 m 0 = NONE DN: LYSIS: S: S: S: N IS;	= NON PIONE	PSN- <ht 25="" <cvr="" cvr="" de="" de<="" e="" m="" r="DE" td=""><td>3 = 2<ht 10="" 10%="" 2="10" <="" be="" cv="" epth="" i:<="" m="" mc="" pth="" td="" to=""><td>10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:</td><td>1</td><td>25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE</td><td>BA:</td><td>> 50 > 50 > 50 > 50 CLD GROWT</td></ht></td></ht>	3 = 2 <ht 10="" 10%="" 2="10" <="" be="" cv="" epth="" i:<="" m="" mc="" pth="" td="" to=""><td>10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:</td><td>1</td><td>25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE</td><td>BA:</td><td>> 50 > 50 > 50 > 50 CLD GROWT</td></ht>	10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:	1	25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	BA:	> 50 > 50 > 50 > 50 CLD GROWT
B UNDERSTOREY B GRD. LAYER IT CODES: IVEN CODES ITAND COMPOSITION BIZE CLASS ANALISTANDING SNAG DEADFALL / LOG ABUNDANCE CODE COMM. AGE: SOIL ANALYS TEXTURE: MOISTURE: HOMOGENEOUS COMMUNITY	1 = >25 m 0 = NONE DN: LYSIS: S: S: N IS: CLASS	1= 0% = NON PIONE RIABL BIFIC	PSN- <ht 25="" m<="" td=""> CVR E R = EER DE DE DE DE DE ATION</ht>	3 = 2 + HT 10 m 3 = 2 + HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 YOUNG PTH TO MO EPTH TO BE 1:	10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:	1	25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	BA: 	> 50 > 50 > 50 > 50 CLD GROWT
JUNDERSTOREY GRD. LAYER TODES: EVR CODES STAND COMPOSITION STANDING SNAG DEADFALL / LOG ABUNDANCE CODE COMM. AGE: SOIL ANALYS TEXTURE: MOISTURE: HOMOGENEOUS COMMUNITY COMMUNITY	1 = >25 m 0 = NONE DN: LYSIS: S: S: N IS: CLASS	= NON PIONE RIABL SIFIC.	PSN- <ht 25="" <="" ation<="" cvr="" de="" e="" m="" r="DE" td=""><td>3 = 2 + HT 10 m 3 = 2 + HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 YOUNG PTH TO MO EPTH TO BE 1:</td><td>10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:</td><td>1</td><td>25 - 50 25 - 50 25 - 50 ABUNDANT MATURE</td><td> BA: </td><td>> 50 > 50 > 50 > 50 CLD GROWT</td></ht>	3 = 2 + HT 10 m 3 = 2 + HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 YOUNG PTH TO MO EPTH TO BE 1:	10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:	1	25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	BA: 	> 50 > 50 > 50 > 50 CLD GROWT
JUNDERSTOREY GRD. LAYER TODES: EVR CODES STAND COMPOSITION STANDING SNAG DEADFALL / LOG ABUNDANCE CODE COMM. AGE: SOIL ANALYS TEXTURE: MOISTURE: HOMOGENEOUS COMMUNITY COMMUNITY	1 = >25 m 0 = NONE DN: LYSIS: S: S: N IS: CLAS: SERIE: COSITI	1= 0% = NON PIONE RIABL SIFIC. S: M S: M E:	PSN- <ht 25="" <="" ation<="" cvr="" de="" e="" m="" r="DE" td=""><td>3 = 2 + HT 10 m 3 = 2 + HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 YOUNG PTH TO MO EPTH TO BE 1:</td><td>10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:</td><td>1</td><td>25 - 50 25 - 50 25 - 50 ABUNDANT MATURE</td><td> BA: </td><td>> 50 > 50 > 50 > 50 CLD GROWT</td></ht>	3 = 2 + HT 10 m 3 = 2 + HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 YOUNG PTH TO MO EPTH TO BE 1:	10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:	1	25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	BA: 	> 50 > 50 > 50 > 50 CLD GROWT
JUNDERSTOREY GRD. LAYER TODES: VICTODES STAND COMPOSITION GIZE CLASS ANA GRADING SNAG DEADFALL / LOG ABUNDANCE CODE COMM. AGE: SOIL ANALYS TEXTURE: MOISTURE: HOMOGENEOUS COMMUNITY COMMUNITY E	1 = >25 m 0 = NONE DN: LYSIS: S: S: S: N IS: CLAS: SERIE: COSITI	1= 0% = NON PIONE RIABL SIFIC. S: M S: M E:	PSN- <ht 25="" <="" ation<="" cvr="" de="" e="" m="" r="DE" td=""><td>3 = 2 + HT 10 m 3 = 2 + HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 YOUNG PTH TO MO EPTH TO BE 1:</td><td>10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:</td><td>1</td><td>25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE</td><td> BA: </td><td>> 50 > 50 > 50 > 50 CLD GROWT</td></ht>	3 = 2 + HT 10 m 3 = 2 + HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 YOUNG PTH TO MO EPTH TO BE 1:	10 - 24 10 - 24 10 - 24 10 - 24 10 - 24 MID-AGE OTTLES / GLEY GANICS:	1	25 - 50 25 - 50 25 - 50 25 - 50 ABUNDANT MATURE	BA: 	> 50 > 50 > 50 > 50 CLD GROWT

	SITE:							
ELC ·	POLYGON:				2 de 1			
MANAGEMENT/	DATE:							
DISTURBANCE	SURVEYOR	(S):						
DISTURBANCE EXTENT	0	1	2	3	SCORE †			
TIME SINCE LOGGING	> 30 YRS	15 - 30 YRS	5 - 15 YRS	0 - 5 YEARS				
INTENSITY OF LOGGING	NONE	FUEL WOOD	SELECTIVE	DIAMETER LIMIT				
EXTENT OF LOGGING	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
SUGAR BUSH OPERATIONS	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF OPERATIONS	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
GAPS IN FOREST CANOPY	NONE	SMALL	INTERMEDIATE	LARGE				
EXTENT OF GAPS	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
LIVESTOCK (GRAZING)	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF LIVESTOCK	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1			
ALIEN SPECIES	NONE	OCCASIONAL	ABUNDANT	DOMINANT				
EXTENT OF ALIEN SPECIES	NONE	LOCAL	WIDESPREAD	EXTENSIVE]			
PLANTING (PLANTATION)	NONE	OCCASIONAL	ABUNDANT	DOMINANT				
EXTENT OF PLANTING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1			
TRACKS AND TRAILS	NONE	FAINT TRAILS	WELL MARKED	TRACKS OR				
EXTENT OF TRACKS/TRAILS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1			
DUMPING (RUBBISH)	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF DUMPING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1			
EARTH DISPLACEMENT	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF DISPLACEMENT	NONE	LOCAL	WIDESPREAD	EXTENSIVE	İ			
RECREATIONAL USE	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF RECR. USE	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
NOISE	NONE	SLIGHT	MODERATE	INTENSE				
EXTENT OF NOISE	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
DISEASE/DEATH OF TREES	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF DISEASE / DEATH	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
WIND THROW (BLOW DOWN)	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF WIND THROW	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1			
BROWSE (e.g. DEER)	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF BROWSE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1			
BEAVER ACTIVITY	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF BEAVER	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
FLOODING (pools & puddling)	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF FLOODING	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
FIRE	NONE	LIGHT	MODERATE	HEAVY				
EXTENT OF FIRE	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
ICE DAMAGE	NONE	LIGHT	MODERATE	HEAVY	diament.			
EXTENT OF ICE DAMAGE	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
OTHER	NONE	LIGHT	MODERATE	HEAVY				
EXTENT	NONE	LOCAL	WIDESPREAD	EXTENSIVE				
		Alexandria		+ INTENSITY × EXT	ENT - SCORE			

ř .				SITE:	Tran	pin	Z.		<u></u>				7-1-		SITE:	moily		
	ΕL	C.		POLY		₹ **			Jan Jai				ELC		POLYGON:		· · · · · · · · · · · · · · · · · · ·	
				DATE:	Α	25							STAND		DATE:			
SOIL	.s o	NTARIO			EYOR(S)			,			gr A		CHARACTERIS	TICS	SURVEYOR	R(S):		
				Slope						JTM			TREE TALLY BY SPE		4			
	Dr	Position	Aspect	%	Туре	Class	Z		EASTING	20.00	NORTHING		PRISM FACTO		1			
1	_	5	10	16			10	4.	75385	47.	53521			1		1	1	T T
2 3	_						ļ						SPECIES	TALLY 1	TALLY 2	TALLY 3	TALLY 4	TALLY 5
4	-			 			-	-				5						
5				<u> </u>			1	┢										
	OIL	· ·	<u> </u>	<u> </u>	2	<u> </u>	3		4	1	5							
TEXTURE x HOR		<u> </u>	I	ļ			<u> </u>		4									
		Oh											an and an a					
													Julian San San					
													en de la companya de					
													i samuel					
																		-
A TEXT	TURE								23.0				TOTAL					
COURSE FRAGM	ENTS												BASAL AREA (BA					
B TEX	TURE												DEAC	 				
COURSE FRAGM	ENTS														L			L
	TURE												STAND COMPOSITIO	N:				
COURSE EDACM	FUTO	<u> </u>	·····															
COURSE FRAGM				<u> </u>		-			70 750 74 5.2			4						
EFFECTIVE TEX	TURE	<u> </u>						a a thirt a ga					COMMUNITY PROFIL	E DIAGRAN	7			
SURFACE STONI	NESS																	
SURFACE ROCK	NESS								250									
DEPTH TO / OF																		
MOT	TLES	D					d e		4400				ka <u>la</u> utta upu <u>u</u>					
	GLEY	()						2944									
BED	ROCK				5				12/2/12/1									
WATER I	ABLE		 	l					, 415									
CARBON						1												
			0	 		1-												
DEPTH OF ORG		3	8			-												
PORE SIZE D																		
PORE SIZE D	ISC #2		i.c.		w						CONTRACTOR		Notes:					·
MOISTURE R	EGIME																	
SOIL SURVE	V W 4 =			andere.														
				1	Maren											e i weet je je geleen		
LEGEND (CLASS					-1 6000			1									

REL. AVG

100

TOTAL

ELC	SITE:	top	~ ·			POL'	YGON: 併		
COMMUNITY	SURVE	(OR(S)	1)	DATE: NOV &		IME: start	Т	(4)(s)() (4)
DESCRIPTION &	~	NH					finish		- 7
LASSIFICATION	JTMZ:	٦.	UTME	•	Į.	JTMN:			
DLYGON DES	CRIP	TION	-						
SYSTEM	SUBS	TRAT	E T	OPOGRAPHIC FEATURE	HISTORY	PL	ANT FORM	CON	MUNIT
1.	□ ORG/		10	LACUSTRINE RIVERINE	☐ NATURAL		ANKTON JBMERGED	LAI	
<u> </u>	MINE PARE		- ID	BOTTOMLAND TERRACE	CULTURAL	□ FL	OATING-LVD.	RIV	
	ACID		<. 💯 :	VALLEY SLOPE TABLELAND			CHEN	₩ MA	AMP
	□ BASI		· 12:	ROLL. UPLAND CLIFF			RYOPHYTE ECIDUOUS	□ FEI	G
SITE	_ CARE	B. BEDRH	· In	TALUS CREVICE / CAVE	COVER	HK	ONIFEROUS IXED		ADOW
OPEN WATER				ALVAR ROCKLAND BEACH / BAR	OPEN	1		PR	
SHALLOW WATER SURFICIAL DEP.			;	SAND DUNE BLUFF	□ SHRUB				OODLAND
BEDROCK					☐ TREED				ANTATION
TAND DESCR	IPTIO	N:	ı						
LAYER	нт	CVR	(>>		RDER OF DECREA ER THAN; > GREA				
CANOPY	4	4	TY	Plate					
SUB-CANOPY									
							-		
UNDERSTOREY	5	3	AG1	2 sta 1>A	POcann=B	10f	ron= PEA	Jse	lo
UNDERSTOREY GRD. LAYER T CODES: 1		2 = 10	НТ 25 п	n 3 = 2 <ht 10="" m<="" td=""><td>4=1<ht 2="" 5="0</td" m=""><td>).5<ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m</td><td>20</td></ht<></td></ht></td></ht></td></ht>	4=1 <ht 2="" 5="0</td" m=""><td>).5<ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m</td><td>20</td></ht<></td></ht></td></ht>).5 <ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m</td><td>20</td></ht<></td></ht>	1 m 6 = 0.2 <ht< td=""><td>0.5 m</td><td>20</td></ht<>	0.5 m	20
UNDERSTOREY GRD. LAYER T CODES: 1 VR CODES 0	≖ NONE	2 = 10	НТ 25 п	n 3 = 2 <ht 10="" m<="" th=""><th></th><th>).5<ht 1<="" th=""><th>1 m 6 = 0.2<ht< th=""><th>0.5 m 1</th><th>20</th></ht<></th></ht></th></ht>).5 <ht 1<="" th=""><th>1 m 6 = 0.2<ht< th=""><th>0.5 m 1</th><th>20</th></ht<></th></ht>	1 m 6 = 0.2 <ht< th=""><th>0.5 m 1</th><th>20</th></ht<>	0.5 m 1	20
UNDERSTOREY GRD. LAYER T CODES: 1 VR CODES 0	≖ NONE	2 = 10	НТ 25 п	n 3 = 2 <ht 10="" m<="" td=""><td>4=1<ht 2="" 5="0</td" m=""><td>).5<ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m</td><td>20</td></ht<></td></ht></td></ht></td></ht>	4=1 <ht 2="" 5="0</td" m=""><td>).5<ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m</td><td>20</td></ht<></td></ht></td></ht>).5 <ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m</td><td>20</td></ht<></td></ht>	1 m 6 = 0.2 <ht< td=""><td>0.5 m</td><td>20</td></ht<>	0.5 m	20
UNDERSTOREY GRD. LAYER T CODES: 1 VR CODES 0 FAND COMPOSITION	NONE NONE	2 = 10	НТ 25 п	n 3 = 2 <ht 10="" m<="" td=""><td>4=1<ht 2="" 5="0</td" m=""><td>).5<ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m 1</td><td>20</td></ht<></td></ht></td></ht></td></ht>	4=1 <ht 2="" 5="0</td" m=""><td>).5<ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m 1</td><td>20</td></ht<></td></ht></td></ht>).5 <ht 1<="" td=""><td>1 m 6 = 0.2<ht< td=""><td>0.5 m 1</td><td>20</td></ht<></td></ht>	1 m 6 = 0.2 <ht< td=""><td>0.5 m 1</td><td>20</td></ht<>	0.5 m 1	20
UNDERSTOREY GRD. LAYER T CODES: 1 VR CODES TAND COMPOSITION IZE CLASS ANAL	N: N: YSIS:	2 = 10	НТ 25 п	n 3 = 2 <ht 10="" m<br="">10% 2= 10 < CV</ht>	4=1 <ht 2="" 5="0<br" m="">/R 25% 3=25<cv< td=""><td>).5<ht 1<="" td=""><td>1 m 6 = 0.2<ht 4= CVR > 60%</ht </td><td>0.5 m 1</td><td>7 = HT<0.2 r</td></ht></td></cv<></ht>).5 <ht 1<="" td=""><td>1 m 6 = 0.2<ht 4= CVR > 60%</ht </td><td>0.5 m 1</td><td>7 = HT<0.2 r</td></ht>	1 m 6 = 0.2 <ht 4= CVR > 60%</ht 	0.5 m 1	7 = HT<0.2 r
UNDERSTOREY GRD. LAYER T CODES: 1 VR CODES 0 FAND COMPOSITION IZE CLASS ANAL TANDING SNAGS	YSIS:	2 = 10	НТ 25 п	a = 2 <ht 10="" m<br="">10% 2= 10 < CV</ht>	4= 1 <ht 2="" 5="0<br" m="">R 25% 3= 25 < CV</ht>).5 <ht 1<="" td=""><td>1 m 6 = 0.2<ht 4= CVR > 60% 25 - 50</ht </td><td>0.5 m 1</td><td>7 = HT<0.2 r</td></ht>	1 m 6 = 0.2 <ht 4= CVR > 60% 25 - 50</ht 	0.5 m 1	7 = HT<0.2 r
UNDERSTOREY GRD. LAYER T CODES: TAND COMPOSITION IZE CLASS ANAL TANDING SNAGS	YSIS:	2 = 10	×HT 25 n	 3 = 2<ht 10="" li="" m<=""> 10% 2= 10 < CV < 10 < 10 < 10 </ht>	4= 1 <ht 2="" 5="0<br" m="">/R 25% 3= 25 < CV 10 - 24</ht>	0.5 <ht 1<="" td=""><td>1 m 6 = 0.2<ht 4= CVR > 60% 25 - 50 25 - 50</ht </td><td>0.5 m 1</td><td>7 = HT<0.2 r > 50</td></ht>	1 m 6 = 0.2 <ht 4= CVR > 60% 25 - 50 25 - 50</ht 	0.5 m 1	7 = HT<0.2 r > 50
UNDERSTOREY GRD. LAYER T CODES: 1 VR CODES 0 TAND COMPOSITION IZE CLASS ANAL TANDING SNAGS EADFALL / LOGS BUNDANCE CODES	YSIS: *** *** *** *** *** *** ***	2 = 10 < 1 = 0%	< CVR < R =	 3 = 2<ht 10="" li="" m<=""> 10% 2= 10 < CV < 10 < 10 < 10 </ht>	4= 1 <ht 2="" 5="0<br" m="">R 25% 3= 25 < CV 10 - 24 10 - 24 10 - 24</ht>	0.5 <ht 1<="" td=""><td>4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50</td><td>0.5 m 1</td><td>7 = HT<0.2 r > 50 > 50 > 50 OLD</td></ht>	4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50	0.5 m 1	7 = HT<0.2 r > 50 > 50 > 50 OLD
UNDERSTOREY GRD. LAYER T CODES: TAND COMPOSITION IZE CLASS ANAL TANDING SNAGS EADFALL / LOGS BUNDANCE CODES OMM. AGE:	YSIS: S: N:	2 = 10 · 1 = 0%	< CVR < R =	3 = 2 < HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < RARE O =	4=1 <ht 2="" 5="(<br" m="">/R 25% 3=25 < CV 10 - 24 10 - 24 10 - 24 10 - 24 20 - 24 20 - 24</ht>	0.5 <ht 1<="" td=""><td>4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT</td><td>0.5 m 1</td><td>7 = HT<0.2 r > 50 > 50 > 50 > 50</td></ht>	4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT	0.5 m 1	7 = HT<0.2 r > 50 > 50 > 50 > 50
B UNDERSTOREY GRD. LAYER TOODES: TAND COMPOSITION TANDING SNAGS DEADFALL / LOGS BUNDANCE CODES COMM. AGE: GOLL ANALYSIS	YSIS: S: N:	2 = 10 · 1 = 0%	R =	3 = 2 < HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 = YOUNG	4=1 <ht 2="" 5="(<br" m="">/R 25% 3=25 < CV 10 - 24 10 - 24 10 - 24 10 - 24 20 - 24 20 - 24</ht>	0.5 <ht 1<="" td=""><td>4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT</td><td>0.5 m 1</td><td>7 = HT<0.2 r > 50 > 50 > 50 OLD</td></ht>	4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT	0.5 m 1	7 = HT<0.2 r > 50 > 50 > 50 OLD
B UNDERSTOREY I GRD. LAYER IT CODES: IT CODES: IT AND COMPOSITION IT AND COMPOSITION IT AND ING SNAGS IT AND ING	YSIS: S: N:	2 = 10 · 1 = 0%	CVR R =	3 = 2 < HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE 0 = YOUNG	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 10 - 24 OCCASIONAL MID-AGE	0.5 <ht 1<br="">R 60%</ht>	4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT	0.5 m :	7 = HT<0.2 r > 50 > 50 > 50 OLD
UNDERSTOREY GRD. LAYER T CODES: TAND COMPOSITION IZE CLASS ANAL TANDING SNAGS EADFALL / LOGS BUNDANCE CODES OMM. AGE: COIL ANALYSIS EXTURE: IOISTURE:	YSIS: S: N: YSIS:	2 = 10 < 1 = 0%	R = DE	3 = 2 < HT 10 m 10% 2 = 10 < CV < 10 < 10 < 10 < 10 < RARE	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 0CCASIONAL MID-AGE ITLES / GLEY GANICS:	0.5 <ht 1<br="">R 60%</ht>	4= CVR > 60% 4= CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT	0.5 m :	> 50 > 50 > 50 > 50 OLD GROWTH
UNDERSTOREY GRD. LAYER T CODES: TAND COMPOSITION IZE CLASS ANAL TANDING SNAGS EADFALL / LOGS BUNDANCE CODES OMM. AGE: COLL ANALYSIS EXTURE: COMOGENEOUS	YSIS: S: N VAR	2 = 10 · 1 = 0%	R = DE DE	3 = 2 < HT 10 m 10% 2 = 10 < CV	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 0CCASIONAL MID-AGE ITLES / GLEY GANICS:	0.5 <ht 1<br="">R 60%</ht>	25 - 50 25 - 50 25 - 50 BUNDANT	0.5 m :	> 50 > 50 > 50 > 50 > 50 OLD GROWTH (cm
UNDERSTOREY GRD. LAYER T CODES: TAND COMPOSITION IZE CLASS ANAL TANDING SNAGS EADFALL / LOGS BUNDANCE CODES OMM. AGE: COIL ANALYSIS EXTURE: IOISTURE:	YSIS: S: N YSIS: N YSIS: N X X X X X X X X X X X X	z = 10× 1= 0%	R = DE DE	3 = 2 < HT 10 m 10% 2 = 10 < CV 10% 2 = 10 < CV 10% 2 = 10 < CV 10% 2 = 10 < TO 10% 2 = 10% 2 10% 2 = 10% 2 10	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 0CCASIONAL MID-AGE ITLES / GLEY GANICS:	0.5 <ht 1<br="">R 60%</ht>	25 - 50 25 - 50 25 - 50 BUNDANT	0.5 m :	> 50 > 50 > 50 > 50 > 50 OLD GROWTH (cm
UNDERSTOREY GRD. LAYER T CODES: TYR CODES: TAND COMPOSITION IZE CLASS ANAL TANDING SNAGS EADFALL / LOGS BUNDANCE CODES OMM. AGE: OIL ANALYSIS EXTURE: OISTURE: OMOGENEOUS	YSIS: YS	2 = 10·0% 1 = 0% = NONE PIONEE IFICA	HT 25 n < CVR R = R = DE	3 = 2 < HT 10 m 10% 2 = 10 < CV 10% 2 = 10 < CV 10% 2 = 10 < CV 10% 2 = 10 < TO 10% 2 = 10% 2 10% 2 = 10% 2 10	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 0CCASIONAL MID-AGE ITLES / GLEY GANICS:	0.5 <ht 1<br="">R 60%</ht>	25 - 50 25 - 50 25 - 50 BUNDANT MATURE	0.5 m :	> 50 > 50 > 50 > 50 > 50 OLD GROWTH (cm
B UNDERSTOREY GRD. LAYER IT CODES: IT CODES: IT CODES STAND COMPOSITION STANDING SNAGS BEADFALL / LOGS BUNDANCE CODES COMM. AGE: IT COMMUNITY COMMUNITY COMMUNITY COMMUNITY COMMUNITY COMMUNITY SI	YSIS: YS	2 = 10·0 1 = 0%	HT 25 n < CVR R = R = DE	3 = 2 < HT 10 m 10% 2 = 10 < CV	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 0CCASIONAL MID-AGE ITLES / GLEY GANICS:	0.5 <ht 1<br="">R 60%</ht>	25 - 50 25 - 50 25 - 50 25 - 50 BUNDANT MATURE	0.5 m :	> 50 > 50 > 50 > 50 > 50 OLD GROWTH (cm
JUNDERSTOREY GRD. LAYER TOODES: TOOD	YSIS: YS	2 = 10·0 1 = 0% = NONE NONE NON	HT 25 n C CVR R C CVR DE D	3 = 2 < HT 10 m 10% 2 = 10 < CV	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 0CCASIONAL MID-AGE ITLES / GLEY GANICS:	0.5 <ht 1<br="">R 60%</ht>	## 6 = 0.2 4 = CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT MATURE ELC MA MA	BA:	> 50 > 50 > 50 > 50 > 50 OLD GROWTH (cm
JUNDERSTOREY JUNDERSTOREY JUNDERSTOREY JUNDERSTOREY JUNDERSTORES JUNDE	YSIS: YS	2 = 10·0 1 = 0% = NONE NONE NON	HT 25 n C CVR R C CVR DE D	3 = 2 < HT 10 m 10% 2 = 10 < CV	4 = 1 < HT 2 m 5 = 0 (R 25% 3 = 25 < CV) 10 - 24 10 - 24 10 - 24 0CCASIONAL MID-AGE ITLES / GLEY GANICS:	0.5 <ht 1<br="">R 60%</ht>	## 6 = 0.2 4 = CVR > 60% 25 - 50 25 - 50 25 - 50 BUNDANT MATURE ELC MA MA	BA:	> 50 > 50 > 50 > 50 > 50 OLD GROWTH (cm

ELC		JUN IVIV			
LLV	POLYGON:	11 74			
MANAGEMENT/	DATE:				
DISTURBANCE	SURVEYOR	R(S):			
DISTURBANCE EXTENT	0	1	2	3	SCORE †
TIME SINCE LOGGING	> 30 YRS	15 - 30 YRS	5 - 15 YRS	0 - 5 YEARS	
INTENSITY OF LOGGING	NONE	FUEL WOOD	SELECTIVE	DIAMETER LIMIT	
EXTENT OF LOGGING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
SUGAR BUSH OPERATIONS	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF OPERATIONS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
GAPS IN FOREST CANOPY	NONE	SMALL	INTERMEDIATE	LARGE	
EXTENT OF GAPS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
LIVESTOCK (GRAZING)	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF LIVESTOCK	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
ALIEN SPECIES	NONE	OCCASIONAL	ABUNDANT	DOMINANT	
EXTENT OF ALIEN SPECIES	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
PLANTING (PLANTATION)	NONE	OCCASIONAL	ABUNDANT	DOMINANT	
EXTENT OF PLANTING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
TRACKS AND TRAILS	NONE	FAINT TRAILS	WELL MARKED	TRACKS OR	
EXTENT OF TRACKS/TRAILS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	<u> </u>
DUMPING (RUBBISH)	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF DUMPING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
EARTH DISPLACEMENT	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF DISPLACEMENT	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
RECREATIONAL USE	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF RECR. USE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
NOISE	NONE	SLIGHT	MODERATE	INTENSE	
EXTENT OF NOISE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1
DISEASE/DEATH OF TREES	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF DISEASE / DEATH	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
WIND THROW (BLOW DOWN)	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF WIND THROW	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1
	NONE	LIGHT	MODERATE	HEAVY	1
BROWSE (e.g. DEER)	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1
BEAVER ACTIVITY	NONE	LIGHT	MODERATE	HEAVY	1
<u> </u>	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1
ELOODING (pools & puddling)	 	LIGHT	MODERATE	HEAVY	
FLOODING (pools & puddling)	NONE		ļ		1
EXTENT OF FLOODING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1
FIRE	NONE	LIGHT	MODERATE	HEAVY	4
EXTENT OF FIRE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	l
ICE DAMAGE	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF ICE DAMAGE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
OTHER	NONE	LIGHT	MODERATE	HEAVY	
EXTENT	NONE	LOCAL	WIDESPREAD	EXTENSIVE	

ELC	SITE:	Star .	ooi v	alarra			POLY	30N: 5		
COMMUNITY DESCRIPTION &	SURVEY			and the second	DATE:	Aug 25	TIA	/IE: start finish		
CLASSIFICATION	UTMZ:		UTME	:		רט	ΓMN:	- 41		
OLYGON DE	SCRIP	TION								
SYSTEM	SUBS	TRAT	E T	OPOGRAPHIC FEATURE	HI	STORY	PLA	NT FORM	СОМ	MUNITY
] TERRESTRIAL] WETLAND] AQUATIC	ORGA MINER PARE ACIDI BASIC	RAL SOIL NT MIN. C BEDRI		LACUSTRINE RIVERINE BOTTOMLAND TERRACE VALLEY SLOPE TABLELAND ROLL. UPLAND CLIFF	NAT □ CUL		SUE FLO GRA FOF LICH BRY	HEN 'OPHYTE CIDUOUS	LAKE PON RIVE STRI	D ER EAM ISH AMP
SITE	☐ CARE	B. BEDRH		TALUS CREVICE / CAVE		OVER	COI MIX	NIFEROUS ED		DOW
OPEN WATER SHALLOW WATER SURFICIAL DEP. BEDROCK				ALVAR ROCKLAND BEACH / BAR SAND DUNE BLUFF	□ OPE □ SHF □ TRE	RUB			□ FOR	KET ANNAH ODLAND
TAND DESCI	RIPTIO	N:					***************************************			
LAYER	нт	CVR	(>>	SPECIES IN O MUCH GREAT						
CANOPY	2	4	AC	Esace >=	SAL	200				
SUB-CANOPY			 							
			l							
UNDERSTOREY	Ч	3	Ç٤	Poci = 1	2HA	catu =	COL	2 race		······································
GRD. LAYER IT CODES:	1 = >25 m 0= NONE	2 = 10	<ht 25<="" th=""><th>m 3=2<ht 10r<br="">10% 2=10<c< th=""><th>n 4=1<</th><th>HT 2 m 5 = 0.</th><th>.5<ht 1<="" th=""><th>m 6 = 0.2<ht< th=""><th>% T</th><th>= HT<0.2</th></ht<></th></ht></th></c<></ht></th></ht>	m 3=2 <ht 10r<br="">10% 2=10<c< th=""><th>n 4=1<</th><th>HT 2 m 5 = 0.</th><th>.5<ht 1<="" th=""><th>m 6 = 0.2<ht< th=""><th>% T</th><th>= HT<0.2</th></ht<></th></ht></th></c<></ht>	n 4=1<	HT 2 m 5 = 0.	.5 <ht 1<="" th=""><th>m 6 = 0.2<ht< th=""><th>% T</th><th>= HT<0.2</th></ht<></th></ht>	m 6 = 0.2 <ht< th=""><th>% T</th><th>= HT<0.2</th></ht<>	% T	= HT<0.2
	1 = >25 m 0= NONE ON:	2 = 10	<ht 25<="" td=""><td>m 3 = 2<ht 10="" r<="" td=""><td>n 4=1<</td><td>HT 2 m 5 = 0.</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td></td><td>= HT<0.2</td></ht<></td></ht></td></ht></td></ht>	m 3 = 2 <ht 10="" r<="" td=""><td>n 4=1<</td><td>HT 2 m 5 = 0.</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td></td><td>= HT<0.2</td></ht<></td></ht></td></ht>	n 4=1<	HT 2 m 5 = 0.	.5 <ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td></td><td>= HT<0.2</td></ht<></td></ht>	m 6 = 0.2 <ht< td=""><td></td><td>= HT<0.2</td></ht<>		= HT<0.2
GRD. LAYER IT CODES: IVR CODES TAND COMPOSITION SIZE CLASS ANA	1 = >25 m 0= NONE ON:	2 = 10	<ht 25<="" td=""><td>m 3 = 2<ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1<</td><td>HT 2 m 5 = 0. 3= 25 < CVR</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609</ht </td><td>% T</td><td>> 50</td></ht></td></ht></td></ht>	m 3 = 2 <ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1<</td><td>HT 2 m 5 = 0. 3= 25 < CVR</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609</ht </td><td>% T</td><td>> 50</td></ht></td></ht>	n 4=1<	HT 2 m 5 = 0. 3= 25 < CVR	.5 <ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609</ht </td><td>% T</td><td>> 50</td></ht>	m 6 = 0.2 <ht 4= CVR > 609</ht 	% T	> 50
GRD. LAYER CODES: //R CODES AND COMPOSITION ZE CLASS ANA	1 = >25 m 0= NONE ON: ALYSIS:	2 = 10	<ht 25<="" td=""><td>m 3 = 2<ht 10="" r<br="">10% 2= 10 < C</ht></td><td>n 4=1<</td><td>HT 2 m 5 = 0. 3= 25 < CVF</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609</ht </td><td>% T</td><td></td></ht></td></ht>	m 3 = 2 <ht 10="" r<br="">10% 2= 10 < C</ht>	n 4=1<	HT 2 m 5 = 0. 3= 25 < CVF	.5 <ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609</ht </td><td>% T</td><td></td></ht>	m 6 = 0.2 <ht 4= CVR > 609</ht 	% T	
GRD. LAYER CODES: //R CODES AND COMPOSITION ZE CLASS ANA FANDING SNACE EADFALL / LOC	1 = >25 m 0 = NONE ON: ALYSIS: GS:	2 = 10	<ht 25<="" td=""><td>m 3 = 2<ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1< </td><td>HT 2 m 5 = 0. 3= 25 < CVF</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 60° 25 - 50</ht </td><td>% T</td><td>> 50 > 50</td></ht></td></ht></td></ht>	m 3 = 2 <ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1< </td><td>HT 2 m 5 = 0. 3= 25 < CVF</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 60° 25 - 50</ht </td><td>% T</td><td>> 50 > 50</td></ht></td></ht>	n 4=1<	HT 2 m 5 = 0. 3= 25 < CVF	.5 <ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 60° 25 - 50</ht </td><td>% T</td><td>> 50 > 50</td></ht>	m 6 = 0.2 <ht 4= CVR > 60° 25 - 50</ht 	% T	> 50 > 50
GRD. LAYER CODES: //R CODES AND COMPOSITI ZE CLASS ANA FANDING SNACE EADFALL / LOCE BUNDANCE CODE	1 = >25 m 0 = NONE ON: ALYSIS: GS:	2 = 10 1 = 0%	<ht 25<="" td=""><td>m 3 = 2<ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1< </td><td>10 - 24 10 - 24 SIONAL</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609 25 - 50 25 - 50</ht </td><td>% T</td><td>> 50 > 50</td></ht></td></ht></td></ht>	m 3 = 2 <ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1< </td><td>10 - 24 10 - 24 SIONAL</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609 25 - 50 25 - 50</ht </td><td>% T</td><td>> 50 > 50</td></ht></td></ht>	n 4=1<	10 - 24 10 - 24 SIONAL	.5 <ht 1<="" td=""><td>m 6 = 0.2<ht 4= CVR > 609 25 - 50 25 - 50</ht </td><td>% T</td><td>> 50 > 50</td></ht>	m 6 = 0.2 <ht 4= CVR > 609 25 - 50 25 - 50</ht 	% T	> 50 > 50
GRD. LAYER CODES: //R CODES AND COMPOSITI ZE CLASS ANA FANDING SNACE EADFALL / LOCE BUNDANCE CODE	1 = >25 m 0 = NONE ON: ALYSIS: GS:	2 = 10 1 = 0%	<ht 25<="" td=""><td>m 3 = 2<ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1< </td><td>10 - 24 10 - 24</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td>% T</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht></td></ht></td></ht>	m 3 = 2 <ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4=1< </td><td>10 - 24 10 - 24</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td>% T</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht></td></ht>	n 4=1<	10 - 24 10 - 24	.5 <ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td>% T</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht>	m 6 = 0.2 <ht< td=""><td>% T</td><td>> 50 > 50 > 50 > 50</td></ht<>	% T	> 50 > 50 > 50 > 50
GRD. LAYER T CODES: VR CODES FAND COMPOSITION TANDING SNAC EADFALL / LOC BUNDANCE CODE OMM. AGE: OIL ANALYS	1 = >25 m o = NONE ON: ALYSIS: GS: ES: N	2 = 10 1 = 0%	<ht 25="" <="" cvr<="" td=""><td>m 3 = 2<ht 10="RARE" 10%="" 10r="" 2="10" <="" c="" o="" td="" young<=""><td>n 4=1< VR 25% </td><td>10 - 24 10 - 24 10 - 24 MID-AGE</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht< td=""><td>BA:</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht></td></ht></td></ht>	m 3 = 2 <ht 10="RARE" 10%="" 10r="" 2="10" <="" c="" o="" td="" young<=""><td>n 4=1< VR 25% </td><td>10 - 24 10 - 24 10 - 24 MID-AGE</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht< td=""><td>BA:</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht></td></ht>	n 4=1< VR 25%	10 - 24 10 - 24 10 - 24 MID-AGE	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht< td=""><td>BA:</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht>	m 6 = 0.2 <ht< td=""><td>BA:</td><td>> 50 > 50 > 50 > 50</td></ht<>	BA:	> 50 > 50 > 50 > 50
GRD. LAYER CODES: AR CODES AND COMPOSITI ZE CLASS ANA FANDING SNAC EADFALL / LOC BUNDANCE CODE OMM. AGE: OIL ANALYS EXTURE:	1 = >25 m o = NONE ON: ALYSIS: GS: ES: N	2 = 10 1 = 0%	< CVR	m 3 = 2 <ht 10="RARE" 10%="" 10r="" 2="10" <="" c="" o="" td="" young<=""><td>n 4 = 1< VR 25% </td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE</td><td>.5<ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td>% T</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht></td></ht>	n 4 = 1< VR 25%	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE	.5 <ht 1<="" td=""><td>m 6 = 0.2<ht< td=""><td>% T</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht>	m 6 = 0.2 <ht< td=""><td>% T</td><td>> 50 > 50 > 50 > 50</td></ht<>	% T	> 50 > 50 > 50 > 50
GRD. LAYER T CODES: TO CODES TAND COMPOSITI TANDING SNAC EADFALL / LOC BUNDANCE CODE OMM. AGE: COIL ANALYS EXTURE:	1 = >25 m o = NONE ON: ALYSIS: GS: GS: ES: N	2 = 10 1 = 0% = NON	E R	m 3 = 2 <ht 10="RARE" 10%="" 10r="" 2="10" <="" c="" o="" td="" young<=""><td>n 4 = 1< VR 25% = OCCA</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht< td=""><td>BA:</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht></td></ht>	n 4 = 1< VR 25% = OCCA	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht< td=""><td>BA:</td><td>> 50 > 50 > 50 > 50</td></ht<></td></ht>	m 6 = 0.2 <ht< td=""><td>BA:</td><td>> 50 > 50 > 50 > 50</td></ht<>	BA:	> 50 > 50 > 50 > 50
GRD. LAYER T CODES: AR CODES FAND COMPOSITI ZE CLASS ANA TANDING SNACE EADFALL / LOC BUNDANCE CODE OMM. AGE: OIL ANALYS EXTURE: OISTURE: OMOGENEOUS	1 = >25 m 0= NONE ON: ALYSIS: GS: GS: HS: N	2 = 10 1 = 0% = NON PIONE	<hr/> <hr/> <hr/> 	m 3 = 2 <ht 10="RARE</td" 10%="" 10r="" 2="10" <="" c=""><td>n 4 = 1< VR 25% = OCCA</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht></td><td>BA:</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht></td></ht>	n 4 = 1< VR 25% = OCCA	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht></td><td>BA:</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht>	m 6 = 0.2 <ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht>	BA:	> 50 > 50 > 50 > 50 CD GROWT
GRD. LAYER T CODES: TYR CODES TAND COMPOSITION TANDING SNAG TEADFALL / LOC BUNDANCE CODE COMM. AGE: COLL ANALYS EXTURE: MOISTURE: COMMUNITY	1 = >25 m 0 = NONE ON: ALYSIS: ALYSIS: SS: SS: SS: CLASS	2 = 10 1 = 0% = NON PIONE	E R D D D D D D D D D D D D D D D D D D	m 3 = 2 <ht 10="RARE</td" 10%="" 10r="" 2="10" <="" c=""><td>n 4 = 1< VR 25% = OCCA</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht></td><td>BA:</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht></td></ht>	n 4 = 1< VR 25% = OCCA	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht></td><td>BA:</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht>	m 6 = 0.2 <ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht>	BA:	> 50 > 50 > 50 > 50 CD GROWT
GRD. LAYER T CODES: TO CODES TAND COMPOSITI TECLASS ANA TANDING SNACE EADFALL / LOCE BUNDANCE CODE OMM. AGE: OIL ANALYS EXTURE: IOISTURE: IOMOGENEOUS COMMUNITY COMMUNITY	1 = >25 m O= NONE ON: ALYSIS: ALYSIS: SS: SS: CLASS	= NON PIONE RIABLE	<pre></pre>	m 3 = 2 <ht 10="RARE" 10%="" 10r="" 2="10" <="" be="" c="" epth="" mc="" n:<="" o="" td="" to="" young=""><td>n 4 = 1< VR 25% = OCCA</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 3UNDANT MATURE EL</td><td>BA:</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht></td></ht>	n 4 = 1< VR 25% = OCCA	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 3UNDANT MATURE EL</td><td>BA:</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht>	m 6 = 0.2 <hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 3UNDANT MATURE EL	BA:	> 50 > 50 > 50 > 50 CD GROWT
GRD. LAYER T CODES: TYPE COMPOSITION TAND COMPOSITION TANDING SNACE EADFALL / LOC BUNDANCE CODE OMM. AGE: TOLL ANALYS EXTURE: TOLL ANALYS COMMUNITY COMMUNITY COMMUNITY	1 = >25 m O= NONE ON: ALYSIS: ALYSIS: SS: SS: CLASS	= NON PIONE RIABLE SIFICA S: 5 (4) S: D22	CALL CONTRACTOR OF THE CONTRAC	m 3 = 2 <ht 10="RARE</td" 10%="" 10r="" 2="10" <="" c=""><td>n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht></td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht></td></ht>	n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht></td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht>	m 6 = 0.2 <ht 4="CVR"> 609 25 - 50 25 - 50 25 - 50 3UNDANT MATURE</ht>	BA: G= C COL	> 50 > 50 > 50 > 50 CD GROWT
GRD. LAYER IT CODES: IT CODES: IT CODES IT AND COMPOSITION SIZE CLASS AND STANDING SNAC SNAC STANDING SNAC SNAC SNAC SNAC SNAC SNAC SNAC SNAC	1 = >25 m o = NONE ON: ALYSIS: SS: SS: CLASS CLASS SERIES COSITE	= NON PIONE S L	CALL CONTRACTOR OF THE CONTRAC	3 = 2 <ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD</td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht></td></ht>	n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD</td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht>	m 6 = 0.2 <hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD	BA: G= C COL	> 50 > 50 > 50 > 50 CD GROWT
GRD. LAYER T CODES: VR CODES TAND COMPOSITION TAND COMPOSITION TANDING SNACE TEANDING SNACE TEANTING TEAN	1 = >25 m o = NONE ON: ALYSIS: ALYSIS: SS: SS: CLASS CLASS CLASS COSITE ON TYPE	= NON PIONE S L	CALL CONTRACTOR OF THE CONTRAC	3 = 2 <ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD</td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht></td></ht>	n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD</td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht>	m 6 = 0.2 <hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD	BA: G= C COL	> 50 > 50 > 50 > 50 CD GROWT
GRD. LAYER T CODES: TYR CODES TAND COMPOSITI IZE CLASS ANA TANDING SNAC SEADFALL / LOC BUNDANCE CODE COMM. AGE: GOIL ANALYS EXTURE: HOMOGENEOUS COMMUNITY COMMUNITY E VEGETATIO	1 = >25 m O= NONE ON: ALYSIS: ALYSIS: ALYSIS: CLASS CLASS CLASS CLASS CCLASS COSITE ON TYPE	= NON PIONE S L	CALL CONTRACTOR OF THE CONTRAC	m 3 = 2 <ht 10%="" 10r="" 2="10" <="" c<="" td=""><td>n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI</td><td>10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:</td><td>.5<ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD</td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht></td></ht>	n 4 = 1< VR 25% = OCCA DTTLES GANIC DROCI	10 - 24 10 - 24 10 - 24 SIONAL MID-AGE 6 / GLEY S:	.5 <ht 1="" 60%<="" td="" ≥=""><td>m 6 = 0.2<hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD</td><td>BA: G= C COL</td><td>> 50 > 50 > 50 > 50 CD GROWT</td></ht>	m 6 = 0.2 <hr/> 4 = CVR > 60° 25 - 50 25 - 50 25 - 50 35 - 50 BUNDANT MATURE EL. SWD	BA: G= C COL	> 50 > 50 > 50 > 50 CD GROWT

ELC	SITE: POLYGON:	applies-		· · · · · · · · · · · · · · · · · · ·	
MANAGEMENT/		Na 25			
DISTURBANCE	SURVEYOR				
DISTURBANCE EXTENT	0	1	2	3	SCORE
TIME SINCE LOGGING	> 30 YRS	15 - 30 YRS	5 - 15 YRS	0 - 5 YEARS	0
INTENSITY OF LOGGING	NONE	FUEL WOOD	SELECTIVE	DIAMETER LIMIT	6
EXTENT OF LOGGING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	0
SUGAR BUSH OPERATIONS	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF OPERATIONS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	0
GAPS IN FOREST CANOPY	NONE	SMALL	INTERMEDIATE	LARGE	
EXTENT OF GAPS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	0
LIVESTOCK (GRAZING)	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF LIVESTOCK	NONE	LOCAL	WIDESPREAD	EXTENSIVE	0
ALIEN SPECIES	NONE	OCCASIONAL	ABUNDANT	DOMINANT	7
EXTENT OF ALIEN SPECIES	NONE	LOCAL	WIDESPREAD	EXTENSIVE	2
PLANTING (PLANTATION)	NONE	OCCASIONAL	ABUNDANT	DOMINANT	
EXTENT OF PLANTING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1 0
TRACKS AND TRAILS	NONE	FAINT TRAILS	WELL MARKED	TRACKS OR	
EXTENT OF TRACKS/TRAILS	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
DUMPING (RUBBISH)	NONE	LIGHT	MODERATE	HEAVY	1 .
EXTENT OF DUMPING	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1 (
EARTH DISPLACEMENT	NONE	LIGHT	MODERATE	HEAVY	i
EXTENT OF DISPLACEMENT	NONE	LOCAL	WIDESPREAD	EXTENSIVE	12
RECREATIONAL USE	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF RECR. USE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	0
NOISE	NONE	SLIGHT	MODERATE	INTENSE	
EXTENT OF NOISE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	$\parallel 0$
DISEASE/DEATH OF TREES	NONE	LIGHT	MODERATE	HEAVY	
EXTENT OF DISEASE / DEATH	NONE	LOCAL	WIDESPREAD	EXTENSIVE	/ /
WIND THROW (BLOW DOWN)	NONE	LIGHT	MODERATE	HEAVY	
	ļ	LOCAL	WIDESPREAD	EXTENSIVE	14
EXTENT OF WIND THROW	NONE	LIGHT	MODERATE		
BROWSE (e.g. DEER)	NONE			HEAVY	0
EXTENT OF BROWSE	NONE	LOCAL	WIDESPREAD MODERATE	HEAVY	
BEAVER ACTIVITY	NONE	LIGHT			0
EXTENT OF BEAVER	NONE	LOCAL	WIDESPREAD	EXTENSIVE	1
FLOODING (pools & puddling)	NONE	LIGHT	MODERATE	HEAVY	6
EXTENT OF FLOODING	NONE	LOCAL	WIDESPREAD	-EXTENSIVE	
FIRE	NONE	LIGHT	MODERATE	HEAVY	1 0
EXTENT OF FIRE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
ICE DAMAGE	NONE	LIGHT	MODERATE	HEAVY	600
EXTENT OF ICE DAMAGE	NONE	LOCAL	WIDESPREAD	EXTENSIVE	
OTHER	NONE	LIGHT	MODERATE	HEAVY	o
EXTENT	NONE	LOCAL	WIDESPREAD	EXTENSIVE	ll .

Appendix D

Significant Wildlife Habitat Table



Seasonal Concentration Areas of Animals

Wildlife Habitat	Suitable ELC Ecosite Code	Additional Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
Waterfowl Stopover and Staging Areas (Terrestrial)	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Waterfowl Stopover and Staging Areas (Aquatic)	Yes – MAS2 and SWD3 vegetation communities are present in the Study Area.	Although suitable ecosites are present in the Study Area, they are likely not large enough to support large aggregations of listed species.	No	N/A	No
Shorebird Migratory Stopover Area	Yes – a MAM vegetation community is present in the Study Area.	No shorelines of lakes, rivers or wetlands, including beach areas, bars, seasonally flooded, muddy and un-vegetated shoreline habitat are present within the Study Area.	No	N/A	No
Raptor Wintering Area	No – Although a FOD7 vegetation community is present on the Subject Lands, suitable upland ecosites are absent from the Study Area.	Natural areas in the vicinity of the Study Areas are less than 20 ha in size and do not support a combination of forested and upland ecosites.	No	N/A	No
Bat Hibernacula	No – Suitable ecosites are absent from the Study Area.	No caves, mine shafts, underground foundations or Karsts were identified within the Study Area.	No	N/A	No
Bat Maternity Colonies	Yes – A FOD7 and a SWD3 vegetation community is present on the Subject Lands.	Polygon 1 (FOD7) is a mature deciduous forest stand containing large diameter snag trees (i.e., >25 cm DBH), although these were not identified at sufficient densities (i.e., >10 snags/ha) to support maternity colonies SWH. Although a significant density was not identified, Polygon 1 will be analyzed using acoustic data as well.	Yes – Polygon 1 (FOD7)	Maternity Colonies with confirmed use by; • >10 Big Brown Bats • >5 Adult Female Silver-haired Bats • The area of the habitat includes the entire woodland or a forest stand ELC Ecosite or an Ecoelement containing the maternity colonies. • Evaluation methods for maternity colonies should be conducted following methods outlined in the "Bats and Bat Habitats: Guidelines for Wind Power Projects"	No
		Polygon 5 (SWD3) is likely too small to provide bat maternity colony		Acoustic monitoring surveys were conducted from June 4-18, 2020, at two survey locations	

Wildlife Habitat	Suitable ELC Ecosite Code	Additional Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
		SWH, and only one potential roost tree was identified.		within Polygon 1 (FOD7) on the Subject Lands. Station 1 (located near the north forest edge) had a total of 42 passes by Big Brown Bat, 2 passes by Silver-haired Bat and 1 pass by Northern Myotis. Station 2 (located in the southwest forest) had a total of 433 passes by Big Brown Bat over the two weeks and 28 passes by Silver-haired Bat. Both stations had additional passes by Silver-haired Bats/Big Brown Bats and Hoary Bats/Silver-haired Bats (species uncertain). These numbers correlate to between 0 and 4 passes by Big Brown Bat, and 0 to 2 passes by Silver-haired Bat per evening at Station 1. At Station 2, they correlate to 1 to 139 passes by Big Brown Bat and 1 to 10 passes by Silver-haired Bat per evening. These data were not divided by time of night, but only passes recorded at dawn or dusk would be indicative of maternity roost habitat. As acoustic monitoring does not allow for a direct estimate of species abundance, the number of passes does not correlate with the number of individuals present (i.e., it is not possible to distinguish between several passes by one individual or a single pass by multiple individuals). Given the limited amount of candidate habitat present (i.e., less than 10 large diameter wildlife trees per hectare) and relatively low passes overall by Silver-haired and Big Brown Bats, Polygon 1 (FOD7) will not be considered SWH.	
Turtle Wintering Areas	Yes – SWD3, MAM and MAS2 vegetation communities are present on the Subject Lands.	The north wetland (Polygons 4/5 – MAS2/SWD3) and Polygon 2 (MAM) were recorded to have no standing water on August 26, 2020, and then 10 cm or less from September to November 14 when turtles would be choosing overwintering habitat. Water levels may not be deep enough for overwintering turtles, although no	No	N/A	No

Wildlife Habitat	Suitable ELC Ecosite Code	Additional Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
		updated 2024 surface water measurements are available. In addition, no turtles have been observed on site since 2017, though targeted surveys have not been completed. Permanent wintering habitat for turtles is considered unlikely to be present.			
Reptile Hibernaculum	Yes – Suitable ecosites are present on the Study Area.	No hibernacula features (e.g., rock piles, old foundations or rock crevices) were observed within the Subject Lands.	No	N/A	No
Colonially-Nesting Bird Breeding Habitat (Bank/Cliff)	No – Suitable ecosites are absent from the Study Area.	No suitable exposed soil banks, cliff faces, sandy hills, borrow pits, steep slopes, or other suitable habitat are present.	No	N/A	No
Colonially-Nesting Bird Breeding Habitat (Trees/Shrubs)	Yes – A SWD3 vegetation community is present on the Subject Lands.	Swamp habitat is available on the Subject Lands to support nesting in live or dead wetland trees.	Yes – Polygon 5 (SWD3)	Studies confirm: • Presence of 2 or more active nests of Great Blue Heron or other listed species. • The habitat extends from the edge of the colony and a minimum 300m radius or extent of the Forest Ecosite containing the colony or any island <15.0ha with a colony is the SWH. • Confirmation of active heronries are to be achieved through site visits conducted during the nesting season (April to August) or by evidence such as the presence of fresh guano, dead young and/or eggshells. Targeted breeding bird surveys in 2024 did not observe any listed species within the Study Area.	No
Colonially-Nesting Bird Breeding Habitat (Ground)	Yes – MAM and MAS2 vegetation communities are present on the Site.	No islands, peninsulas associated with open water or marshy areas occur within the Study Area.	No	N/A	No

Wildlife Habitat	Suitable ELC Ecosite Code	Additional Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
Migratory Butterfly Stopover Areas	No – Although a FOD7 vegetation community is present on the Subject Lands, suitable field ecosites are absent from the Study Area.	A butterfly stopover area will be >10 ha in size, with a combination of forest and field ecosites, and be located within 5 km of Lake Erie or Lake Ontario. Criteria are not met due to the lack of field ecosites within the Study Area. Furthermore, the Study Area is located greater than 5 km from Lake Ontario and Lake Erie.	No	N/A	No
Land Bird Migratory Stopover Areas	Yes – FOD7 and SWD3 vegetation communities are present on the Subject Lands.	No – The Subject Lands are located greater than 5 km Lake Ontario and Lake Erie.	No	N/A	No
Deer Winter Congregation Areas	Yes – FOD7 and SWD3 vegetation communities are present on the Subject Lands.	No – Mapping from the MNRF LIO database does not identify any deer wintering areas within the Study Area.	No	N/A	No

Rare Vegetation Communities

Rare Vegetation Community	Suitable ELC Ecosite Code	Habitat Description	Candidate SWH	SWH Defining Criteria	Confirmed SWH
Cliffs and Talus Slopes	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Sand Barren	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Alvar	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Old Growth Forest	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Savannah	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Tallgrass Prairie	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Other Rare Vegetation	No – Vegetation community types present within the Study Area are common and secure.	N/A	No	N/A	No

Specialized Habitats of Wildlife considered SWH

Wildlife Habitat	Suitable ELC Ecosite Code	Additional Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
Waterfowl Nesting Area	Yes – MAM, MAS2 and SWD3 vegetation communities are present on the Subject Lands.	No suitable upland habitat occurs on, or within 120 m of, the Study Area to support waterfowl nesting.	No	N/A	No
Bald Eagle and Osprey Nesting, Foraging, Perching	Yes – FOD7 and SWD3 vegetation communities are present on the Subject Lands.	Lakes, ponds, rivers and wetlands along forested shorelines, islands are absent from the Study Area.	No	N/A	No
Woodland Raptor Nesting Habitat	Yes – FOD7 and SWD3 vegetation communities are present on the Subject Lands.	No – Forested ecosites within the Study Area are not >30 ha in size with >4 ha of interior habitat.	No	N/A	No
Turtle Nesting Areas	Yes – MAS2 vegetation community is present on the Subject Lands.	No exposed mineral soil such as sand or gravel areas adjacent to the MAS2 community were observed.	No	N/A	No
Springs and Seeps	Yes – Forested ecosites are present within the Study Area.	No – Headwater drainage features are present within the Subject Lands, but no springs or seeps were observed on the Subject Lands.	No	N/A	No
Amphibian Breeding Habitat (Woodland)	Yes – FOD7 and SWD3 vegetation communities are present on the Subject Lands. MAM is within 120 m of FOD7.	Yes, there is a swamp community wetland present along the northern boundary of the Subject Lands and a small pond feature within the woodland (FOD7). Polygons 4 (MAS2) and 2 (MAM) are also wetlands greater than 0.05 ha in size that are less than 120 m from a woodland.	Yes – Polygon 1 (FOD7), Polygon 2 (MAM), Polygon 4 (MAS2), and Polygon 5 (SWD3)	 Studies confirm: Presence of breeding population of 1 or more of the listed newt/salamander species or 2 or more of the listed frog species with at least 20 individuals (adults or eggs masses) or 2 or more of the listed frog species with Call Level Codes of 3. A combination of observational study and call count surveys will be required during the spring (March-June) when amphibians are concentrated around suitable breeding habitat within or near the woodland/wetlands. The habitat is the wetland area plus a 230m radius of woodland area. If a wetland area is adjacent to a woodland, a travel corridor connecting the wetland to 	No

Wildlife Habitat	Suitable ELC Ecosite Code	Additional Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
				the woodland is to be included in the habitat.	
				During targeted amphibian calling surveys in 2024, only Spring Peeper was heard at Call Code 3. No other listed species were observed.	
Amphibian Breeding Habitat (Wetlands)	Yes – MAM, MAS2 and SWD3 vegetation communities are present on the Subject Lands.	The wetland communities are not isolated from the woodland community (i.e., not greater than 120 m away).	No	N/A	No
Woodland Area-Sensitive Bird Breeding Habitat	Yes – FOD7 and SWD3 vegetation communities are present on the Subject Lands.	The vegetation communities are not greater than 30 ha with interior forest habitat.	No	N/A	No

Habitats of Species of Conservation Concern

Wildlife Habitat	Suitable ELC Ecosite Code	Candidate Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
Marsh Breeding Bird Habitat	Yes – MAM and SWD3 vegetation communities are present on the Subject Lands.	There is wetland habitat within the Subject Lands to support nesting as there is shallow water with emergent aquatic vegetation.	Yes – Polygon 2 (MAM) and Polygon 5 (SWD3)	Studies confirm: • Presence of 5 or more nesting pairs of Sedge Wren or Marsh Wren or breeding by any combination of 4 or more of the listed species. • Note: any wetland with breeding of 1 or more Black Terns, Trumpeter Swan, Green Heron or Yellow Rail is SWH. • Area of the ELC ecosite is the SWH. • Breeding surveys should be done in May/June when these species are actively nesting in wetland habitats. • Evaluation methods to follow "Bird and Bird Habitats: Guidelines for Wind Power Projects. Targeted breeding bird surveys in 2024 did not observe any of the listed species.	No
Open Country Bird Breeding Habitat	No – Suitable ecosites are absent from the Study Area. A portion of the Subject Lands previously was a CUM1-1 used for pasture; however, since then the pasture has been annexed into rotational crops.	N/A	No	N/A	No
Shrub/Early Successional Bird Breeding Habitat	No – Suitable ecosites are absent from the Study Area.	N/A	No	N/A	No
Terrestrial Crayfish	Yes – MAM, MAS2 and SWD3 vegetation communities are present on the Subject Lands.	There is meadow marsh edge habitat present within the Subject Lands to support terrestrial crayfish.	Yes - Polygon 2 (MAM), Polygon 4 (MAS2), and Polygon 5 (SWD3)	Studies confirm: • Presence of 1 or more individuals of species listed or their chimneys (burrows) in suitable meadow marsh, swamp or moist terrestrial sites. • Area of ELC ecosite or an ecoelement area of meadow marsh or swamp within the larger ecosite area is the SWH. • Surveys should be done April to August in temporary or permanent water. Note the presence of	Yes - Polygon 2 (MAM), Polygon 4 (MAS2), Polygon 5 (SWD3), and Polygon 1 (FOD7)

Wildlife Habitat	Suitable ELC Ecosite Code	Candidate Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
				burrows or chimneys are often the only indicator of presence, observance or collection of individuals is very difficult.	
				Terrestrial Crayfish chimneys and individuals were observed within the Subject Lands during site investigations. Although Polygon 1 is not considered a triggering ELC community terrestrial crayfish/burrows were still observed within the Polygon as the woodland contains low wet spots.	
Special Concern and Rare Wildlife Species	-	-	-	-	-
Green Dragon (SC)	N/A	The Study Area contains wetland and forest habitat with embedded wetlands that may provide suitable growing habitat for this species.	Yes - Polygon 5 (SWD3) and Polygon 1 (FOD7)	No floral inventories conducted on the Subject Lands recorded Green Dragon.	No
Eastern Wood-Pewee (SC)	N/A	There is forest habitat present within the Subject Lands that may support nesting habitat for this species.	Yes – Polygon 5 (SWD3) and Polygon 1 (FOD7)	Two rounds of breeding bird surveys were conducted on the Subject Lands. Suitable breeding forest habitat for Eastern Wood-Pewee is present within vegetation communities FOD7 (Polygon 1). Two singing males were observed during both the first and second visits.	Yes – Polygon 1 (FOD7)
Wood Thrush (SC)	N/A	There is forest habitat present within the Subject Lands that may support nesting habitat for this species.	Yes - Polygon 5 (SWD3) and Polygon 1 (FOD7)	Two rounds of breeding bird surveys were conducted on the Subject Lands. Suitable breeding habitat for Wood Thrush was observed within the FOD7 and SWD3 communities, though it should be noted they prefer large forests. Despite survey effort, this species was not detected on the Subject Lands.	No
Snapping Turtle (SC)	w the N co	The Study Area contains several wetland pockets that may support this species.	Yes – Polygon 2 (MAM), Polygon 4 (MAS2), and Polygon 5 (SWD3)	investigation 2017-2024. SWH for Snapping Turtle will	Unconfirmed - Polygon 2 (MAM), Polygon 4
		No wetlands on site are connected to permanent watercourses and Polygons 4, 5, and 2 were dry in August in 2020. However, the wetlands are wet most of the year and therefore may offer spring/summer habitat for Snapping Turtles.			(MAS2), and Polygon 5 (SWD3)

Animal Movement Corridors

Wildlife Habitat	Suitable ELC Ecosite Code	Additional Habitat Criteria	Candidate SWH	SWH Defining Criteria	Confirmed SWH
Amphibian Movement Corridors	No – Suitable ecosites associated with water are absent from the Study Area.	Movement corridors are identified where is confirmed amphibian breeding habitat is present within wetlands. No confirmed wetland amphibian breeding was identified within the Study Area.	No	N/A	No

Appendix E

Floral Inventory Data



				Floral	Inventory (2024 06 07, 2024	1 06 2	1)						
1 2	2 3	4	5	Scientific Name	Common Name	cw		COSEWIC	SARO	SRank		Туре	Invasive
Х				Acer negundo	Manitoba Maple		G5			S5	С	TR	Υ
Х				Acer saccharum	Sugar Maple	3.0	G5			S5	С	TR	
				Acer x freemanii	(Acer rubrum X Acer		CNIA			CNIA	طييط	TR	
			Χ		saccharinum)	0.0	GNA			SNA	hyb		
Х				Agrimonia gryposepala	Hooked Agrimony		G5			S5	С	FO	
Х				Agrostis stolonifera	Creeping Bentgrass	-3.0	G5			SE5	IC	GR	
Х	(Х	Χ	Alisma subcordatum	Southern Water-plantain	-5.0	G5			S4?	Х	FO	
Х				Alliaria petiolata	Garlic Mustard		GNR			SE5	IC	FO	Υ
Х				Allium sativum	Cultivated Garlic	5.0	GNR			SE2	IR	FO	
Х				Ambrosia artemisiifolia	Common Ragweed	3.0	G5			S5	С	FO	
			Χ	Apocynum cannabinum	Hemp Dogbane		G5			S5		FO	
Х				Arisaema triphyllum	Jack-in-the-pulpit	-3.0	G5			S5	С	FO	
			Χ	Asclepias incarnata	Swamp Milkweed	-5.0	G5			S5	С	FO	
Х				Asclepias syriaca	Common Milkweed	5.0	G5			S5	С	FO	
Х				Athyrium filix-femina	Common Lady Fern	0.0	G5			S5		FE	
ХХ	(Barbarea vulgaris	Bitter Wintercress	0.0	GNR			SE5	IC	FO	
Х				Betula papyrifera	Paper Birch		G5			S5	Х	TR	
ХХ	_			Bidens frondosa	Devil's Beggarticks	-3.0	G5			S5	Х	FO	
ХХ				Boehmeria cylindrica	False Nettle	-5.0	G5			S5	Х	FO	
ХХ	(Χ	Carduus acanthoides	Spiny Plumeless Thistle	5.0	GNR			SE5	IR	FO	
Х				Carex blanda	Woodland Sedge		G5			S5	С	SE	
Х			Χ	Carex crinita	Fringed Sedge	-5.0	G5			S5	С	SE	
XX	(Carex gracillima	Graceful Sedge		G5			S5	С	SE	
Х				Carex granularis	Limestone Meadow Sedge	-3.0	G5			S5	С	SE	
ХХ	(Carex lupulina	Hop Sedge	-5.0	G5			S5	С	SE	
Х				Carex normalis	Larger Straw Sedge	-3.0	G5			S4		SE	
Х				Carex pensylvanica	Pennsylvania Sedge	5.0	G5			S5	С	SE	
Х				Carex radiata	Eastern Star Sedge		G5			S5	С	SE	
ХХ	(Carex retrorsa	Retrorse Sedge	-5.0	G5			S5	С	SE	
Х				Carex sparganioides	Burreed Sedge	3.0	G5			S4S5	U	SE	
Х				Carex tenera	Tender Sedge		G5			S5	U	SE	
			Χ	Carex vulpinoidea	Fox Sedge	-5.0	G5			S5	C	SE	
Х				Carpinus caroliniana	Blue-beech		G5			S5	С	TR	
Χ				Carya cordiformis	Bitternut Hickory		G5			S5	Х	TR	
Х				Celtis occidentalis	Common Hackberry		G5			S4	Х	TR	
Х				Centaurea jacea	Brown Knapweed	5.0	GNR			SE5	IX	FO	
Х	(Χ	Cephalanthus occidentalis	Eastern Buttonbush	-5.0	G5			S5	Х	SH	
				Chelone glabra	White Turtlehead	-5.0	G5			S5	Х	FO	
			Χ	Cicuta maculata	Spotted Water-hemlock	-5.0	G5			S5		FO	
хх				Circaea canadensis	Broad-leaved Enchanter's		G5			S5	Х	FO	
^ ^ X X	_			Cirsium arvense	Nightshade Canada Thistle							FO	Υ
X X	_	+		Cirsium arvense Cirsium vulgare	Bull Thistle	2.0	G5 CNR			SE5	IC	FO	Υ
				Claytonia virginica	Narrow-leaved Spring Beauty	3.0	GNR			SE5	IX	FO	
X	+		~	Cornus racemosa	Gray Dogwood	3.0	G5			S5	С	SH	
X	+			Cornus racemosa Cornus sericea	Red-osier Dogwood	2.0	G5			S5	X	SH	
~	+		^		Dotted Hawthorn		G5			S5	С	SH	
Х	+	+	v	Crataegus punctata		5.0	G5			S5	С		
~	+		۸	Cyperus odoratus Dactylis alomerata	Rusty Flatsedge	-5.0	G5			S4	16	SE	
X	+			Dactylis glomerata	Orchard Grass		GNR			SE5	IC	GR	
X	+			Daucus carota Dryopteris carthusiana	Wild Carrot	5.0	GNR			SE5	IC	FO	
X	+	+	·		Spinulose Wood Fern		G5			S5	X	FE	
	-			Echinochloa crus-galli	Large Barnyard Grass		GNR		ļ	SE5	IC	GR	
	+		Χ	Eleocharis obtusa	Blunt Spikerush		G5			S5	С	SE	
X				Elymus hystrix	Bottlebrush Grass	5.0	G5		<u> </u>	S5	Х	GR	

				Floral	Inventory (2024 06 07, 2024	1 06 2°	1)						
1 2	3	4	5	Scientific Name	Common Name	cw		COSEWIC	SARO	SRank	MD	Туре	Invasive
Х				Epipactis helleborine	Eastern Helleborine	3.0	GNR			SE5	IX	FO	Υ
Х				Erigeron annuus	Annual Fleabane	3.0	G5			S5	С	FO	
Х				Erigeron canadensis	Canada Horseweed	3.0	G5			S5	С	FO	
ХХ				Erigeron philadelphicus	Philadelphia Fleabane	-3.0	G5			S5	С	FO	
Χ				Erythronium americanum	Yellow Trout-lily	5.0	G5			S5	X	FO	
X				Euonymus obovatus	Running Strawberry Bush	3.0	G5			S4	C	SH	
ХХ		Х		Eupatorium perfoliatum	Common Boneset	-3.0	G5			S5	С	FO	
XX		^		Euthamia graminifolia	Grass-leaved Goldenrod	0.0	G5			S5	С	FO	
^ ^		Х		Eutrochium maculatum	Spotted Joe Pye Weed	-5.0	G5			S5		FO	
Х		^		Fagus grandifolia	American Beech	3.0	G5			S4	С	TR	
				Fragaria virginiana	Wild Strawberry	3.0				S5	C	FO	
X				Fraxinus americana	White Ash		G5					TR	
X						3.0	G5			S4	С		
X				Fraxinus pennsylvanica	Green Ash	-3.0	G5			S4	С	TR	
X				Galium aparine	Cleavers	3.0	G5			S5	Х	FO	
Х			Х	Galium mollugo	Smooth Bedstraw	5.0	GNR			SE5	IX	FO	Υ
Х				Geranium maculatum	Spotted Geranium	3.0	G5			S5	Х	FO	
Х				Geranium robertianum	Herb-Robert	3.0	G5			S5	С	FO	
Х				Geum canadense	White Avens	0.0	G5			S5	Х	FO	
Х				Glechoma hederacea	Ground Ivy	3.0	GNR			SE5	IX	FO	
XX			Χ	Glyceria striata	Fowl Mannagrass	-5.0	G5			S5	Х	GR	
Х				Hackelia virginiana	Virginia Stickseed	3.0	G5			S5	U	FO	
Х				Hydrophyllum virginianum	Virginia Waterleaf	0.0	G5			S5	С	FO	
Х				Hypericum punctatum	Spotted St. John's-wort	0.0	G5			S5	Х	FO	
ΧХ			Χ	Impatiens capensis	Spotted Jewelweed	-3.0	G5			S5	С	FO	
			Χ	Iris sibirica	Siberian Iris	5.0	GNR			SE1		FO	
Х			Х	Juglans nigra	Black Walnut	3.0	G5			S4?	Х	TR	
		Х	Х	Juncus effusus	Soft Rush	-5.0	G5			S5		RU	
хх		Х		Juncus tenuis	Path Rush	0.0	G5			S5	Х	RU	
хх				Lapsana communis	Common Nipplewort	3.0	GNR			SE5	IR	FO	
			Х	Leersia oryzoides	Rice Cutgrass	-5.0	G5			S5	Х	GR	
хх				Leersia virginica	Virginia Cutgrass	-3.0	G5			S4	Х	GR	
		X	X	Lemna minor	Lesser Duckweed	-5.0	G5			S5?	Х	FO	
Х		,		Leucanthemum vulgare	Oxeye Daisy	5.0	GNR			SE5	IC	FO	
X				Liqustrum vulgare	European Privet	3.0	GNR			SE5	IX	SH	Υ
XX				Lindera benzoin	Spicebush		G5			S4		SH	'
XX				Lobelia inflata	Indian-tobacco	3.0	G5			S5	X	FO	
X				Lolium arundinaceum	Tall Fescue	3.0	GNR			-	_	GR	
^ X X			v	Lycopus americanus	American Water-horehound	-5.0	GNK G5			SE5	IC	FO	
^^				Lysimachia thyrsiflora	Water Loosestrife					S5	C	FO	
vv	-		٠,	Lythrum salicaria	Purple Loosestrife		G5			S5	X	FO	V
ΧX		Χ				-5.0	G5			SE5	IC		Υ
X				Malus pumila	Common Apple	5.0	G5			SE4	IX	SH	
			Х	Mimulus ringens	Square-stemmed Monkeyflower	-5.0	G5			S5	Х	FO	
				Myosotis scorpioides	True Forget-me-not	-5.0	G5			SE5	IX	FO	
ΧХ			Χ	Onoclea sensibilis	Sensitive Fern	-3.0	G5			S5	Х	FE	
Х				Ostrya virginiana	Eastern Hop-hornbeam	3.0	G5			S5	С	TR	
Х				Oxalis stricta	Upright Yellow Wood-sorrel	3.0	G5			S5	Х	FO	
Х			Χ	Parthenocissus vitacea	Thicket Creeper	3.0	G5			S5	Х	vw	
ХХ				Penthorum sedoides	Ditch-stonecrop	-5.0	G5			S5	Х	FO	
ХХ	-		-	Persicaria amphibia	Water Smartweed	-5.0	G5			S5	Х	FO	
XX	_			Persicaria lapathifolia	Pale Smartweed		G5			S5	X	FO	
X		Х	χ	Persicaria maculosa	Spotted Lady's-thumb		G3G5			SE5	IX	FO	
				Phalaris arundinacea	Reed Canary Grass	-3.0	G5			S5	X	GR	Υ
Х			^	Phleum pratense	Common Timothy	3.0	GNR			SE5	IC	GR	
^				cam pracense	common randary	3.0	JINK	<u> </u>		J3L3	IC	J	

					Floral Inventory (2024 06 07, 20	24 06 2 ⁻	1)						
1	2	3 4	4 5	Scientific Name	Common Name	cw		COSEWIC	SARO	SRank	MD	Туре	Invasive
Х				Plantago major	Common Plantain	3.0	G5			SE5	IC	FO	
Х	Х			Poa palustris	Fowl Bluegrass	-3.0	G5			S5	Х	GR	
Х				Poa pratensis	Kentucky Bluegrass	3.0	G5			S5		GR	
Х				Podophyllum peltatum	May-apple	3.0	G5			S5	Х	FO	
Х				Polypodium virginianum	Rock Polypody	5.0	G5			S5	R	FE	
Х				Populus deltoides	Eastern Cottonwood	0.0	G5			S5		TR	
Х				Prunella vulgaris ssp. lanceolata	Lance-leaved Self-heal	0.0	G5T5			S5	С	FO	
Х				Prunus serotina	Black Cherry	3.0	G5			S5	C	TR	
Х				Prunus virginiana	Choke Cherry	3.0	G5			S5	С	TR	
Х				Quercus alba	White Oak	3.0	G5			S5	С	TR	
Х				Quercus rubra	Northern Red Oak	3.0	G5			S5	c	TR	
Х				Ranunculus pensylvanicus	Pennsylvania Buttercup	-5.0	G5			S5	X	FO	
Х	x		X	Rhamnus cathartica	Common Buckthorn	0.0	GNR			SE5	IC	SH	Υ
Х				Rosa multiflora	Multiflora Rose	3.0	GNR			SE5	IX	SH	Y
Х				Rubus allegheniensis	Allegheny Blackberry	3.0	G5			S5	C	SH	•
Х			X	Rubus occidentalis	Black Raspberry	5.0	G5			S5	C	SH	
Х				Rumex acetosella	Sheep Sorrel	3.0	GNR			SE5	IC	FO	
, ,				Rumex crispus	Curly Dock	0.0	GNR			SE5	IC	FO	
Х	Y			Salix alba	White Willow	-3.0	G5			SE4	IX	TR	
	^			Salix amygdaloides	Peach-leaved Willow	-3.0	G5			S5	X	TR	
Х	Y			Schoenoplectus tabernaemontani	Soft-stemmed Bulrush	-5.0	G5			S5	C	SE	
	^	,	v v	Scirpus atrovirens	Dark-green Bulrush	-5.0	G5			S5	С	SE	
Х	Y	-	` ^	Scirpus pendulus	Rufous Bulrush	-5.0	G5			S5	С	SE	
^	^		v	Scutellaria galericulata	Hooded Skullcap	-5.0	G5			S5	X	FO	
				Scutellaria lateriflora	Mad Dog Skullcap	-5.0	G5			S5	X	FO	
		+		Sium suave	Hemlock Water-parsnip	-5.0	G5			S5	C	FO	
			_	Solanum dulcamara	Bittersweet Nightshade	0.0	GNR			SE5	IC	vw	Υ
Х				Solidago canadensis	Canada Goldenrod	3.0	GNR G5			S5	IC	FO	Y
^			^	Symphyotrichum lateriflorum var.	Calico Aster	3.0	GS			35		FO	
Х				lateriflorum	Calico Astel	0.0	G5T5			S5			
Х				Tanacetum vulgare	Common Tansy	5.0	GNR			SE5	IX	FO	
Х				Taraxacum officinale	Common Dandelion	3.0	G5			SE5	IC	FO	
Х	Х			Thelypteris palustris	Marsh Fern	-3.0	G5			S5	Х	FE	
Х				Tilia americana	American Basswood	3.0	G5			S5	С	TR	
Х				Toxicodendron radicans	Poison Ivy	0.0	G5			S5		vw	
Х				Trillium grandiflorum	White Trillium	3.0				S5	Х	FO	
Х				Tussilago farfara	Colt's-foot		GNR			SE5	IC	FO	Υ
)	ΧХ	Typha angustifolia	Narrow-leaved Cattail	-5.0				SE5	IX	FO	Υ
Х	Χ		-	Verbena urticifolia	White Vervain	0.0				S5		FO	
Х			X	Veronica officinalis	Common Speedwell		G5			SE5		FO	
Х				Veronica serpyllifolia	Thyme-leaved Speedwell	_	G5			SE5?		FO	
Х				Viola pubescens	Yellow Violet	3.0				S5		FO	
Х				Viola sororia	Woolly Blue Violet		G5			S5		FO	
Х			X	Vitis riparia	Riverbank Grape		G5			S5		VW	
Х	Х		_	Xanthium strumarium	Rough Cocklebur	0.0				S5	_	FO	

Appendix F

Breeding Bird Survey Data





AVIFAUNAL SURVEY INFORMATION SUMMARY SHEET

Project Name: Topping Lands
MTE File No.: 46666-100

Collector(s): WH

Date	Start	Finish	Weather
7-Jun-24	6:30am	7:45am	warm, mainly sunny
21-Jun-24	6:45am	7:45am	warm, sunny

			Polyg	ons 1 & 2			Polygo	ns 4 & 5			ESA	
Species Abbr.	Species Name	Visi	t 1	Vis	it 2	Vis	sit 1	Vis	it 2	S Rank		Notes
		Code	No.	Code	No.	Code	No.	Code	No.		Status	
MALL	Mallard							SH	1	S5		
RTHA	Red-tailed Hawk	VO	1	T	1					S5	-	Seen every visit, suspect male
SPSA	Spotted Sandpiper	VO	1							S5		
MODO	Mourning Dove							Р	2	S5		
RBWO	Red-bellied Woodpecker	VO	1							S4	-	
DOWO	Downy Woodpecker			VO	1	NB	2			S5		
HAWO	Hairy Woodpecker					NB, P	2			S5		
NOFL	Northern Flicker					VO	3			S4		
EAWP	Eastern Wood-Pewee	SM	1	SM	2					S4	SC	
WAVI	Warbling Vireo							SM	1	S5		
BLJA	Blue Jay	VO	3	VO	3					S5		
BCCH	Black-capped Chickadee			Р	3					S5	-	
HOWR	House Wren	SM	1	SM	1					S5		
AMRO	American Robin	VO	2	FY	5					S5		
GRCA	Gray Catbird					SM	1			S4		
EUST	European Starling			VO	3					SNA		
SOSP	Song Sparrow	SM	3	Р	5	SM	2	SM	3	S5		
NOCA	Northern Cardinal	SM	2	Р	3			SM	2	S5		
RBGR	Rose-breasted Grosbeak	Р	2	Р	3					S4		
INBU	Indigo Bunting			SM	2					S4		
RWBL	Red-winged Blackbird	VO	3			P, T	6	FY, P	9	S4		
COGR	Common Grackle	VO	2					FY	6	S5		
BHCO	Brown-headed Cowbird	ОВ	2							S4		
BAOR	Baltimore Oriole	SM	3			Р	2			S4		
AMGO	American Goldfinch	VO	1	Р	7					S5		

Evidence Codes:

Breeding Bird - Possible

SH=Suitable Habitat SM=Singing Male

Breeding Bird - Probable

T=Territory A=Anxiety Behaviour D=Display N=Nest Building P=Pair V=Visiting Nest

Breeding Bird - Confirmed

DD=Distraction NE=Eggs AE=Nest Entry NU=Nest Used NY=Nest Young FY=Fledged Young FS=Food/Faecal Sack

Other Wildlife Evidence

 $OB = Observed \quad DP = Distinctive \ Parts \quad TK = Tracks \quad VO = Vocalization \quad HO = House/Den \quad FE = Feeding \ Evidence \quad CA = Carcass$

Fy=Eggs or Young SC=Scat SI=Other Signs (specify)

Appendix G

Amphibian Breeding Survey Data






AMPHIBIAN MONITORING FIELD SHEET Project: 46666-100 TOPPING LANDA


Date: APR 9, 2024 Collector(s):

Project Manager: Visit #:

WEATH	WEATHER CONDITIONS WIND SCALE										
Temp.	Wind:	3	Cloud Cover (%)	Precipitation	0	Calm					
16C	Direction	0	40	None/Dry	1	Smoke Drifts					
	16C Direction: S 40 None/Dry Drizzie 1 Smoke Drifts Damp/Fog Rain 2 Wind Felt on Face										
CALL LI	EVEL CODES				3	Leaves in constant motion					
Code 1:	Calls not simultaneous	s, number	of individuals can be	accurately counted	4	Wind raises dust and paper					
Code 2: Some calls simultaneous, number of individuals can be reliably estimated											
Code 3:	Full chorus, calls cont	inuous and	d overlapping, numbe	r of individuals cannot be reliab	ly e	stimated					

Reference Site: No Yes UTM








Project: 46666-100 Topping Lands Phase 8


Date: April 9, 2024
Collector(s): WH

Project Manager: DH
Visit #:

WEATHER CONDITIONS WIND SCALE Wind: Cloud Cover (%) Precipitation Calm Temp. Drizzle Smoke Drifts X None/Dry 1 16C Direction: S 40% Damp/Fog Rain 2 Wind Felt on Face **CALL LEVEL CODES** 3 Leaves in constant motion 4 Wind raises dust and paper Code 1: Calls not simultaneous, number of individuals can be accurately counted Code 2: Some calls simultaneous, number of individuals can be reliably estimated Code 3: Full chorus, calls continuous and overlapping, number of individuals cannot be reliably estimated

Reference Site: No Yes UTM









AMPHIBIAN MONITORING FIELD SHEET Project: 46666-100 TOPPING LANDA

Date: MAY 7, 2024 Project Manager: Collector(s): WH Visit #:

WEATH	ER CONDITIONS		Т	WIND SCALE								
Temp.	Wind:	1	Cloud Cover (%)	Precipitation	0	Calm						
19C	Direction:		60	X None/Dry Drizzle	1	Smoke Drifts						
	Direction: - Damp/Fog Rain 2 Wind Felt on Face											
CALL LI	EVEL CODES				3	Leaves in constant motion						
Code 1:	Calls not simultaneous	s, number	of individuals can be	accurately counted	4	Wind raises dust and paper						
	Code 1: Calls not simultaneous, number of individuals can be accurately counted Code 2: Some calls simultaneous, number of individuals can be reliably estimated Code 3: Full chorus, calls continuous and overlapping, number of individuals cannot be reliably estimated											

Reference Site: No Yes UTM









Project:	
Date:	Project Manager:
Collector(s):	Visit #:

WEATH	ER CONDITIONS				WIND SCALE
Temp.	Wind:	Cloud Cover (%)	Precipitation	0	Calm
	Direction:		None/Dry Drizzle	1	Smoke Drifts
	Direction.	2	Wind Felt on Face		
CALL L	EVEL CODES			3	Leaves in constant motion
Code 1:	Calls not simultaneous	s, number of individuals can be	accurately counted	4	Wind raises dust and paper
Code 2:	Some calls simultaneo	pe reliably estimated			
Code 3:	Full chorus, calls conti	nuous and overlapping, number	r of individuals cannot be reliab	ly e	stimated

Reference Site: No Yes UTM





GENERAL SITE INFORMATION FIELD SHEET



Project:	46666-100 Topoing	Lands		
Date:	June 20, 2024	Project Manager:	DH	
Collector(s):	AL CG	Visit #:		
ime started: 10 us Pr	Time finished: 11:32 PM Co	mbined collectors' hour	s:	
NHICList	MAID EO'C none	not provided to col	ector	

ATT A TIL	ED CONDITIONS			REO's none [WIND SCA	l E		
	ER CONDITIONS	Cloud Cover (%) Precip	itation	0	Calm			
Temp.	Wind: 2			Yes		Smoke Drif	te		
226	Direction: N	400		day: Yes		Wind Felt o			
DATAE	OCUE		rester	uay. (e >		Leaves in c		motion	
DATA F	Birds 1 2 Mig [ELC's		Dripline/Tree Survey		Wind raises			
	Mammals			Aquatic - Physical		Small trees		a paper	
6220		Floral VS/ Wetland	~	Aquatic - Biological		Large brand		av	
6000	Amphibians 1_ 2_3 Reptiles	Butternut (BHA)		Faunal Habitat		Lots of resi			kina into
-	Inverterbrates	other SAR) 	Other - see notes		Limbs brea			
CEATUR	RES (with GPS co-ordina			Other Sec Hotes	-	Mapped		ow-up R	eg'd
Man-ma	de Structures:	nes where approasse		None observed		UTM	Yes	No	Who
Yes No	uo ottaotai ooi			1.1.00000000000000000000000000000000000					
	Barns/Footings/Wells/ot	her(list)							
	Rock Piles	the first							
$\exists \exists$	Garbage								
Natural	Vegetation:		- F	None observed					
	Fallen Logs outside woo	ods (#'s)						-	
	Brush Piles	-, -							
	Snags (raptor perch)								
	Tree Cavities (nesting)								
	Sentinel Trees								
	Butternut Identified								
	Mast Trees (6E)	Berry Shrubs (6E)						
Wildlife	Features:			None observed					
	Waterfowl nesting (large								
	Exposed Banks (nesting	swallows)							= 10
	Stick Nests								
	Animal Burrows (>10cm	1)							
	Heronry								
	Crayfish mounds								
	Sand/gravel on site								
	Marsh/open country/shr	ub							
	Winter Deer yards	1	1341						
		oods (ampibian moveme	nt)						
	Bat corridor (shorelines,								-
	Bat hibernacula (caves, Features:	mines, crevices, etc.)			-				
Aquatic		T	saanta/laga	temp	-				
HH	Perm. pond in woodland	emergents/subme		temp.					
\vdash	Perm. pond in open Water in woodland		dry	L temp.					
H_{\vdash}	Waterways flowing		Liury						
니누	natural stream	1 1 1							
L	Tswale		1-1	None observed					
-	Topen drain			THORIO ODOGITOG			-		
+	Seeps/Springs								
	al Observations/Notes:								
									1
=									

Ovemble	П	Attached or News	Charked	by Project-Manager	Date:
Graphic	Ш	Attached or Name\ENV\Biological	Services\Templates\MTENERV	Cycherlage i le la reflect	□ Date



Project: 4666-100 Topping Lands
Date: June 20, 2024 Project

Collector(s): AL CG


Project Manager:


HUMIO

WEATHER CONDITIONS				WIND SCALE
Temp. Wind: 2	Cloud Cover (%)	Precipitation	0	Calm
22°C Direction: N	40%	None/Dry Drizzle	1	Smoke Drifts
20 C Direction: N	40%	Damp/Fog Rain	2	Wind Felt on Face
CALL LEVEL CODES			3	Leaves in constant motion
Code 1: Calls not simultaneous, n	umber of individuals can be	accurately counted	4	Wind raises dust and paper
Code 2: Some calls simultaneous,				
Code 3: Full chorus, calls continue	ous and overlapping, number	er of individuals cannot be reliab	ly e	stimated

Reference Site: No Yes UTM

100m








Project: 4666-100 Topping Lands
Date: June 20, 2024 Project Manager: DH
Collector(s): AL CG Visit #:

WEATHER CONDITIONS				WIND SCALE
Temp. Wind:	Cloud Cover (%)	Precipitation		Calm
22°C Direction: N	30%	None/Dry Drizzle Damp/Fog Rain	2	Smoke Drifts Wind Felt on Face
CALL LEVEL CODES				Leaves in constant motion
Code 1: Calls not simultaneous, r			4	Wind raises dust and paper
Code 2: Some calls simultaneous Code 3: Full chorus, calls continu	s, number of individuals can lous and overlapping, numbe	be reliably estimated or of individuals cannot be relial	oly e	stimated

Station: 3 (pond by woodland) Species In* Qut** **Station Start** AMTO 1:24 (475745 4752798) BCFR BULL Time (24 hr): **CHFR Background CGTR** Noise Code (1-4): **FOTO** AMTO **GRTR GRFR** T - nink MIFR NLFR Signtly affecting sampling (e.g., distant traffic dog barking, car passing) PIFR Moderately affecting sampling (e.g., distant traffic, 2-5 cars passing) SPPE WOFR Seriously affecting sampling (e.g., contraffic nearby 6-10 cars passing) Check if species is calling from inside 100-metre station area. ** Check if species is calling from outside 100-metre station area. 100m 100m



Appendix H

Snake Survey Data



Table 1: 46666-100 Topping Lands 2020 Common Snake Board study

	20-May		Te	mp:	14	Wii	nd: ~3	5km/hr	S	Clouds (%): 20 Boards	Time	e: 10:15-11:15
Date	Species	1	2	3	4	5	6 7	8	9	10 11 12 13	14 SUM	Comments
20/5/2020	E Milksnake										0	Large E. Gartersnake incidentally
	Dekay's										0	encountered in the field near board 14.
	E Gartersnake										0	Crayfish under board 5
	Mammals	1	1							1	4 7	1
	Other					1					1	1
	25-May		Te	mp:	23	Wii	nd: ~1	0km/hr	E	Clouds (%): 20 Boards	Tim	ne: 9:15-10:00 Observer: Imm
Date	Species	1	2	3	4	5	6 7	8	9	10 11 12 13	14 SUM	Comments
25/5/2020	E Milksnake										0	
	Dekay's										0	1
	E Gartersnake										0	1
	Mammals	1					1				2	1
	Other										0	1
	1 1										•	1
	28-May		Те	mp:	22	Wii	nd: ~2	5km/hr	S	Clouds (%): 35 Boards	Time	e: 17:20-18:05 Observer: Imm
Date	Species	1	2	3	4	5	6 7	8	9	10 11 12 13	14 SUM	Comments
28/5/2020	E Milksnake										0	1
	Dekay's										0	1
	E Gartersnake										0	
	Mammals									1	3 4	
	Other										0	
•												•
	2-Jun		Те	mp:	16	Wii	nd: ~1	5km/hr	S	Clouds (%): 0 Boards	Time	e: 10:30-11:15 Observer: Imm
Date	Species	1	2	3	4	5	6 7	8	9	10 11 12 13	14 SUM	Comments
2/6/2020	E Milksnake										0	No animals observed
	Dekay's										0	1
	E Gartersnake										0	1
	Mammals										0	
	Other										0	1
												•
	4-Jun		Te	mp:	22	Wir	nd: ~10)km/hr \	N	Clouds (%): 0 Boards	Tim	ne: 9:30-11:00 Observer: Imm
Date	Species	1	2	3	4	5	6 7	8	9		14 SUM	Comments
4/6/2020	E Milksnake										0	1
	Dekay's										0	1
	-									4		 1
	E Gartersnake									1	1	
	E Gartersnake Mammals					1				1	1 1	-
						1				1		
	Mammals					1				1	1	-
	Mammals		Te	mp:	24		nd: ~1	0km/hr	s	Clouds (%): 15 Boards	0	e: 20:00-22:00
Date	Mammals Other	1	Te	mp:	24		nd: ~1 6 7		S 9	Clouds (%): 15	1 	
Date 8/6/2020	Mammals Other 8-Jun	1				Wii				Clouds (%): 15 Boards	1 	
	Mammals Other 8-Jun Species	1				Wii				Clouds (%): 15 Boards	1 0 Time 3 14 SUM	Comments
	Mammals Other 8-Jun Species E Milksnake	1				Wii				Clouds (%): 15 Boards	1 0 Time 3 14 SUM 0	Comments One deceased eastern gartersnake
	Mammals Other 8-Jun Species E Milksnake Dekay's	1				Wii				Clouds (%): 15 Boards	1 0 Time 3 14 SUM 0 0	Comments One deceased eastern gartersnake

	11-Jun		Te	mp:	17	Wi	ind:	~35k	m/hr	W		ouds	s (%): s	60	Tin	ne: 9:20-9:55	Observer: Imm
Date	Species	1	2	3	4	5	6	7	8	9				13	14 SUM		Comments
11/6/2020	E Milksnake														0	No Animals Ob	oserved
	Dekay's														0		
	E Gartersnake														0		
	Mammals														0		
	Other														0	1	
	15-Jun		Te	mp:	20	V	/ind:	~5k	m/hr	E		loud:	s (%) s	: 0	Time	e: 17:00-18:15	Observer: Imm
Date	Species	1	2	3	4	5	6	7	8	9	10	11	12	13	14 SUM		Comments
15/6/2020	E Milksnake					Х									0		yed by farm implement, not
	Dekay's					Х									0	replaced	
	E Gartersnake					Х									0		
	Mammals		2	1	1	Х	1	1						2	8		
	Other					Х									0		
	18-Jun		Te	mp:	23	V	/ind:	~5k	m/hr	E		loud	s (%) s	: 0	Tim	ne: 9:45-11:15	Observer: Imm
Date	Species	1	2	3	4	5	6	7	8	9			12	13	14 SUM		Comments
18/6/2020	E Milksnake					Х									0		
	Dekay's					х									0		
	E Gartersnake					х									0		
	Mammals		1	1	1	Х							1		4		
	Other					Х									0	1	
То	tal Snakes	1	2	3	4	5	6	7	8	9	10	11	12	13	14 SUM		
	E Milksnake	0	0	0	0	0	0	0	0	Ō	0	0	0	0	0 0		
	Dekay's	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	•	
i	-			_	<u>٠</u>	٥	٥	٥	٥	-	+	4	٥	٥		-	
ı	E Gartersnake	0	0	0	U	U	U	U	U	U	0	7	U	U	2 3		

Appendix I

Bat Habitat Assessment Data



Appendix B - Suitable Maternity Roost Trees for Little Brown Myotis/Northern Myotis

Include all <u>live and dead</u> standing trees ≥10cm dbh with loose or naturally exfoliating bark, cavities, hollows or cracks.

Project Name: Topeing Lands

Survey Date(s): May 1/8

Site Name:

Observers(s): LM WH

ELC Ecosite:

Snag Density (snags/ha):

Tree #	Tree Species ID	dbh (cm)	Height Class ²	Snag attributes (check all that apply)	Easting	Northing	Notes
	Barryood	65	2	☐ cavity³ ☐ loose bark☐ crack ☐ knot hole☐ other snag within 10m?☐ Decay Class 1-3?4	445244	4753260	
v	Ash dad	RS	み .	☐ cavity ☐ foose bark☐ crack☐ knot hole☐ other snag within 10m?☐ Decay Class 1-3? 4	475212	4753358	
3	11	Ão,	3.	☐ cavity ☐ foose bark☐ crack☐ knot hole☐ other snag within 10m?☐ Decay Class 1-3?☐	475212	4753377	
4	redak	123	2	☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?	475305	4753403	
5	Sugar maple	100	4.	☑∕cavity ☐ loose bark ☐ crack ☑∕knot hole ☐ other snag within 10m? ☐ Dècay Class 1-3? 4	475226	4753436	
0	beech	00 100	2	☐ cavity ☐ foose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?	(24,25)	4753966	
4	Baromood	65	3	Decay Class 1-3?	475290	4753477	1 butterfig
4	red	134	2	☑ cavity ☑ loose bark □ crack □ knot hole □ other snag within 10m? ☑ Decay Class 1-3?	475 376	4753570	
9	Silver maple	50t	2	☐ cavity ☐1oose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐1Decay Class 1-3?	475260	4753763	in swamp
(0)	Lugan	85	3	☐ cavity ☐ loose bark ☐ crack ᡚ knot hole ☐ other snag within 10m? ☑ Decay Class 1-3?	475228	4753552	

² Height Class: 1 = Dominant (above canopy); 2 = Co-dominant (canopy height); 3 = Intermediate (just below canopy); 4 = suppressed (well below canopy) The approx. height of the cavity should be noted. Note that cavities with an entrance near the ground may also be used by bats if they are "chimney-like".

Decay Class: 1 = Healthy, live tree; 2 = Declining live tree, part of canopy lost; 3 = Very recently dead, bark intact, branches intact



28/2-

Survey Date(s): Moy9//8

Appendix B – Suitable Maternity Roost Trees for Little Brown Myotis/Northern Myotis

Project Name: Topping Lands

Include all <u>live and dead</u> standing trees ≥10cm dbh with loose or naturally exfoliating bark, cavities, hollows or cracks.

. Si	ite Name:				Observe	ers(s): LM WI+	
Е	LC Ecosite:				Snag Do	ensity (snags/ha):	
Tree #	Tree Species ID	dbh (cm)	Height Class ²	Snag attributes (check all that apply)	Easting	Northing	Notes
APELMAN	su son	90	2	☐ cavity³ ☐ Joose bark☐ crack ☐ knot hole☐ other snag within 10m?☐ Decay Class 1-3?⁴	475/84	4753535	7
				☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?	_		•
		,		☐ cavity ☐ loose bark☐ crack ☐ knot hole☐ other snag within 10m?☐ Decay Class 1-3?			
			,	☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?			
				☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?			
ť.				☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?		;	
		1		☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?			
				☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?			
•				☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m? ☐ Decay Class 1-3?			
				☐ cavity ☐ loose bark ☐ crack ☐ knot hole ☐ other snag within 10m?		,	·

² <u>Height Class</u>: 1 = Dominant (above canopy); 2 = Co-dominant (canopy height); 3 = Intermediate (just below canopy); 4 = suppressed (well below canopy)

³ The approx. height of the cavity should be noted. Note that cavities with an entrance near the ground may also be used by bats if they are "chimney-like"

Decay Class: 1 = Healthy, live tree; 2 = Declining live tree, part of canopy lost; 3 = Very recently dead, bark intact, branches intact

Appendix J

Headwater Drainage Feature Assessment Data



	BMT	E	Project: Date: Collector(s):	460 An	e finished: 916 () Co		Project Ma	anager: Visit #:	urs:	
WEATH	HER CONDITIONS						WIND SCA	LE		
Temp.	Wind:	19km/h	Cloud Cover (%)	Precipi		_				
12	Direction:	S	50	Today:		1	Smoke Drif			
DATA	CARLIE	O		Yesterd	yeل: الإول	2	Wind Felt o		matia_	
DATA	Birds 12_ Mig		ELC's		Dripline/Tree Survey	3				
	Mammals		Floral V_S_A	1	Aquatic - Physical	5	Small trees		d paper	
	Amphibians 1_ 2_ 3_		Wetland	_	Aquatic - Biological	6	Large brand		av	
	Reptiles		Butternut (BHA)		Faunal Habitat	7	Lots of resis			king into
	Inverterbrates		other SAR		Other - see notes	8	Limbs breal	king off t	rees	
	RES (with GPS co-ordi	nates wi	nere applicable)				Mapped		ow-up R	
	ade Structures:				None observed		UTM	Yes	No	Who
Yes No		W 01 /								
무슨	Barns/Footings/Wells/	other(list)							
$H \Rightarrow$	Rock Piles					_				
Natural	Garbage Vegetation:				None observed	-				
LIIX	Fallen Logs outside w	nods (#'s	Y		_ 140/10 observed	_				
	Brush Piles	oodo (m o	/							
HX	Snags (raptor perch)									
	Tree Cavities (nesting)								
	Sentinel Trees									
	Butternut Identified									
1 ×	Mast Trees (6E)		Berry Shrubs (6E)							
Wildlife	Features:				None observed					
H ×	Waterfowl nesting (lar									
$H \otimes$	Exposed Banks (nesting Stick Nests	ig swallo	ws)							
HR	Animal Burrows (>10c	m)								
H	Heronry					-				
日家	Crayfish mounds					$\overline{}$				
X	Sand/gravel on site									
V	Marsh/open country/sh	rub								
1	Winter Deer yards									
7	Corridor from pond to									
	Bat corridor (shoreline									
Amiro	Bat hibernacula (caves	, mines,	crevices, etc.)							
Aquatic	Features: Perm. pond in woodlar	d []	morganto/submass	to/loss	- Lamon	_				
\bowtie	Perm. pond in woodlar		emergents/submerger emergents/submergen		temp.	-				
X		pools	flowing d		temp.					
	Waterways flow		dry pools	1						
	natural stream									
5	swale				None observed					

Inverterbrates other S EATURES (with GPS co-ordinates where ap		- see notes 8	Limbs break Mapped	Folk	ow-un E	eg'd
lan-made Structures:		observed	UTM	Yes	No	Who
es No.		E-10-10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-				
Barns/Footings/Wells/other(list)						
Rock Piles						
☐ ☐ Garbage			7			
atural Vegetation:	None	observed				
Fallen Logs outside woods (#'s)						
Brush Piles						
Snags (raptor perch)						
Tree Cavities (nesting)						
Sentinel Trees						
Butternut Identified						
Mast Trees (6E) Berry S	Shrubs (6E)		1			
/ildlife Features:		observed			-	
Waterfowl nesting (large #'s, # of spec	ies)					
Exposed Banks (nesting swallows)						
Stick Nests						
Animal Burrows (>10cm)						
Heronry						
Crayfish mounds						
Sand/gravel on site						
Marsh/open country/shrub						
Winter Deer yards	MANAGE OF BY					
Corridor from pond to woods (ampibiar						
Bat corridor (shorelines, escarpments) Bat hibernacula (caves, mines, crevice			4	-		
quatic Features:	s, etc.)					1
The state of the s	nts/submergents/logs	tomn	-			
	nts/submergents/logs	temp.				
Water in woodland pools fle	owing dry	Lemp.				
Waterways flowing dry	pools		1			
natural stream	П			1		
Nswale	None None	observed				
Sopen drain	*	22001700				
Seeps/Springs						*
cidental Observations/Notes:	1.1					
						(A)
INCA VIII+ 1						7
17-12-1-1						
Saw a male mallow	\		5 = 1			
			V =			1
			1			

	Unconstrained Headwater	Drainage Feature Assessment
Date (yyyy/mm/dd): 2	0 2 4 0 4 2 Z Project# 46666	Recorder/Crew: Vs +Eh
Stream Name:	Stream Code: HDP 1	Site Code: Reach
Site Limits:	Upstream WP# 475257 WP# 4753737	Field Assessment: Sample 1 Unconnected HDF: Sample 2 Not connected to
Direction of Assessment	□ Upstream → □ Do	ownstream Sample 3 downstream network
Flow Influence	☐ Freshet (1)	☐ Spate (2) ☐ Baseflow (3)
Flow Condition	Dry (1) Standing Water (2)	Interstitial Flow (3) Substantial Flow (5)
Feature Type	□ Defined Natural Channel (1)	Mo Defined Feature (4) ☐ Swale (7)
	☐ Channelized or Constrained (2)	☐ Tiled Feature (5) ☐ Roadside Ditch (8)
	☐ Multi-thread (3)	☐ Wetland (6) ☐ Pond (9)
Feature Vegetation	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)
Riparian Vegetation		
0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)
1.5 - 10 m Left Bank	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)
Right Bank	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)
Channel Gradient (S4.N		aser Level (3) Survey Level (4) Other (5) LiDAR (6)
Distance (m): 5	Clay (Hard Pan) Silt Sand (0.00	
Sub-Dominant Substrat	te (S2.M3)	
Feature Roughness	☐ < 10% Minimal (1) ☐ 10 - 4	0% Moderate (2) 40 - 60% High (3) > 60% Extreme (4)
Width Measurement	Can't Measure (1) Bankfull (2)	Mean Width (3) Estimated (4) GIS (5) Measure/GIS (6)
Channel Dimensions	Feature Width (m):	Bankfuli Depth (mm)
Entrenchment Tot	tal: 🔲 >40 m 🔽 <40 m Left Bank	m Right Bank m Total width m
Surface Flow Method	Perched Culvert (1) Hydraulic	Head (2) Distance by Time (3) Estimated (4)
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (m 1 2 3 1 2	m) Volume (L) Distance (m) Time (s) 3 1 2 3 1 2 3
9.3	78 83 97 00 0	
Sediment Transport	Adjacent None (1) Rill (2) Sheet Erosion (6) Feature None (1) Rill (2) Sheet Erosion (6)	☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8)
Sediment Deposition	Measures (mm):	Manage Control of the
None (1)	Minimal: < 5 mm (2) Moderate: 5-30 mm (3	3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)

1 5	*			
3510	yyyy/mm	/dd	Uncons	strained Headwater Drainage Feature Assessment Pg. 2 of 2
ite:	20200	42 Proje	ect#. 4666	6-10○ Field Assessment Sample #1 Sample #2 Sample #3
7.0				POINT FEATURE DATA
sh Ba	rrier Measure	ments: WP#		Perched Height (mm): Jumping Height (mm):
		WP#		Perched Height (mm): Jumping Height (mm):
	water Indica			Vatercress Seepage Bubbling Stained Other.
h Co	llection	\vee	Absent P	Present Comment:
owner.	M			
P#	Photo #	Code	Category	Description
_				
al idi	onal Notes			
Kaiti	Orial Notes	*		
- \	Water	Comir	in from	Swans community that's completely flooded
			1 .1	,
e manuf		emplification (State		TO STATE OF THE ST
	eak 🗆	Feature Typ		
gge	r <u>∟⊻</u> Oata	Other: Con	Ongoing and A	
tego			No Evidence (4	A PORT OF THE PORT
DESCRIPTION OF THE PERSON NAMED IN	DATA KEY:		2102100100	
				5 Vsec; measure temp of bank where seepage occurs
			surface area occu	
				er feature flow. Estimate volume <0.5 Vsec or >0.5 Vsec. Measure temperature.
			now status as per ched height and ju	feature flow, Estimate volume to be <0.5 Vsec or >0.5 Vsec.
			perched height and	
		to fish movem		
				outlet or industrial discharge pipe). nour stone, or gabion baskets.
				perched. If perched record perched height and jumping height.
	Flow transition	on point D/S - f	low condition chai	nges from dry to standing water, independent of segment break
	Flow transition	on point M/S-fl	ow condition char	nges from minimal to substantial surface flow, independent of segment break
			- now condition cr ish sampling activi	hanges from dry/standing water to interstitial flow, independent of segment break ities
	Potential nut	rient source		
	Dredging of a Offline pond	channel		
	Other			

M	Unconstrained Headw	ater Drainage Feature Assessment
Date (yyyy/mm/dd): 2	7 2 6 0 4 2 2 Project #. 46	(QOG-CO) Recorder/Crew: VS + CR
Stream Name:	Stream Code: 1+1	OF Site Code: Reach 2
Site Limits:	Upstream Downstream WP# 475-270 WP# 475-270	Field Assessment: Sample 1 Unconnected HDF: Sample 2 Not connected to
Direction of Assessment:	□ Upstream □	□ Downstream □ Sample 3 downstream network
Flow Influence	☐ Freshet (1)	☐ Spate (2) ☐ Baseflow (3)
Flow Condition	Dry (1) Standing Water (2)	☐ Interstitial Flow (3) ☐ Substantial Flow (5) ☐ Minimal Flow (4)
Feature Type	 □ Defined Natural Channel (1) □ Channelized or Constrained (2) □ Multi-thread (3) 	☐ No Defined Feature (4) ☐ Swale (7) ☐ Tiled Feature (5) ☐ Roadside Ditch (8) ☐ Wetland (6) ☐ Pond (9)
Feature Vegetation	□ None (1) □ Lawn (2) □ Cropped	(3) Meadow (4) Scrubland (5) Wetland(6) Forest (7)
Riparian Vegetation	/	
0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped □ None (1) □ Lawn (2) □ Cropped	
1.5 - 10 m Left Bank Right Bank	□None (1) □ Lawn (2) □ Cropped □None (1) □ Lawn (2) □ Cropped	
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped □ None (1) □ Lawn (2) □ Cropped	
Channel Gradient (S4.I	M7) Usual (1) Clinometer (2)	Laser Level (3) Survey Level (4) Other (5) LiDAR (6)
Distance (m): 5	Elevation Elevation	n (cm): Gradient (°):
Dominant Substrate (S.		d (0.06-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock
Sub-Dominant Substra	te (S2.M3)	
Feature Roughness	☐ < 10% Minimal (1)	10 - 40% Moderate (2) 40 - 60% High (3) > 60% Extreme (4)
Width Measure ment	Can't Measure (1) Bankfull (2)	Mean Width (3) Estimated (4) GIS (5) Measure/GIS (6)
Channel Dimensions	Feature Width (m): 45m	Bankfull Depth (mm) - 99 (too much sectionent)
Entrenchment To	ital: 🔲 >40 m 🔲 <40 m Left Bank	m Right Bank m Total width m
Surface Flow Method	Perched Culvert (1)	raulic Head (2) Distance by Time (3) Estimated (4)
Wetted Width (m)	Wetted Depth (mm) Hydraulic hea	ad (mm) Volume (L) Distance (m) Time (s)
- 99 Cannot Sufery Me aswe Sediment Transport	- taken near the edge of	Country (1) Country (2) Country (3) Gully (4) Outlet Scour (5) Instream Bank Erosion (7) Other (8)
Sediment Deposition None (1)	Measures (mm): Moderate: 5-30	mm (3)

***	yyyy/mm				eadwater D	rainage Fe	eature Assessm	ent	Pg. 2	2 of 2
Date:	20240	42 Proje	ect#. 4666	4-101	Field	l Assessment	Sample #1	Sample	#2	Sample #3
		sville (Legy)		PO	INT FEA	TURE DA	TA			
Ground	arrier Measure dwater Indicat	WP#	None U	Perched Heigh Perched Heigh Watercress Present			g Height (mm): g Height (mm): gStained	Other:	- Wiles - John	
WP#	Photo #	Code	Category		200021W0244-000		Description			
										···
	onal Notes	,								
Site Br Trigge	W	Feature Type Other: Com	ASSAULT TO THE REAL PROPERTY.	ure Modifier		Conditions	Feature Vege	itation [Riparian Veg	etation
Point C)ata	Outor. Con	Ongoing and A			ric Evidence (2 own (5)	2) Reported but	No Evidence	(3)	
A B C D E F G H I J K L M N O P Q	Seepage area Watercress - (Outlet (tile or of Inlet (tile or of Beaver dam - Manmade dar Other barrier (Potential cont Channel hard Culvert - note Flow transitior Flow transitior	- measure or estimate total sother) - record filmeasure perconsistency of fish movementation sour ening - indicate type, size and a point D/S - file point D-S/IF-during non-fisent source	ow status as per hed height and ju erched height and ent rce (storm sewer ed by rip-rap, arm I whether or not p ow condition char ow condition char	of bank where supied or feature flow. I feature flow. Estimping height diumping height outlet or industingur stone, or goerched. If perclinges from dry trages from dry trages from dry dry trages from dry trages from dry trages from dry dry trages from dry trages from dry trages from dry dry	seepage occurs Estimate volume stimate volume ht trial discharge p jabion baskets. hed record perc to standing wate mal to substantia	to be <0.5 Vsec ipe). hed height and r, independent o al surface flow, i		ent break		

Unconstrained Headwater Drainage Feature Assessment								
Date (yyyy/mm/dd): 2 d	0240423Project#: 4666	6-100 Recorder/Crew: V5 + ER						
Stream Name:	Stream Code: HDF1	Site Code: Reach 3						
Site Limits:	Upstream Downstream WP# 475320 WP# 475320	Field Assessment: Sample 1 Unconnected HDF:						
Direction of Assessment		ownstream Sample 3 downstream network						
Flow Influence	Freshet (1)	☐ Spate (2) ☐ Baseflow (3)						
Flow Condition	Dry (1) Standing Water (2)	☐ Interstitial Flow (3) ☐ Substantial Flow (5) ☐ Minimal Flow (4)						
Feature Type	☐ Defined Natural Channel (1)	☑ No Defined Feature (4) ☐ Swale (7)						
	☐ Channelized or Constrained (2)	☐ Tiled Feature (5) ☐ Roadside Ditch (8)						
	Multi-thread (3)	Wetland (6) Pond (9)						
Feature Vegetation	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)						
Riparian Vegetation								
0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
1.5 - 10 m Left Bank	□None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
Right Bank	None (1) Lawn (2) Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
	7 0 11 0							
Channel Gradient (S4.M	M7) ☑ Visual (1) ☐ Clinometer (2) ☐ La	aser Level (3) Survey Level (4) Other (5) LiDAR (6)						
Distance (m): 5	Elevation (cm)	Gradient (°):						
Dominant Substrate (S2	Clay (Hand Pan) Silt Sand (0.06	6-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock						
Sub-Dominant Substrat	te (S2.M3) 🗆 🗹 🗹							
Feature Roughness	< 10% Minimal (1)	0% Moderate (2) 40 - 60% High (3) > 60% Extreme (4)						
Width Measurement	Can't Measure (1) Bankfull (2)	Mean Width (3) Estimated (4) GIS (5) Measure/GIS (6)						
Channel Dimensions	Feature Width (m):	Bankfull Depth (mm)						
Entrenchment Tot	tal: 🔲 >40 m 🗹 <40 m Left Bank 🗀	m Right Bank m Total width m						
Surface Flow Method	Perched Culvert (1) Hydraulic H	Head (2) Distance by Time (3) Estimated (4)						
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (mi	m) Volume (L) Distance (m) Time (s)						
No Water	No Water No Water							
Sediment Transport	Adjacent None (1) Rill (2) Sheet Erosion (6) Feature None (1) Rill (2) Sheet Erosion (6)	☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8)						
Sediment Deposition None (1)	Measures (mm):	3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)						

Date:	yyyy/mm	/dd Proje		strained Headwa	ater Drainage Fo	eature Assessr	ment Sample#2	Pg. 2 of 2
Date.		I I I I I I I I I I I I I I I I I I I		POINT	FEATURE DA			
Ground	arrier Measure	WP#	None U	Perched Height (mm): Perched Height (mm):	Jumpir Jumpir pepage Bubblir	ng Height (mm):	Other.	
WP#	Photo #	Code	Category			Description		
Additi	ional Notes	:	<u> </u>					
-1	lo Wo	nter bo	nt ha	1 Woist s	iai H		4	
Site Bi Trigge	_/	or saturo Type	TA .	ure Modifier [Flow Conditions	Feature Veg	jetation Ripa	rian Vegetation
Point I	Data		Ongoing and A	ctive (1)	Historic Evidence	(2) Reported bu	ut No Evidence (3)	
POINT A B C D E F G H I J K L M N O P Q R S	Seepage are: Watercress - Outlet (tile or or Inlet (tile or or Beaver darn - Manmade dar Other barrier Potential con Channel hard Culvert - note Flow transitio Flow transitio	a - measure or estimate total: other) - record fitter) - record fitter) - record fitter) - record fitter measure percorn - measure peto fish movementamination soulening - indicate type, size and n point D/S - fitter point D-S/IF-d during non-fisient source	estimate length of surface area occi- flow status as per own status as per hed height and just are the surface of storm sewer ed by rip-rap, arm I whether or not pow condition chains are condition chains are occident are surfaced by condition chains are occident are surfaced by condition chains are occident are surfaced by condition chains are occident area occident.	er feature flow. Estimate feature flow. Estimate imping height d jumping height outlet or industrial disc nour stone, or gabion be perched. If perched reconges from dry to standinges from minimal to shanges from dry/standinges from dry/stand	te volume <0.5 Vsec or volume to be <0.5 Vse charge pipe).	c or >0.5 Vsec. d jumping height t of segment break , independent of segn	nent breek	

	Unconstrained Headwater Drainage Feature Assessment								
Date (yyyy/mm/dd): 2	0240427 Project#. 466	66 Recorder/Crew: VS + E2							
Stream Name:	Stream Code: HDF I	Site Code: Reach 4							
Site Limits:	Upstream WP# 476367 Downstream WP# 74753(a) V	Field Assessment Sample 1 Unconnected HDF: Sample 2							
Direction of Assessment	. /	Downstream							
Flow Influence	Freshet (1)	☐ Spate (2) ☐ Baseflow (3)							
		Op. 10							
Flow Condition	☑ Dry (1)	Interstitial Flow (3) Substantial Flow (5)							
Feature Type	Standing Water (2) Defined Natural Channel (1)	☐ Minimal Flow (4) ☐ No Defined Feature (4) ☐ Swale (7)							
reature Type	Channelized or Constrained (2)	☐ Tiled Feature (5) ☐ Roadside Ditch (8)							
	☐ Multi-thread (3)	☐ Wetland (6) ☐ Pond (9)							
Feature Vegetation	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)							
Riparian Vegetation	,								
0 - 1.5 m Left Bank	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Welfand (6) ☐ Forest (7)							
Right Bank	None (1) Da Lawn (2) Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)							
1.5 - 10 m Left Bank	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)							
Right Bank	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)							
10 - 30 m Left Bank	□None (1) □ Lawn (2) □ Cropped (3)	☑ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☑ Forest (7)							
Right Bank	□ None (1) □ Lawn (2) □ Cropped (3)								
Channel Gradient (S4.I	M7)	Laser Level (3) Survey Level (4) Other (5) LiDAR (6)							
Distance (m): 5	Elevation (ci	m): Gradient (°):							
Dominant Substrate (S.		.06-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock							
Sub-Dominant Substra	te (S2.M3)								
Feature Roughness	/ C < 10% Minimal (1)	40% Moderate (2) 40 - 60% High (3) > 60% Extreme (4)							
Width Measurement	Can't Measure (1) Bankfull (2)	Mean Width (3) Estimated (4) GIS (5) Measure/GIS (6)							
Channel Dimensions	Feature Width (m):	Bankfull Depth (mm)							
Entrenchment To	tal: ☐ >40 m ☐ <40 m Left Bank	m Right Bank m Total width m							
Surface Flow Method	Perched Culvert (1)	c Head (2) Distance by Time (3) Estimated (4)							
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (
No Water	No water No was	3 1 2 3 1 2 3							
	Adjacent None (1) Rill (2)	☐ Rifl and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5)							
Sediment Transport	☐ Sheet Erosion (6)	☐ Instream Bank Erosion (7) ☐ Other (8)							
2.0	Feature None (1) Rill (2) Sheet Erosion (6)	☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8)							
Sediment Deposition	Measures (mm):								
None (1)	Minimal: < 5 mm (2) Moderate: 5-30 mm	(3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)							

	H		Uncons	trained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	yyyy/mm		ect#.	Field Assessment Sample #1 Sample #2 Sample #3
				POINT FEATURE DATA
Ground	arrier Measure dwater Indicat ollection	WP#	# F	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Vatercress Seepage Bubbling Stained Other resent Comment:
WP#	Photo #	Code	Category	Description
Additi	onal Notes	:	1 -	
			* * * * * * * * * * * * * * * * * * * *	
Site Bı Trigge	ELIEN EN EN	Feature Typ Other: Con	e Feature	re Modifier Plow Conditions Peature Vegetation Riparian Vegetation Water Forst Meadaw Vegetation
Point Catego			Ongoing and Ad No Evidence (4)	stive (1) Historic Evidence (2) Reported but No Evidence (3)
A B C D E F G H I J K L M N O P Q R	Seepage area Watercress - Outlet (tile or of Inlet (tile or of Beaver darn - Manmade dar Other barrier Potential cont Channel hard Culvert - note Flow transition Flow transition	n - measure or estimate total other) - record finesure per measure per measure per fish movem amination souening - indicativpe, size and point D/S - fin point M/S- fin point D-S/IF-I during non-firent source	estimate length of surface area occup if flow status as per fi ched height and junterched height and ent lince (storm sewer of led by rip-rap, armould whether or not per low condition changow condition changow condition changow	refeature flow. Estimate volume <0.5 Vsec or >0.5 Vsec. Measure temperature. eature flow. Estimate volume to be <0.5 Vsec or >0.5 Vsec. mping height jumping height outlet or industrial discharge pipe). our stone, or gabion baskets. exched. If perched record perched height and jumping height. ges from dry to standing water, independent of segment break ges from minimal to substantial surface flow, independent of segment break anges from dry/standing water to interstitial flow, independent of segment break

Unconstrained Headwater Drainage Feature Assessment								
Date (yyyy/mm/dd):	Project#:	Recorder/Crew: Vs + FR						
Stream Name:	Stream Code: HDC	Site Code: Reach 5						
Site Limits:	Upstream WP# 475399 Downstream WP# 4753583	Field Assessment: Sample 1 Unconnected HDF: Sample 2 Not connected to						
Direction of Assessment	1	winstream Sample 3 downstream network						
Flow Influence	☐ Freshet (1)	☐ Spate (2) ☐ Baseflow (3)						
Flow Condition	Dry (1) Standing Water (2)	☐ Interstitial Flow (3) ☐ Substantial Flow (5) ☐ Minimal Flow (4)						
Feature Type	Defined Natural Channel (1)	No Defined Feature (4) Swale (7)						
	☐ Channelized or Constrained (2)	☐ Tiled Feature (5) ☐ Roadside Ditch (8)						
	Multi-thread (3)	Wetland (6) Pond (9)						
Feature Vegetation	None (1) Lawn (2) Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)						
Riparian Vegetation								
0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	Meadow (4)						
1.5 - 10 m Left Bank	□None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
Right Bank	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	Meadow (4)						
Channel Gradient (S4.M	M7) Usual (1) Clinometer (2) La	ser Level (3) Survey Level (4) Other (5) LiDAR (6)						
Distance (m):	Elevation (cm)	: Gradient (°): 1 "						
Dominant Substrate (S2	Clay (Hard Pan) Silt Sand (0.06	6-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock						
Sub-Dominant Substrat	rte (S2.M3)							
Feature Roughness Width Measurement	✓ < 10% Minimal (1)	0% Moderate (2)						
		thre Bankfull Depth (mm) NO defined Feature						
	otal: 340 m 440 m Left Bank	m Right Bank m Total width m						
Surface Flow Method	Perched Culvert (1) Hydraulic H	Head (2) Distance by Time (3) Estimated (4)						
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (mr	m) Volume (L) Distance (m) Time (s)						
1.3	1 2 3 1 2 40 28 35 No Flow	3 1 2 3 1 2 3						
Sediment Transport	Adjacent None (1) Rill (2) Sheet Erosion (6) Feature None (1) Rill (2) Sheet Erosion (6)	☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8)						
Sediment Deposition None (1)	Measures (mm): Moderate: 5-30 mm (3	3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)						

	yyyy/mm						ature Assessr		Pg. 2 of 2
Date:	40240	-122 Proje	ect#. 460	066-100		ald Assessment	Sample #1	Sample #2	Sample #3
Ground	arrier Measure Iwater Indicat	WP#	None	Perched Heigl Perched Heigl Watercress Present	ht (mm):	Jumping	g Height (mm):	Other.	
WP#	Photo #	Code	Category				Description		
		-11							
	4								
Site Br	eak 🗹	Snot Feature Type	in fem	Calcago Lune Modifier	(Noodla rum A	a Field	Hhat J ☑ Feature Veg	The state of the s	<i>Suf∈</i> ∕ rian Vegetation
Trigge Point D		Other: Com	ongoing and A	Active (1)	His	toric Evidence (2) Reported bu	rt No Evidence (3)	
A B C D E F G H J K L	Spring/upwell Seepage area Watercress - Outlet (tile or of Beaver dam - Manmade dan Other barrier Potential cont Channel hard Culvert - note Flow transition	a - measure or estimate total : other) - record fl measure pero m - measure p to fish movement armination sou ening - indicate type, size and moint D/S - fl	ow status as per thed height and j erched height an ent rce (storm sewer ed by rip-rap, arr I whether or not	5 Vsec; measur of bank where upied er feature flow. E umping height id jumping heig routlet or indus nour stone, or g perched. If perc inges from dry l	e temp seepage occur Estimate volum ht trial discharge gabion baskets shed record pe to standing wa	me <0.5 Vsec or > e to be <0.5 Vsec pipe) rched height and j ter, independent o	iumping height. If segment break		

Unconstrained Headwater Drainage Feature Assessment							
Date (yyyy/mm/dd): 2 0 °	240422 Project# 46666	Recorder/Crew: Vs + Ex					
Stream Name:	Stream Code: HDF	Site Code: heach-la					
	stream 7 WP# WP#	Field Assessment: Sample 1 Unconnected HDF: Sample 2 Not connected to					
Direction of Assessment:	☐ Upstream ☐ Dow	rnstream □Sample 3 downstream network					
Flow Influence	Freshet (1)	Spate (2) Baseflow (3)					
Flow Condition	☐ Dry (1) ☐ Standing Water (2)	☐ Interstitial Flow (3) ☐ Substantial Flow (5) ☐ Minimal Flow (4)					
Feature Type	☐ Defined Natural Channel (1) ☐ Channelized or Constrained (2) ☐ Multi-thread (3)	□ No Defined Feature (4) □ Swale (7) □ Tiled Feature (5) □ Roadside Ditch (8) □ Wetland (6) □ Pond (9)					
Feature Vegetation	None (1)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)					
N/	None (1)	□ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7) □ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7)					
	None (1) □ Lawn (2) □ Cropped (3) None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☑ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)					
N. C.	None (1)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)					
Channel Gradient (S4.M7)	☐ Visual (1) ☐ Clinometer (2) ☐ Lase	er Level (3) Survey Level (4) Other (5) LiDAR (6)					
Distance (m): 5	Elevation (cm):	Gradient (°):					
Dominant Substrate (S2.M3	Clay (Hard Pan) Silt Sand (0.06-2	2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock					
Sub-Dominant Substrate (S	(2.M3)						
Feature Roughness Width Measurement	Can't Measure (1) Bankfull (2)	Moderate (2) 40 - 60% High (3) > 60% Extreme (4) Mean Width (3) Estimated (4) GIS (5) Measure/GIS (6)					
Channel Dimensions Feat	ture Width (m):	Bankfull Depth (mm)					
Entrenchment Total:	☐ >40 m	m Right Bank m Total width m					
Surface Flow Method	Perched Culvert (1)	ead (2) Distance by Time (3) Estimated (4)					
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (mm)						
Can't Megin	270 310 240 No FLW						
Adj		☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5)					
Sediment Transport Fea	ature None (1) Rill (2)	☐ Instream Bank Erosion (7) ☐ Other (8) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8)					
Sediment Deposition None (1) Min	Measures (mm):	Substantial: 31-80 mm (4)					


	yyyy/mm/			strained H		_	eature Assessi		Pg. 2 of 2
Date:		Proje	ect #.			d Assessment	Sample #1	Sample #2	Sample #3
				P	OINT FEA	TURE DA	TA		
Ground	arrier Measurer Iwater Indicate	WP#	None 🔲	Perched Hei Perched Hei Watercress Present		Jumpin	ng Height (mm): ng Height (mm): gStained	Other:	
WP#	Photo #	Code	Category				Description		
5.7									
_									
- (Mine	(no	Hanl	teritur	6 (V)	phray	* Shru		
Site Br Trigge	/	Feature Type Other: Com	Feat	ture Modifier	Flov	/ Conditions	Feature Ve	getation Ripar	ian Vegetation
Point C		041011	Ongoing and A		Hist	oric Evidence (2) Reported b	ut No Evidence (3)	
Catego	огу		No Evidence (4)	Unk	nown (5)			
A B C D E F G H I J K L M N O	Seepage area Watercress - e Outlet (tile or of Inlet (tile or of Beaver dam - e Manmade dam Other barrier te Potential conta Channel harde Culvert - note e Flow transition Flow transition	- measure or estimate total softher) - record fluoresure percontent measure percontent measure percontent measure percontent measure percontent movement amination sour ening - indicate type, size and point D/S - fluore point M/S- floore point D-S/IF-during non-fis	surface area occ flow status as per ow status as per hed height and ju erched height an ent rce (storm sewer ed by rip-rap, arm I whether or not pow condition cha bow condition chal	of bank where supied er feature flow, r feature flow, umping heigh ad jumping hei r outlet or indu mour stone, or perched. If pe anges from da nges from min hanges from	e seepage occurs v. Estimate volume t ght strial discharge gabion baskets rched record per v to standing wat nimal to substant	ne <0.5 l/sec or to be <0.5 l/sec pipe). ched height and er, independent ial surface flow,	>0.5 Vsec. Measure c or >0.5 Vsec. I jumping height. of segment break independent of segi low, independent of	ment break	

Unconstrained Headwater Drainage Feature Assessment								
Date (yyyy/mm/dd): 20240	U Q Z Project#. Hable	~ 100 Recorder/Crew:	Vs +ER					
Stream Name:	Stream Code: HDF \	Site Code:	Reach 7					
Site Limits: Upstream Downstream	WP# 475366 WP# 4753480		## Unconnected HDF: □ Sample 2 □ Not connected to					
Direction of Assessment:	Upstream -> Do	wnstream	Sample 3 downstream network					
Flow Influence	shet (1)	Spate (2)	Baseflow (3)					
Flow Condition Dry	(1) nding Water (2)	Interstitial Flow (3) Minimal Flow (4)	☐ Substantial Flow (5)					
☐ Cha	ned Natural Channel (1) nnelized or Constrained (2) ti-thread (3)	No Defined Feature (4) Tiled Feature (5) Wetland (6)	Swale (7) Roadside Ditch (8) Pond (9)					
Feature Vegetation None (1)	Lawn (2) Cropped (3)	☐ Meadow (4) ☐ Scrubland (5						
Riparian Vegetation	/							
0 - 1.5 m Left Bank None (1) Right Bank None (1)	Lawn (2) Cropped (3) Lawn (2) Cropped (3)	☐ Meadow (4) ☐ Scrubland (5 ☐ Meadow (4) ☐ Scrubland (5						
1.5 - 10 m Left Bank ☐ None (1) Right Bank ☐ None (1)	Lawn (2) Cropped (3) Lawn (2) Cropped (3)	☐ Meadow (4) ☐ Scrubland (5 ☐ Meadow (4) ☐ Scrubland (5						
10 - 30 m Left Bank ☐ None (1) Right Bank ☐ None (1)	□ Lawn (2) □ Cropped (3) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5 ☐ Meadow (4) ☐ Scrubland (5	· _ · · · · _ · · · · · · · · · · · · ·					
Channel Gradient (S4.M7)	al (1) Clinometer (2) Las	ser Level (3) Survey Level (4)	Other (5) LiDAR (6)					
Distance (m): 5	Elevation (cm)		Gradient (°):					
Clay Dominant Substrate (S2.M3)	(Hard Pan) Silt Sand (0.06	G-2 mm) Gravel (22-66 mm) Cobbi	le (67-249 mm) Boulder (250 mm) Bedrock					
Sub-Dominant Substrate (S2.M3)								
Feature Roughness	< 10% Minimal (1) 10 - 40	0% Moderate (2) 40 - 60% Hig	gh (3)					
Width Measurement Can't Mea		Mean Width (3) Estimated (4						
Channel Dimensions Feature Width (m):	Bankfull Depth (mm)						
Entrenchment Total: >4(0 m ☑ <40 m Left Bank —	m Right Bank	m Total width m					
Surface Flow Method Perched	Culvert (1) Hydraulic H	lead (2) Distance by Time	(3) Estimated (4)					
Wetted Width (m) Wetted D	epth (mm) Hydraulic head (mr	n) Volume (L) 3 1 2 3	Distance (m) Time (s) 1 2 3 1 2 3					
NO de fined Adjacent	Fed two		ully (4) Outlet Scour (5)					
Sediment Transport Feature	Sheet Erosion (6) None (1) Rill (2) Sheet Erosion (6)	☐ Instream Bank Erosion (7)	Other (8) Ully (4) Outlet Scour (5) Other (8)					
Sediment Deposition Measu	ures (mm):							
None (1) Minimal: < 5 m	m (2) Moderate: 5-30 mm (3)	Substantial: 31-80 mm (4)	Extensive: > 80 mm (5)					

	yyyy/mm	/dd	Uncon	strained Headw	ater Dra	ainage Fe	ature Assessr	nent	Pg. 2 of 2
Date:	20240		ect#.		Field A	ssessment	Sample #1	Sample #2	Sample #3
				POINT	FEAT	URE DA	TA		
Ground	arrier Measure dwater Indica bllection	WP#	None				Height (mm): Height (mm): Stained	Other:	
WP#	Photo #	Code	Category				Description		
	onal Notes		forly there -	- Some	Wetk	2011	Λε. Δε.	C 1 GI	
_	Point	La	1 fe ch . M. Z	Sorre	OUET 1	UKJ (along Ag	halm foll	aven
Site Br	eak 🔯	Feature Type	F. C.	ure Modifier [onditions	Feature Veg	etation Ripa	rian Vegetation
Trigge Point I		Other: Con	Ongoing and A			Evidence (2) Reported by	It No Evidence (3)	
Catego			No Evidence (Unknov		, reported be	2110211001100 (0)	
POINT	DATA KEY:								
B C D E F G H I J K L M N O P Q	Seepage area Watercress - Outlet (tile or Inlet (tile or of Beaver dam - Manmade dan Other barrier Potential cont Channel hard Culvert - note Flow transition	a - measure or estimate total other) - record finer) - record finessure percon - measure peto fish movem amination sou ening - indicate type, size and point D/S - fin point M/S- fin point D-S/IF-1 during non-fisent source	estimate length surface area occ flow status as perched height and perched height and ent led by rip-rap, and whether or not low condition chalow c	er feature flow. Estimate in feature flow. Estimate in feature flow. Estimate in feature flow, in feature fl	ge occurs ate volume to scharge pipe baskets. cord perche ding water, substantial s	be <0.5 l/sec a). d height and j independent of surface flow, in	or >0.5 Vsec. umping height. If segment break ndependent of segm	nent break	
	Offline pond Other								

	Und	onstraine	ed Headwater	Drain	ige Feature	Assess	ment	
Date (yyyy/mm/dd): 2	PPDPSC	27 Projec	t#. [4666	e6-100	Recorder/Cre	ew:	VS +ER	
Stream Name:		Stream	n Code: HDC		Site Code:		Reach.	X
Site Limits:	Upstream Downstream	-	75337	\exists^{E}	Field Assess	ment: 🔯	Sample 1	Unconnected HDF:
Direction of Assessment:		Upstrea	am Do	ownstream]Sample 3	downstream network
Flow Influence	☐ Freshet ([1)	-	□ S	pate (2)		☐ Bas	seflow (3)
11	/				• •			
Flow Condition	Dry (1)				terstitial Flow (3)		☐ Sul	ostantial Flow (5)
	☐ Standing		-1 (4)		nimal Flow (4)	(4)		-1- (7)
Feature Type		Natural Chann	• •		Defined Feature	(4)		ale (7)
	☐ Channeli ☐ Multi-thre	zed or Constra	ained (2)		ed Feature (5)		-	adside Ditch (8)
Feature Vegetation			Cropped (3)		etland (6) eadow (4) S	orubland (6)		nd (9) Forest (7)
reature vegetation	☐ None (1) ☐	1 Lawn (2)	Cropped (3)	LI IVI	Sadow (4) La S	crubianu (3)	L Wedaild(C	i dest(i)
Riparian Vegetation								2
0 - 1.5 m Left Bank	☐ None (1) ☐	Lawn (2)	Cropped (3)	В М	eadow (4) 🗖 S	crubland (5)	☐ Wetland (6	6)
Right Bank	☐ None (1) ☐	Lawn (2)	Cropped (3)	☐ M	eadow (4) 🗖 S	crubland (5)	■ Wetland (6)
1.5 - 10 m Left Bank	None (1)	Lawn (2)	Cropped (3)	Пм	eadow (4) 🔲 S	crubland (5)	☐ Wetland (6)
Right Bank	□ None (1) □		Cropped (3)			crubland (5)	☐ Wetland (
10-30 m Left Bank	□ None (1) □	Lawn (2)	Cropped (3)		• • • —	crubland (5)	•	11
Right Bank	□ None (1) □	Lawn (2)	Cropped (3)		eadow (4) 🔲 S	crubland (5)	☐ Wetland (6)
Channel Gradient (S4.	17)) Clinon	neter (2)	aser Level	(3) Survey	Level (4)	☐ Other (5)	LiDAR (6)
Distance (m):			Elevation (cm)	: =		-	Gradient	(°):
Dominant Substrate (S.	Clay (Ha 2.M3)	rd Pan)	Silt Sand (0.0	6-2 mm)	Gravel (22-66 m	m) Cobble	(67-249 mm) E	Boulder (250 mm) Bedrock
Sub-Dominant Substra	te (S2.M3)	J				1		
Feature Roughness	/ D<1	0% Minimal (1) 10-4	0% Mode	ate (2) 140) - 60% High	(3)	> 60% Extreme (4)
Width Measurement	Can't Measure	`	Bankfull (2)			stimated (4)		Measure/GIS (6)
Channel Dimensions	Feature Width (m):				Bankfull Dep	oth (mm)		
Entrenchment To	tal:	 ✓ 4 0 m	Left Bank		m Right Bank		m Tota	width m
Surface Flow Method	Perched Culve	ert (1)	Hydraulic	Head (2)	☐ Distanc	e by Time (3	s) [Estimated (4)
Wetted Width (m)	Wetted Depth	ı (mm)	Hydraulic head (m	m) 3	Volume (L)	3	Distance (m)	Time (s)
Dry	Dry		Dry	<u>ו</u> ב		Ì		
	Adjacent \(\sqrt{2}	None (1)	☐ Rill (2)	☐ Ril	and Gully (3)	☐ Gul	y (4) 🔲 O	utlet Scour (5)
Sediment Transport	´ 🗖	Sheet Erosion	n (6)	☐ Ins	ream Bank Erosio	on (7)		ther (8)
		None (1)	☐ Rill (2)		and Gully (3)	☐ Gul		utlet Scour (5)
		Sheet Erosion	1 (6)	☐ Ins	ream Bank Erosio	on (7)		ther (8)
Sediment Deposition	Measures	(mm):				100		
None (1)]M inimal: < 5 mm (2) <u> </u>	foderate: 5-30 mm (3)	Substantial: 31-8	80 mm (4)	Extensive	e: > 80 mm (5)

	yyyy/mm	/dd	Uncons	strained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ect #.	Field Assessment Sample #1 Sample #2 Sample #3
				POINT FEATURE DATA
Ground	nrier Measure water Indicat	WP#	None	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
Additi	onal Notes			
-	Unable	60	locate	the mapped foreture. Some wet law sport
Wh		he Co	eal we	is suprated to be. No obvious connections
Site Br Trigge	eak 🔲	Feature Typ Other: Con		ure Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Point C	ata	04,011	Ongoing and A	
A B C D E F G H I J K L M N O P G R	Seepage area Watercress - Outlet (tile or of Inlet (tile or of Beaver dam - Manmade dar Other barrier of Potential cont Channel hard Culvert - note Flow transition Flow transition	n - measure or estimate total other) - record feet) - record feet) - record feet measure per to fish movem amination south type, size and point D/S - fleet point D-S/IF-1 during non-freent source	estimate length surface area occ diflow status as perched height and perched height and perched height and perched height areat set by rip-rap, are diwhether or not low condition chalow	er feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I foature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I foature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I foature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume flow. I feature flow. E



GENERAL SITE INFORMATION FIELD SHEET

	BMT	F	Project: Date: Collector(s):	[V	ne finished: Co	mh	Project Ma	Visit #:		
-			NHIC List	MN	R EO's none		not provid			
	IER CONDITIONS			1-	V.		WIND SCA	LE		
Temp.	Wind:	5.12	Cloud Cover (%)	Preci	pitation y: NGC		Calm Smoke Drift	ts		
23	Direction:	FW7	15		erday:	0	and the Control and a first			
DATA F	ocus			1.55.			Leaves in c	onstant i	motion	
	Birds 1 2 Mig		ELC's	-/	Dripline/Tree Survey	_	Wind raises		d paper	
	Mammals		Floral VSA_	V	Aquatic - Physical		Small trees			
	Amphibians 1_2_3_		Wetland	-	Aquatic - Biological Faunal Habitat		Large brand Lots of resis			kina into
	Reptiles Inverterbrates		Butternut (BHA) other SAR		Other - see notes		Limbs break			King into
FEATU	RES (with GPS co-ord	inates			Ottlei - see notes	-	Mapped		ow-up R	eq'd
	ade Structures:	iliates v	mere applicable)		None observed		UTM	Yes	No	Who
Yes No										
	Barns/Footings/Wells	/other(li	st)							
	Rock Piles									
$\sqcup \sqcup$	Garbage				Ness sheeped					
Natural	Vegetation:	d . (H	20)		None observed	-				-
	Fallen Logs outside v Brush Piles	7000S (#	3)							
HE	Snags (raptor perch)							1		
HE	Tree Cavities (nesting	a)						1		
	Sentinel Trees									
	Butternut Identified									
	Mast Trees (6E)		Berry Shrubs (6E)		Managharanad					
Wildlife	Features:		u • Coroleus		None observed			-		
\vdash	Waterfowl nesting (la					_			-	-
H=	Exposed Banks (nest Stick Nests	ing swa	llows)							
HH	Animal Burrows (>10	cm)								
(m)	Heronry									1
	Crayfish mounds									
	Sand/gravel on site									
	Marsh/open country/s	shrub							-	
	Winter Deer yards		/ities managed)			-	-	-		
-	Bat corridor (shorelin		(ampibian movement)	-		-				
HH	Bat hibernacula (cave									
Aquatio	Features:	9, 111110	5, 6,5,10,50							
FIL	Perm. pond in woodla	and [emergents/submerge	nts/logs	s temp.					
	Perm. pond in open		emergents/submerge	nts/logs	s temp.					
	Water in woodland	☐ poo		dry						
		wing	dry pools			_			-	
[natural stream			-1	None shape and	-		-		-
Ī	swale				None observed	_		-	1	1
L	open drain Seeps/Springs					_		_		
	tal Observations/Note	es:				_		1		
		•								1
Tells	DA Vint #	2								1
									0	
Oble	curth Ked tail	rd t	fault Calling	PA	ina la woodland	1				
				- A	5					1
								4		-
										+
-				_		_		-	-	
-									_	1
Graphic	: Attached or Na	me.∖EN\	∧Biological Services\Te	emplate	es/M ferrence versioner	⊌lar	spect 🗆 c	Date:		

	Unconstrain	ed Headwater Dra	inage Feature Asse	essment
Date (yyyy/mm/dd):	7 2 4 C 5 / 6 Projec	et#: [-[in(alaca-	Recorder/Crew:	Vs + FR
Stream Name:	Stream	m Code: TDF	Site Code:	Reach
Site Limits:	Upstream WP# Downstream WP#	75756 757736	Field Assessment:	☐ Sample 1 Unconnected HDF: ☐ Sample 2 ☐ Not connected to
Direction of Assessment:	☐ Upstre	am 🔲 Downsti	ream	Sample 3 downstream network
Flow Influence	☐ Freshet (1)		Spate (2)	☐ Baseflow (3)
Flow Condition	☐ Dry (1) ☐ Standing Water (2)		Interstitial Flow (3) Minimal Flow (4)	☐ Substantial Flow (5)
Feature Type	☐ Defined Natural Chann ☐ Channelized or Constr ☐ Multi-thread (3)		No Defined Feature (4) Tiled Feature (5) Wetland (6)	Swale (7) Roadside Ditch (8) Pond (9)
Feature Vegetation	□ None (1) □ Lawn (2)	☐ Cropped (3) ☐		
Riparian Vegetation				
0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ None (1) □ Lawn (2)	Cropped (3)	Meadow (4) Scrubland Meadow (4) Scrubland	
1.5 - 10 m Left Bank Right Bank	None (1) □ Lawn (2) None (1) □ Lawn (2)	Cropped (3)	Meadow (4) Scrublan Meadow (4) Scrublan	* *
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ None (1) □ Lawn (2)	☐ Cropped (3) ☐ Cropped (3) ☐	Meadow (4) Scrublan Meadow (4) Scrublan	
Channel Gradient (S4.	////////////////////////////////////	meter (2)	evel (3) Survey Level (4	I)
Distance (m):		Elevation (cm) :		Gradient (°):
Dominant Substrate (S. Sub-Dominant Substra		Silt Sand (0.06-2 m	m) Gravel (22-66 mm) Co	bble (67-249 mm) Boulder (250 mm) Bedrock
Feature Roughness Width Measurement	Can't Measure (1)		oderate (2) 40 - 60% ean Width (3) Estimated	
Channel Dimensions	Feature Width (m):	and the second s	Bankfull Depth (mm)
Entrenchment To	tal: 340 m - 40 m	Left Bank	m Right Bank	m Total width m
Surface Flow Method	Perched Culvert (1)	Hydraulic Head	(2) Distance by Tir	me (3) Estimated (4)
Wetted Width (m)	Wetted Depth (mm)	Hydraulic head (mm)	Volume (L)	Distance (m) Time (s)
2,68	25 15 24	$\begin{array}{c c} 1 & 2 & 3 \\ 0 & 0 & 0 \end{array}$	1 2 3	1 2 3 1 2 3
Sediment Transport	Adjacent None (1) Sheet Erosic Feature None (1)	n (6)	I Instream Bank Erosion (7) Rill and Gully (3)	Gully (4) Outlet Scour (5) Other (8) Gully (4) Outlet Scour (5)
Sediment Deposition	☐ Sheet Erosic Measures (mm):	n (6)	Instream Bank Erosion (7)	☐ Other (8)
		4-44-5 22 (2)		4)
☑ None (1) ☐]Minimal: < 5 mm (2)	Moderate: 5-30 mm (3)	Substantial: 31-80 mm (4) Extensive: > 80 mm (5)

15.			l lanear	otrained Headwater Drainers Fasture (
Date:	yyyy/mm		ect #:	strained Headwater Drainage Feature Assessment Pg. 2 of 2 Field Assessment: Sample # 1 Sample # 2 Sample # 3
Pate.	4941	BITALION	501 #. - 10 G	Field Assessment: Sample # 1 Sample # 2 Sample # 3 POINT FEATURE DATA
Ground	arrier Measure Iwater Indicat	wp#	None	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
		Î		
	onal Notes	LUATE	CI - (dge of wordland in an I and
Cit- D-	I. [7]	Feature Type		ure Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Site Br Trigger		Other: Com		ure Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Point D		Other. Com	Ongoing and A	ctive (1) Historic Evidence (2) Reported but No Evidence (3)
Catego	OATA KEY:		No Evidence (4	Unknown (5)
всоегсніјкимкор	Seepage area Watercress - e Outlet (tile or ot Inlet (tile or ot Beaver dam - Manmade dan Other barrier t Potential conta Channel harde Culvert - note Flow transitior Flow transitior	- measure or estimate total so other) - record filemeasure perconder - measure perconder in the measure perconder in the measu	estimate length of surface area occur flow status as per own status as per hed height and justification of the surface (storm sewered by rip-rap, arm whether or not pow condition characters.	refeature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. Imping height d jumping height outlet or industrial discharge pipe). Four stone, or gabion baskets. Ferched. If perched record perched height and jumping height. Finges from dry to standing water, independent of segment break Finges from minimal to substantial surface flow, independent of segment break Finances from dry/standing water to interstitial flow, independent of segment break

	Unconstraine	ed Headwater I	Orainage Feature As	sessment	
Date (yyyy/mm/dd):	Projec	t#: [-1(0(06	Recorder/Crew:	NC + FR	
Stream Name:	Strear	n Code:	Site Code:	Reach	
Site Limits:	Upstream WP# Downstream WP#	5775	Field Assessmer		Unconnected HDF: ☐ Not connected to
Direction of Assessment:	☐ Upstrea	am 🔲 Dow	nstream	☐Sample 3	downstream network
Flow Influence	☐ Freshet (1)		Spate (2)	☐ Basef	low (3)
Flow Condition	☐ Dry (1) ☐ Standing Water (2)		☐ Interstitial Flow (3) ☐ Minimal Flow (4)	☐ Subst	antial Flow (5)
Feature Type	☐ Defined Natural Chann ☐ Channelized or Constra ☐ Multi-thread (3)	• •	□ No Defined Feature (4) □ Tiled Feature (5) □ Wetland (6)	Swale Roads Pond	side Ditch (8)
Feature Vegetation	□ None (1) □ Lawn (2)	☐ Cropped (3)	☐ Meadow (4) ☐ Scrub	pland (5)	Forest (7)
Riparian Vegetation		PT		1. 100	
0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ None (1) □ Lawn (2)	Cropped (3)	☐ Meadow (4) ☐ Scrub ☐ Meadow (4) ☐ Scrub	bland (5) Wetland (6) Wetland (6) Wetland (6)	☐ Forest (7) ☐ Forest (7)
1.5 - 10 m Left Bank Right Bank	None (1) □ Lawn (2) None (1) □ Lawn (2)	© Cropped (3) ☐ Cropped (3)	☐ Meadow (4) ☐ Scrub ☐ Meadow (4) ☐ Scrub	bland (5) Wetland (6) bland (5) Wetland (6)	☐ Forest (7) ☐ Forest (7)
10 - 30 m Left Bank Right Bank	None (1) □ Lawn (2) None (1) □ Lawn (2)	☐ Cropped (3)	☐ Meadow (4) ☐ Scrub ☐ Meadow (4) ☐ Scrub	• • • • • • • • • • • • • • • • • • • •	☐ Forest (7) ☐ Forest (7)
Channel Gradient (S4.N	17) Uisual (1) Clinor	meter (2) Lase	er Level (3) Survey Leve	el (4)	LiDAR (6)
Distance (m): 5		Elevation (cm) :		Gradient (°)	11
Dominant Substrate (S2	<u> </u>	Silt Sand (0.06-	2 mm) Gravel (22-66 mm)	Cobble (67-249 mm) Bot	
Sub-Dominant Substrat	e (S2.M3)			Ш	
Feature Roughness Width Measurement	< 10% Minimal (1 Can't Measure (1))	6 Moderate (2) 40 - 60 Mean Width (3) Estimate		0% Extreme (4) Measure/GIS (6)
Channel Dimensions	Feature Width (m): N 45	r	Bankfull Depth (i		urin Inch
Entrenchment Tot	al:	Left Bank	m Right Bank	mTotal w	
Surface Flow Method	Perched Culvert (1)	Hydraulic He	ead (2) Distance by	Time (3)	Estimated (4)
Wetted Width (m)	Wetted Depth (mm) 1 2 3	Hydraulic head (mm	Volume (L)	Distance (m)	Time (s) 1 2 3
- 99	92 109 108	2400 0 Wa	.((a. p. planes "Bare of	The second section of the second seco
Sediment Transport	Adjacent None (1) Sheet Erosion Feature None (1) Sheet Erosion	□ RIIÎ (2) n (6) □ RIII (2)	☐ Rill and Gully (3) ☐ Instream Bank Erosion (7 ☐ Rill and Gully (3) ☐ Instream Bank Erosion (7	Othe	et Scour (5) er (8) et Scour (5) er (8)
Sediment Deposition	Measures (mm):				
None (1)	Minimal: < 5 mm (2)	Moderate: 5-30 mm (3)	Substantial: 31-80 m	III (4) L.J.EXIGNSIVE.	500 mm (5)

			Hanna	etrained Headwater Desirana Festiva Assessment
Date:	yyyy/mm.		1	strained Headwater Drainage Feature Assessment Pg. 2 of 2 Field Assessment: Sample # 1 Sample # 2 Sample # 3
Date.		S	5Cl #.	POINT FEATURE DATA
Ground	arrier Measure dwater Indicat ollection	WP#	None	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
Additi	onal Notes	Halal	ant f	noi-(ArC
Site Br		Feature Type Other: Com		ture Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Point D			Ongoing and A No Evidence (
POINT I A B C D E F G H I J K L M N O P	Spring/upwelli Seepage area Watercress - e Outlet (tile or ot Inlet (tile or ot Beaver dam - Manmade dam Other barrier t Potential conta Channel harde Culvert - note Flow transition Flow transition Flow transition	- measure or estimate total so other) - record flow measure percord flow mining - indicate type, size and a point D/S - flow point M/S- flow point D-S/IF-during non-fisent source	<0.5 l/sec or >0. estimate length surface area occ flow status as per hed height and jerched height and ent roce (storm sewered by rip-rap, arr whether or not pow condition chapt on the second to th	5 l/sec; measure temp of bank where seepage occurs supied er feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. umping height id jumping height r outlet or industrial discharge pipe). mour stone, or gabion baskets. perched. If perched record perched height and jumping height. inges from dry to standing water, independent of segment break inges from dry/standing water to interstitial flow, independent of segment break hanges from dry/standing water to interstitial flow, independent of segment break

	Unconstrain	ed Headwater D	Prainage Feature Ass	sessment	
Date (yyyy/mm/dd):	G 2 9 0 5 V Projec	et#: [5] [6] (a) (a)	Recorder/Crew:	Vs + ER	
Stream Name:	Stream	m Code: FDF 1	Site Code:	Reach ?	
Site Limits:	Upstream WP# U	15321	Field Assessment	A	Unconnected HDF:
Ollo Elilino.	Downstream WP#	1031205	=	☐Sample 2	☐ Not connected to
Direction of Assessment:	Upstre	am Dow	nstream	☐Sample 3	downstream network
Flow Influence	Freshet (1)		Spate (2)	☐ Basefl	ow (3)
Flow Condition	☑ Dry (1)		☐ Interstitial Flow (3)	☐ Substa	antial Flow (5)
7.50	☐ Standing Water (2)		☐ Minimal Flow (4)		
Feature Type	□ Defined Natural Chann	nel (1)	No Defined Feature (4)	☐ Swale	(7)
	☐ Channelized or Constr	ained (2)	☐ Tiled Feature (5)	☐ Roads	ide Ditch (8)
keep op het die de la commence de la			☐ Wetland (6)	☐ Pond (9)
Feature Vegetation	☐ None (1) ☐ Lawn (2)	Cropped (3)	☐ Meadow (4) ☐ Scrubl	and (5)	Forest (7)
Riparian Vegetation					
0 - 1.5 m Left Bank	□ None (1) □ Lawn (2)	☑ Cropped (3)	☐ Meadow (4) ☐ Scrubl	and (5) Wetland (6)	Forest (7)
Right Bank	□ None (1) □ Lawn (2)	☐ Cropped (3)	• • •	land (5)	Forest (7)
1.5 - 10 m Left Bank	☐ None (1) ☐ Lawn (2)	Cropped (3)	☐ Meadow (4) ☐ Scrubi	and (5) Wetland (6)	Forest (7)
Right Bank	□ None (1) □ Lawn (2)	Cropped (3)	☐ Meadow (4) ☐ Scrubi	and (5) Wetland (6)	☐ Forest (7)
10 - 30 m Left Bank	□ None (1) □ Lawn (2)	Cropped (3)	☐ Meadow (4) ☐ Scrubl	land (5) Wetland (6)	☐ Forest (7)
Right Bank	☐ None (1) ☐ Lawn (2)	Cropped (3)	☐ Meadow (4) ☐ Scrub!	land (5)	Forest (7)
Channel Gradient (S4.	//7) ☐ Visual (1) ☐ Clino	meter (2) Lase	r Level (3) Survey Leve	(4)	LiDAR (6)
Distance (m):		Elevation (cm) :		Gradient (°)	
Dominant Substrate (S.	Clay (Hard Pan) 2.M3)	Silt Sand (0.06-2	2 mm) Gravel (22-66 mm)	Cobble (67-249 mm) Bou	llder (250 mm) Bedrock
Sub-Dominant Substra	te (S2.M3)				
Feature Roughness	< 10% Minimal (1) 10 - 40%	Moderate (2)	1% High (3)	0% Extreme (4)
Width Measurement		Bankfull (2)	Mean Width (3) Estima		Measure/GIS (6)
Channel Dimensions	Feature Width (m):		Bankfull Depth (n	nm)	
Entrenchment To	tal: 340 m 340 m	Left Bank	m Rìght Bank	m Total wi	idth m
Surface Flow Method	Perched Culvert (1)	Hydraulic He	ad (2) Distance by	Time (3)	Estimated (4)
Wetted Width (m)	Wetted Depth (mm)	Hydraulic head (mm)	Volume (L) 1 2 3	Distance (m) 1 2 3	Time (s)
Dry	1 2 3 Dry	No water			
	Adjacent None (1)	☐ Rill (2)	☐ Rill and Gully (3)	☐ Gully (4) ☐ Outle	et Scour (5)
Sediment Transport	☐ Sheet Erosio	on (6)	☐ Instream Bank Erosion (7)	☐ Othe	er (8)
	Feature None (1)	• •	' '		et Scour (5)
	☐ Sheet Erosio	• • •	☐ Instream Bank Erosion (7)	* * '	• •
Sediment Deposition	Measures (mm):				
✓ None (1) □]Minimal: < 5 mm (2) □	Moderate: 5-30 mm (3)	Substantial: 31-80 mr	n (4) Extensive:	80 mm (5)
-					

	yyyy/mm	/dd	Uncon	nstrained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	20340		ect #: [4] ()	Field Assessment: Sample # 1 Sample # 2 Sample # 3
				POINT FEATURE DATA
Ground	arrier Measure water Indicat	wp#	None	Perched Height (mm): Perched Height (mm): Jumping Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
Addition	onal Notes:) gali		
Site Br	_	Feature Type		ture Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Trigger Point D	ata	Other: Com	Ongoing and A	
Catego	ry DATA KEY:		No Evidence ((4) Unknown (5)
всоегся-јкгмгоро	Seepage area Watercress - e Outlet (tile or ot Inlet (tile or ot Beaver dam - Manmade dan Other barrier to Potential conta Channel harde Culvert - note Flow transition Flow transition	- measure or estimate total sother) - record finer) - record fineasure perconducer of fish movement amination sould apoint D/S - file point M/S- file during non-fishers tource	estimate length surface area occ flow status as per hed height and justice the design of the force (storm sewered by rip-rap, arm whether or not justice the condition chairs of the force	per feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. In feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. In feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. In jumping height In outlet or industrial discharge pipe). In outlet or industrial discharge pipe industrial discharge p

	Unconstrained l	leadwater Drai	nage Feature Ass	essment
Date (yyyy/mm/dd):	Project #:	Hololda	Recorder/Crew:	Vs + FR
Stream Name:	Stream Co.	de: HDF/	Site Code:	Reach 4
Site Limits:	Upstream WP# LIMS Downstream WP#	712 1 (6) X	Field Assessment:	☐ Sample 1 Unconnected HDF: ☐ Sample 2 ☐ Not connected to
Direction of Assessment:	☐ Upstream —	→ Downstre	am	Sample 3 downstream network
Flow Influence	Freshet (1)		Spate (2)	☐ Baseflow (3)
Flow Condition	☐ Dry (1)☐ Standing Water (2)		Interstitial Flow (3) Minimal Flow (4)	☐ Substantial Flow (5)
Feature Type	☐ Defined Natural Channel (1) ☐ Channelized or Constrained ☐ Multi-thread (3)	(2)	No Defined Feature (4) Tiled Feature (5) Wetland (6)	Swale (7) Roadside Ditch (8) Pond (9)
Feature Vegetation	□ None (1) □ Lawn (2) □	Cropped (3)	Meadow (4) Scrublan	nd (5) Wetland(6) Forest (7)
Riparian Vegetation		s-1		
0 - 1.5 m Left Bank Right Bank	None (1) □ Lawn (2) □ None (1) □ Lawn (2) □	Cropped (3)	Meadow (4) ☐ Scrublar Meadow (4) ☐ Scrublar	
1.5 - 10 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ □ None (1) □ Lawn (2) □		Meadow (4) Scrubla Meadow (4) Scrubla	
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ □ None (1) □ Lawn (2) □		Meadow (4) Scrubla Meadow (4) Scrubla	
Channel Gradient (S4.N	I7)	(2) Laser Le	vel (3) Survey Level (4)
Distance (m): 5		Elevation (cm):		Gradient (°):
Dominant Substrate (S2 Sub-Dominant Substrat			n) Gravel (22-66 mm) C	obble (67-249 mm) Boulder (250 mm) Bedroc
Feature Roughness Width Measurement	Can't Measure (1) Bank	10 - 40% Mo	derate (2) 40 - 60% an Width (3) Estimate	6 High (3)
Channel Dimensions	Feature Width (m):		Bankfull Depth (mr	n)
Entrenchment To	al:	eft Bank	m Right Bank	m Total width m
Surface Flow Method	Perched Culvert (1)	Hydraulic Head (2) Distance by T	ime (3) Estimated (4)
Wetted Width (m)	Wetted Depth (mm) Hyd	raulic head (mm)	Volume (L) 1 2 3	Distance (m) Time (s) 1 2 3 1 2
No MUHIC		Dry		
Sediment Transport	Adjacent \(\sum \text{None (1)} \) \(\sum \text{Sheet Erosion (6)} \) Feature \(\sum \text{None (1)} \)		Instream Bank Erosion (7)	Gully (4) □ Outlet Scour (5) □ Other (8) □ Gully (4) □ Outlet Scour (5)
	Feature None (1) Sheet Erosion (6)	` '	Instream Bank Erosion (7)	Other (8)
Sediment Deposition	Measures (mm):			
None (1)	Minimal: < 5 mm (2)	rate: 5-30 mm (3)	Substantial: 31-80 mm	(4) Extensive: > 80 mm (5)

	yyyy/mm.			strained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	20240	S Proj	ject #: 4/6	Field Assessment: Sample # 1 Sample # 2 Sample # 3
				POINT FEATURE DATA
Ground	arrier Measurer water Indicat	WP	Wone	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
Additi	onal Notes:			
Site Br	eak 🔲	Feature Type	e Feat	ure Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Trigge		Other: Com		
Point D	ata		Ongoing and A	
A B C D E F G H J K L M Z O P Q	Seepage area Watercress - e Outlet (tile or of Inlet (tile or oth Beaver dam - I Manmade dam Other barrier to Potential conta Channel harde Culvert - note to Flow transition Flow transition	- measure or estimate total sother) - record finer) - record fineasure percondum entre percond	estimate length of surface area occil flow status as per ched height and juerched height and ent ree (storm sewered by rip-rap, arm I whether or not pow condition character occil	refeature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. umping height d jumping height routlet or industrial discharge pipe). nour stone, or gabion baskets. perched. If perched record perched height and jumping height. nages from dry to standing water, independent of segment break nages from minimal to substantial surface flow, independent of segment break nanges from dry/standing water to interstitial flow, independent of segment break

Unconstrained Headwater Drainage Feature Assessment
Date (yyyy/mm/dd): 2 7 2 4 Project #: 4 (a (a (a - 111)) Recorder/Crew: VS + ER
Stream Name: Stream Code: 1-10-1 Site Code: Reach 5
Site Limits: Upstream UTIA WP# Line 306 Field Assessment: Sample 1 Unconnected HDF:
Downstream \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Direction of Assessment: ☐ Upstream ☐ Downstream ☐ Sample 3 downstream network
Flow Influence
Flow Condition
Feature Type
☐ Channelized or Constrained (2) ☐ Tiled Feature (5) ☐ Roadside Ditch (8)
☐ Multi-thread (3) ☐ Wetland (6) ☐ Pond (9)
Feature Vegetation ☐ None (1) ☐ Lawn (2) ☐ Cropped (3) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)
Riparian Vegetation
0 - 1.5 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
1.5 - 10 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
10 - 30 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
Channel Gradient (S4.M7)
Distance (m): 5 Gradient (°):
Clay (Hard Pan) Silt Sand (0.06-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock Dominant Substrate (S2.M3)
Sub-Dominant Substrate (S2.M3)
Feature Roughness
Channel Dimensions Feature Width (m): Bankfull Depth (mm)
Entrenchment Total: 340 m Left Bank m Right Bank m Total width m
Surface Flow Method Perched Culvert (1) Hydraulic Head (2) Distance by Time (3) Estimated (4)
Wetted Width (m) Wetted Depth (mm) Hydraulic head (mm) Volume (L) Distance (m) Time (s)
1 2 3 1 2 3
Adjacent Mone (1) Rill (2) Rill and Gully (3) Gully (4) Outlet Scour (5)
Sediment Transport
Feature
Sediment Deposition Measures (mm):
None (1) Minimal: < 5 mm (2) Moderate: 5-30 mm (3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)

	уууу/тт	/dd	Uncon	nstrained Headwater Drainage Feature Assessment Pg. 2 of 2					
Date:	20840		ect #: 46	Field Assessment: Sample #1 Sample #2 Sample #3					
				POINT FEATURE DATA					
Ground	arrier Measure dwater Indica ollection	WP#	None	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:					
WP#	Photo #	Code	Category	Description					
Additi	onal Notes								
27	and n	- Lv	0-5/ 0	on edge of Writidland					
Site Br	eak 🔲	Feature Type	e Feat	ture Modifier Flow Conditions Feature Vegetation Riparian Vegetation					
Trigge		Other: Com	ments Vica-	Presence					
Point D		Ongoing and Active (1) Historic Evidence (2) Reported but No Evidence (3) No Evidence (4) Unknown (5)							
	DATA KEY:								
B C D E F G H . J K L M X O P G R	Seepage area Watercress - 6 Outlet (tile or of Inlet (tile or of Beaver dam - Manmade dam Other barrier t Potential contact Channel harde Culvert - note Flow transition Flow transition Flow transition Flow transition Channel transition Flow Transition Fl	- measure or estimate total so other) - record formeasure pero of fish movement amination sour ening - indicate type, size and a point D/S - floor point D-S/IF-during non-fisent source	estimate length of surface area occurrence occurrence de leight and justice occurrence de leight and surface (storm sewered by rip-rap, arm whether or not pow condition charw condition charw condition charw condition charw	per feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. In feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. Implied the standard of th					

Unconstrained Headwater Drainage Feature Assessment						
Date (yyyy/mm/dd):	7246516Pro	ject#: 4000ala -	Recorder/Crew:	VS + FP		
Stream Name:	Str	eam Code:	Site Code:	heach lo		
Site Limits:	Upstream WP# Downstream WP# F		Field Assessment:		nnected HDF: lot connected to	
Direction of Assessment:	□ Ups	tream Downst	ream	· ·	ownstream network	
Flow Influence	Freshet (1)			☐ Baseflow (3))	
Flow Condition	Dry (1) Standing Water (2)		Interstitial Flow (3) Minimal Flow (4)	☐ Substantial	Flow (5)	
Feature Type	☐ Defined Natural Cha☐ Channelized or Cor☐ Multi-thread (3)	1 /	No Defined Feature (4) Tiled Feature (5)	□ Swale (7) □ Roadside Di □ Pond (9)	itch (8)	
Feature Vegetation	□ None (1) □ Lawn (2	Cropped (3)	Meadow (4) 🖾 Scrublan	d (5) Wetland(6)	Forest (7	
Riparian Vegetation 0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2 □ None (1) □ Lawn (2	. /	Meadow (4) Scrubland Meadow (4) Scrubland	* *	Forest (7)	
1.5 - 10 m Left Bank Right Bank	□ None (1) □ Lawn (2 □ None (1) □ Lawn (2	Cropped (3)	Meadow (4) Scrublan Meadow (4) Scrublan Meadow (4) Scrublan	d (5) Wetland (6)	Forest (7) Forest (7)	
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2 □ None (1) □ Lawn (2	. / , ,	Meadow (4) Scrublan Meadow (4) Scrublan		☐ Forest (7) ☐ Forest (7)	
Channel Gradient (S4.M	17) ☐ Visual (1) ☑ Cli	nometer (2)	evel (3) Survey Level (4)	Lidar (6)	
Distance (m): 5		Elevation (cm):		Gradient (°):	1	
Dominant Substrate (S2 Sub-Dominant Substrat	Ξ.	Silt Sand (0.06-2 m	m) Gravel (22-66 mm) Co	bble (67-249 mm) Boulder (7	250 mm) Bedrock	
Feature Roughness Width Measurement	Can't Measure (1)		oderate (2) 40 - 60% ean Width (3) Estimated			
Channel Dimensions F	Feature Width (m):		Bankfull Depth (mm			
Entrenchment Tota		m Left Bank	m Right Bank	-m Total width	m	
Surface Flow Method	Perched Culvert (1)	Hydraulic Head	(2) Distance by Tir	me (3)	nated (4)	
Wetted Width (m)	Wetted Depth (mm)	Hydraulic head (mm)	Volume (L)	Distance (m)	Time (s) 1 2 3	
	250 200 240	No flow				
Soute Measure Soute of Sediment Transport	Adjacent	☐ Rill (2) ☐	Rill and Gully (3)	Gully (4)	our (5)	
Jeunnent Hansport	Feature Sheet Ero	☐ Rill (2) ☐	Instream Bank Erosion (7) Rill and Gully (3) Instream Bank Erosion (7)	Gully (4) Uther (8) Gully (4) Outlet Sco	our (5)	
Sediment Deposition	Measures (mm):					
□ None (1) □	Minimal: < 5 mm (2)	☐Moderate: 5-30 mm (3)	Substantial: 31-80 mm (4	4) Extensive: > 80 m	nm (5)	

	yyyy/mm	/dd	Uncon	strained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	20290		ect #: 4 (a	Field Assessment: Sample # 1 Sample # 2 Sample # 3
				POINT FEATURE DATA
Ground	errier Measure water Indicat	WP#	None	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo#	Code	Category	Description
Additi	onal Notes		1.	
W	etland	1 pand	rd Gren	in weatherd
Site Br Trigger	_	Feature Type Other: Com		rure Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Point D	ata		Ongoing and A	Active (1) Historic Evidence (2) Reported but No Evidence (3)
A 3 3 5 5 6 7 8	Seepage area Watercress - e Outlet (tile or ot Inlet (tile or ot Beaver dam - Manmade dan Other barrier t	- measure or estimate total so other) - record ner) - record fl measure perc n - measure per o fish movement amination sour	estimate length surface area occ flow status as pow status as per hed height and jurched height and ent storm sewer	er feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec.

Unconstrained Headwater Drainage Feature Assessment							
Date (yyyy/mm/dd):	3 2 4 6 5 4 6 Project #: [4 6 6	(o (o - (Co) Recorder/Crew: VS + ER					
Stream Name:	Stream Code: HDC	Site Code: Reach					
Site Limits:	Upstream UTM WP# EM5364 Downstream WP# LATS478	Field Assessment: Sample 1 Unconnected HDF: Sample 2 Not connected to					
Direction of Assessment:		ownstream Sample 3 downstream network					
Flow Influence	☐ Freshet (1)	Spate (2) Baseflow (3)					
Flow Condition	☐ Dry (1)☐ Standing Water (2)	☐ Interstitial Flow (3) ☐ Substantial Flow (5) ☐ Minimal Flow (4)					
Feature Type	□ Defined Natural Channel (1)□ Channelized or Constrained (2)□ Multi-thread (3)	□ No Defined Feature (4) □ Swale (7) □ Tiled Feature (5) □ Roadside Ditch (8) □ Wetland (6) □ Pond (9)					
Feature Vegetation	□ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)					
Riparian Vegetation							
0 - 1.5 m Left Bank Right Bank	None (1) □ Lawn (2) □ Cropped (3) None (1) □ Lawn (2) □ Cropped (3)	Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)					
1.5 - 10 m Left Bank Right Bank	None (1) □ Lawn (2) □ Cropped (3) None (1) □ Lawn (2) □ Cropped (3)	Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)					
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)					
Channel Gradient (S4.	VI7) Uisual (1) Clinometer (2) La	aser Level (3) Survey Level (4) Other (5) LiDAR (6)					
Distance (m): 5	Elevation (cm)): Gradient (°):					
Dominant Substrate (S. Sub-Dominant Substra		6-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock					
Sub-Dominant Substra	te (02.110)						
Feature Roughness Width Measurement	Can't Measure (1) Bankfull (2)	0% Moderate (2)					
Channel Dimensions	Feature Width (m):	Bankfull Depth (mm)					
Entrenchment To	tal: 240 m <40 m Left Bank	m Right Bank m Total width m					
Surface Flow Method	Perched Culvert (1) Hydraulic	Head (2) Distance by Time (3) Estimated (4)					
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (m 1 2 3 1 2	m) Volume (L) Distance (m) Time (s) 3 1 2 3 1 2 3					
15	No Wate						
Sediment Transport	Adjacent None (1) Rill (2) Sheet Erosion (6) Feature None (1) Rill (2) Sheet Erosion (6)	☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8)					
Sediment Deposition None (1)	Measures (mm):	3)					

			Uncon	strained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	yyyy/mm 20290			Field Assessment: Sample # 1 Sample # 2 Sample # 3
				POINT FEATURE DATA
Ground	arrier Measure dwater Indicat	WP#	None	Perched Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
Additi	onal Notes		aren	
Site Br		Feature Type	4	ure Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Trigge Point D		Other: Com	ments Ongoing and A	
Catego	DATA KEY:		No Evidence (4) Unknown (5)
А В С D Е F G H I J K L M N O P Q	Spring/upwellis Seepage area Watercress - e Outlet (tile or ot Inlet (tile or ot) Beaver dam - Manmade dan Other barrier t Potential conta Channel harde Culvert - note Flow transition Flow transition	- measure or estimate total so other) - record flow measure perclain - indicate type, size and a point D/S - flow point M/S- flow point D-S/IF-during non-fisent source	estimate length surface area occ flow status as per hed height and jurched height and jurched height and ent ce (storm sewered by rip-rap, arm whether or not pow condition chairs we condition chairs surface of the condition chairs are surfaced by condition chairs we condition chairs surfaced by condition chairs are surfaced by condition chairs surfaced by condition chairs surfaced by condition chairs surfaced by condition chairs surfaced by the condition cha	er feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. If feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. Imping height If outlet or industrial discharge pipe). If outlet or industrial discharge pipe industr

4.

Unconstrained Headwater Drainage Feature Assessment						
Date (yyyy/mm/dd): 202105 6 Project #: Hololdo-lo: Recorder/Crew:						
Stream Name: Stream Code: Site Code: Recuch 8						
Site Limits: -Upstream UTM WP# Upstream UTM WP# Upstream						
Downstream \ WP# U S U S U S U S U S Wot connected to						
Direction of Assessment: ☐ Upstream ☐ Downstream ☐ Sample 3 downstream network						
Flow Influence						
Flow Condition						
☐ Standing Water (2) ☐ Minimal Flow (4) Feature Type ☐ Defined Natural Channel (1) ☐ No Defined Feature (4) ☐ Swale (7)						
li eature Type						
Feature Vegetation None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland(6) Forest (7)						
Riparian Vegetation						
0 - 1.5 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)						
Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)						
1.5 - 10 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)						
Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)						
Hight Bank 2 Hone (1) 2 Earn (2) = dispres (4)						
10 - 30 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)						
Right Bank In None (1) Lawn (2) In Cropped (3) In Meadow (4) In Scrubland (5) Wetland (6) In Forest (7)						
Channel Gradient (S4.M7) Visual (1) Clinometer (2) Laser Level (3) Survey Level (4) Other (5) LiDAR (6)						
Distance (m): Gradient (°):						
Clay (Hard-Pan) Silt Sand (0.06-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock Dominant Substrate (S2.M3)						
Feature Roughness						
Width Measurement Can't Measure (1) Bankfull (2) Mean Width (3) Estimated (4) GIS (5) Measure/GIS (6)						
Channel Dimensions Feature Width (m): Bankfull Depth (mm)						
Entrenchment Total: ~ >40 m						
Surface Flow Method Perched Culvert (1) Hydraulic Head (2) Distance by Time (3) Estimated (4)						
Wetted Width (m) Wetted Depth (mm) Hydraulic head (mm) Volume (L) Distance (m) Time (s)						
1 2 3 1 2 3 1 2 3 1 2 3						
Day Day Day						
Adjacent ☑ None (1) ☐ Rill (2) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5)						
Sediment Transport						
Silect Liosion (0)						
Totalio III (ii)						
Sediment Deposition Measures (mm):						
None (1) Minimal: < 5 mm (2) Moderate: 5-30 mm (3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)						

	yyyy/mm	/dd	Uncon	strained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	20240		Franks.	Field Assessment: Sample #1 Sample #2 Sample #3
			Tu-	POINT FEATURE DATA
Ground	arrier Measure dwater Indicat ollection	WP#	None	Perched Height (mm): Perched Height (mm): Jumping Height (mm):
WP#	Photo #	Code	Category	Description
Þn	1 1	stell -	frature	
Site Bro Trigger		Feature Type Other: Com	T for	ure Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Point D Catego	ata ry		Ongoing and A No Evidence (4	ctive (1) Historic Evidence (2) Reported but No Evidence (3)
A SECULO CONTRACTOR OF THE SECULO CONTRACTOR O	Seepage area of Natercress - exported (tile or other tile	- measure or of stimate total stimate total stimer) - record floor neasure perchipers - measure per fish moveme mination sourching - indicate point D/S - floor point D-S/IF- floor non-fish	estimate length of surface area occur flow status as per on the status as per other than the surface (storm sewer of by rip-rap, arm whether or not pow condition change occur is sufficient or sufficient or sufficient occur is sufficient or sufficient occur is sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occur in the sufficient occur in the sufficient occur is sufficient occur in the sufficient occ	refeature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. mping height l jumping height outlet or industrial discharge pipe). our stone, or gabion baskets. erched. If perched record perched height and jumping height. iges from dry to standing water, independent of segment break ges from minimal to substantial surface flow, independent of segment break anges from dry/standing water to interstitial flow, independent of segment break

Unconstrained Headwater Drainage Feature Assessment					
Date (yyyy/mm/dd): 2	0240704 Project #: 46666-100 Recorder/Crew: V5 + ER				
Stream Name:	Stream Code: HDF1 Site Code: heach				
Site Limits:	Upstream WP# Field Assessment: ☐ Sample 1 Unconnected HDF:				
	Downstream WP# ☐ Sample 2 ☑ Not connected to				
Direction of Assessment:	Upstream Downstream Downstream downstream network				
Flow Influence	☐ Freshet (1) ☐ Spate (2) ☐ Baseflow (3)				
Flow Condition	☐ Dry (1) ☐ Interstitial Flow (3) ☐ Substantial Flow (5) ☐ Standing Water (2) ☐ Minimal Flow (4)				
Feature Type	☐ Defined Natural Channel (1) ☐ No Defined Feature (4) ☐ Swale (7)				
	☐ Channelized or Constrained (2) ☐ Tiled Feature (5) ☐ Roadside Ditch (8)				
	☐ Multi-thread (3) ☐ Wetland (6) ☐ Pond (9)				
Feature Vegetation	□ None (1) □ Lawn (2) □ Cropped (3) □ Meadow (4) □ Scrubland (5) □ Wetland(6) □ Forest (7)				
Riparian Vegetation					
0 - 1.5 m Left Bank	None (1) ☐ Lawn (2) ☐ Cropped (3) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)				
Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7)				
1.5 - 10 m Left Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7)				
Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7)				
10 - 30 m Left Bank	□ None (1) □ Lawn (2) □ cropped (3) □ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7)				
Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7)				
Channel Gradient (S4.N	17) Visual (1) Clinometer (2) Laser Level (3) Survey Level (4) Other (5) LiDAR (6)				
Distance (m):	Elevation (cm): Gradient (°):				
Dominant Substrate (S2 Sub-Dominant Substrat					
Feature Roughness Width Measurement	\text{ \lambda} < 10\% \text{ Minimal (1)}				
Extra con	Feature Width (m): Bankfull Depth (mm)				
Entrenchment Tot					
Surface Flow Method	Perched Culvert (1) Hydraulic Head (2) Distance by Time (3) Estimated (4)				
1200					
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (mm) Volume (L) Distance (m) Time (s) 1 2 3 1 2				
Dry	Dry No water				
	Adjacent None (1) Rill (2) Rill and Gully (3) Gully (4) Outlet Scour (5)				
Sediment Transport	☐ Sheet Erosion (6) ☐ Instream Bank Erosion (7) ☐ Other (8)				
	Feature ☐ None (1) ☐ Rill (2) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5)				
	☐ Sheet Erosion (6) ☐ Instream Bank Erosion (7) ☐ Other (8)				
Sediment Deposition	Measures (mm):				
1	Minimal: < 5 mm (2)				
LT (NOTIC (1)	Eliminalis - 5 min (2) Eliminates 5-50 min (5) Elioustantialis 51-60 min (4) Elicinates - 500 min (5)				

	yyyy/mm/	oldd	Uncon	strained Hear	dwater D	rainage Fe	eature Assessn	ment	Pg. 2 of 2
Date:	20 240	7-1-1-1	-	666-100		d Assessment:	Sample # 1	Sample # 2	Sample # 3
				POIN	NT FEA	TURE DA	TA		
Ground	arrier Measurer dwater Indicat ollection	WP#	#				ng Height (mm): gg Height (mm): gg Stained	Other:	
WP#	Photo#	Code	Category				Description		v
Additi	onal Notes:	•							
Fec	Here ha			1	10-01	in cy	psthean	Wetland	Community
Site Br	Fratur	Feature Type		ture Modifier	Ct ho	Conditions	Feature Vege	-	ian Vegetation
Trigger	_	Other: Com		ure woulder		Johns	[V] Feature veg.	alauonnapa.	an vegetation
Point D	Data		Ongoing and A No Evidence (4			ric Evidence (2) own (5)	.) Reported bu	ıt No Evidence (3)	
POINT	DATA KEY:								
800世にのエーラドし至20ヶ	Seepage area Watercress - e Outlet (tile or of Inlet (tile or oth Beaver dam - e Manmade dam Other barrier to Potential conta Channel harde Culvert - note e Flow transition Flow transition Flow transition	a - measure or estimate total so other) - record ficher) - record ficher measure per to fish movement amination sour ening - indicate type, size and in point D/S - fich point M/S- fich point D-S/IF-d during non-fishent source	r estimate length of surface area occur of flow status as per ched height and juperched height and juperched height and the surce (storm sewer ted by rip-rap, arm of whether or not perfow condition charlow condition charlow condition charlow condition charlow condition charlow surface area area to the surface area to the sur	per feature flow. Estimation in the feature flow in the flow i	mate volume to discharge pipon baskets. record perchanding water to substantial	to be <0.5 l/sec of ipe). hed height and ju r, independent of al surface flow, in	jumping height.	nent break	

	Unconstrained Headwater Drainage Feature Assessment							
Date (yyyy/mm/dd):	Date (yyyy/mm/dd): 20240704 Project #: 46666700 Recorder/Crew: 16 + FK							
Stream Name:	Stream Code: HDF	Site Code: Point 2						
Site Limits:	Upstream WP# 415276 Downstream WP# 4153729	Field Assessment: Sample 1 Unconnected HDF: Sample 2 Not connected to						
Direction of Assessment:	☐ Upstream → ☐ Do	ownstream Sample 3 downstream network						
Flow Influence	☐ Freshet (1)	☐ Spate (2) Baseflow (3)						
Flow Condition	Dry (1) Standing Water (2)	☐ Interstitial Flow (3) ☐ Substantial Flow (5) ☐ Minimal Flow (4)						
Feature Type	☐ Defined Natural Channel (1) ☐ Channelized or Constrained (2) ☐ Multi-thread (3)	□ No Defined Feature (4) □ Swale (7) □ Tiled Feature (5) □ Roadside Ditch (8) □ Wetland (6) □ Pond (9)						
Feature Vegetation	☐ None (1) ☐ Lawn (2) ☐ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Welland(6) ☐ Forest (7)						
Riparian Vegetation								
0 - 1.5 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	 Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7) □ Meadow (4) □ Scrubland (5) □ Wetland (6) □ Forest (7) 						
1.5 - 10 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland (6) ☐ Forest (7)						
Channel Gradient (S4.N	17) Visual (1) Clinometer (2) La	aser Level (3) Survey Level (4) Other (5) LiDAR (6)						
Distance (m):	Elevation (cm)	Gradient (°):						
Dominant Substrate (S2 Sub-Dominant Substrat		6-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock						
e discourse								
Feature Roughness Width Measurement	Can't Measure (1) Bankfull (2)	0% Moderate (2) 40 - 60% High (3) > 60% Extreme (4) Mean Width (3) Estimated (4) GIS (5) Measure/GIS (6)						
Channel Dimensions	Feature Width (m):	Bankfull Depth (mm) WcHard						
Entrenchment Tot	al: S40 m 440 m Left Bank	m Right Bank m Total width m						
Surface Flow Method	Perched Culvert (1)	Head (2) Distance by Time (3) Estimated (4)						
Wetted Width (m)	Wetted Depth (mm) Hydraulic head (m	m) Volume (L) Distance (m) Time (s) 3 1 2 3 1 2 3						
7 4	20 25 24 000							
Sediment Transport	Adjacent None (1) Rill (2)	Rill and Gully (3) Gully (4) Outlet Scour (5)						
Coament Transport	Feature Sheet Erosion (6) Foature None (1) Sheet Erosion (6)	☐ Instream Bank Erosion (7) ☐ Other (8) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8)						
Sediment Deposition	Measures (mm):							
None (1)	Minimal: < 5 mm (2)	3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)						

	yyyy/mm	/dd	Unconstr	trained Headwater Drainage Feature Assessment Pg. 2 of 2			
Date:	20240		ect#: 4666				
				POINT FEATURE DATA			
Fish Barrier Measurements: WP#							
WP#	Photo#	Code	Category	Description			
ddit:	onal Notes						
	Onai Notes	•					
<u>- i</u>	5 ho	slding	Rima	water but relatively dry			
ite Br rigge		Feature Typ Other: Corr		re Modifier Conditions Feature Vegetation Riparian Vegetation	on		
oint [HOFA Evidence (2) Reported but No Evidence (3)			
atego OINT	DATA KEY:	TC	ppi ney	(5)			
	Spring/upwell Seepage area Watercress -	il 1 - esi					
	Outlet (tile or Inlet (tile or ot Beaver dam -	her) mea	3 rd	c or >0.5 l/sec. Measure temperature.			
	Manmade dan Other barrier of Potential cont Channel hard	to fish aminati	VU.				
	Culvert - note Flow transition Flow transition	type, siz		umping height. ومانود مانود مانود سانته umping height. مانود سانته عادی استان			
	Flow transition Fish observed Potential nutri	n point D-S) I during non-	ouvitie	ury/standing water to interstitial flow, independent of segment break			
	Dredging of coordine pond Other						

Unconstrained Headwater Drainage Feature Assessment								
Date (yyyy/mm/dd): 20290769 Project #: U6666-C0 Recorder/Crew: V5 + ER								
Stream Name:	Stream Code:	Site Code: Reach 3						
Site Limits:	Upstream WP# 475319 WP# 4753695	Field Assessment: Sample 1 Unconnected HDF: Sample 2 Not connected to						
Direction of Assessment:	☐ Upstream → □ I	Downstream Sample 3 downstream network						
Flow Influence	Freshet (1)	Spate (2) Baseflow (3)						
Flow Condition	Dry (1) Standing Water (2)	Interstitial Flow (3) Substantial Flow (5) Minimal Flow (4)						
Feature Type	☐ Defined Natural Channel (1)☐ Channelized or Constrained (2)☐ Multi-thread (3)	✓ No Defined Feature (4) ☐ Swale (7) ☐ Tiled Feature (5) ☐ Roadside Ditch (8) ☐ Wetland (6) ☐ Pond (9)						
Feature Vegetation	None (1) Lawn (2) Cropped (3)	☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)						
Riparian Vegetation								
0 - 1.5 m Left Bank Right Bank	None (1) □ Lawn (2) □ Cropped (3) None (1) □ Lawn (2) □ Cropped (3)							
1.5 - 10 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)							
10 - 30 m Left Bank Right Bank	□ None (1) □ Lawn (2) □ Cropped (3) □ None (1) □ Lawn (2) □ Cropped (3)							
Channel Gradient (S4.N	17) Visual (1) Clinometer (2)	Laser Level (3) Survey Level (4) Other (5) LiDAR (6)						
Distance (m):	Elevation (cr	m):						
Dominant Substrate (S2	2.M3)	.06-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bedrock						
Feature Roughness Width Measurement	Can't Measure (1) Bankfull (2)	40% Moderate (2)						
Channel Dimensions	Feature Width (m):	Bankfull Depth (mm)						
Entrenchment Total	tal: >40 m <40 m Left Bank	m Right Bank m Total width m						
Surface Flow Method	Perched Culvert (1) Hydrauli	ic Head (2) Distance by Time (3) Estimated (4)						
Wetted Width (m)	Wetted Depth (mm) Hydraulic head ((mm) Volume (L) Distance (m) Time (s)						
	No water							
Sediment Transport	Adjacent None (1) Rill (2) Sheet Erosion (6) Feature None (1) Rill (2)	☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5) ☐ Instream Bank Erosion (7) ☐ Other (8) ☐ Rill and Gully (3) ☐ Gully (4) ☐ Outlet Scour (5)						
1	Sheet Erosion (6)	☐ Instream Bank Erosion (7) ☐ Other (8)						
Sediment Deposition	Measures (mm):							
None (1)	Minimal: < 5 mm (2) Moderate: 5-30 mm	(3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)						

		_		
	yyyy/mm		-	strained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	20246	MP 7 Proj	ect #: L/b (o	Field Assessment: Sample # 1 Sample # 2 Sample # 3
				POINT FEATURE DATA
Ground	arrier Measure Iwater Indicat	WP	None	Perched Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
			1 = =	
Additi	onal Notes			
_	F 1/		f	V .
	teath	LE 12:	bone	OLY
22.22				
Site Br Trigge		Feature Type Other: Com		ture Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Point C			Ongoing and A No Evidence (()
POINT I	DATA KEY:			
BCDEFGHLJKLMNOPGR	Seepage area Watercress - e Outlet (tile or ot Inlet (tile or ot Beaver dam - Manmade dar Other barrier t Potential conta Channel harde Culvert - note Flow transitior Flow transitior	- measure or estimate total other) - record finer) - record finer) - record finer or measure per or fish movementation south of the control o	estimate length surface area occi flow status as power as the surface area occi flow status as perched height and jerched height arent ree (storm sewered by rip-rap, are surface) whether or not ow condition chapter or chapter or surface are surfaced by condition chapter occi flow status are surfaced by status are surfaced as the surfaced area occidentally as percentaged as the surfaced area occidentally as percentaged as the surfaced area occidentally as the surfaced area occid	er feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. r feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. umping height rd jumping height r outlet or industrial discharge pipe). mour stone, or gabion baskets. perched. If perched record perched height and jumping height. linges from dry to standing water, independent of segment break nges from minimal to substantial surface flow, independent of segment break hanges from dry/standing water to interstitial flow, independent of segment break

Unconstr	ained Headwater	Drainage Feature Asses	ssment
Date (yyyy/mm/dd): 20246704	Project #:	Recorder/Crew:	Vs JFR
Stream Name:	Stream Code: HDF	Site Code:	Recent 4
Site Limits: Upstream WP# Downstream WP#	475374	Field Assessment:	☐ Sample 1 Unconnected HDF: ☐ Sample 2 ☐ Not connected to
		wnstream	Sample 3 downstream network
Flow Influence		Spate (2)	Baseflow (3)
Flow Condition Dry (1)	2)	☐ Interstitial Flow (3) ☐ Mirlimal Flow (4)	Substantial Flow (5)
Feature Type		No Defined Feature (4) Tiled Feature (5) Wetland (6)	Swale (7) Roadside Ditch (8) Pond (9)
Feature Vegetation	(2) Cropped (3)	Meadow (4) Scrubland	(5) Wetland(6) Forest (7)
Riparian Vegetation 0 - 1.5 m Left Bank ☐ None (1) ☐ Lawn Right Bank ☐ None (1) ☐ Lawn 1.5 - 10 m Left Bank ☐ None (1) ☐ Lawn	(2) Cropped (3)	Meadow (4) Scrubland Meadow (4) Scrubland Meadow (4) Scrubland	(5)
Right Bank 🔲 None (1) 🔲 Lawn	(2) Cropped (3)	Meadow (4) Scrubland	
10 - 30 m Left Bank ☐ None (1) ☐ Lawn Right Bank ☐ None (1) ☐ Lawn		Meadow (4) Scrubland Meadow (4) Scrubland	
Channel Gradient (S4.M7)	Clinometer (2)	ser Level (3) Survey Level (4)	Other (5) LiDAR (6)
Distance (m):	Elevation (cm)	: 0	Gradient (°):
Clay (Hard Pan) Dominant Substrate (S2.M3) Sub-Dominant Substrate (S2.M3)	Silt Sand (0.06	-2 mm) Gravel (22-66 mm) Cob	oble (67-249 mm) Boulder (250 mm) Bedrock
Feature Roughness	mal (1)	Mean Width (3) 40 - 60% F	
Channel Dimensions Feature Width (m):	7	Bankfull Depth (mm)	Annual Control of the
Entrenchment Total: >40 m		m Right Bank	m Total width m
Surface Flow Method Perched Culvert (1)	en Thydraulic H	lead (2) Distance by Tim	ne (3) Estimated (4)
Wetted Width (m) Wetted Depth (mm)	Hydraulic head (mr	n) Volume (L)	Distance (m) Time (s)
No water	Dry	3 1 2 3	1 2 3 1 2 3
Adjacent None (1 Sediment Transport Sheet E Feature None (1	rosion (6)	☐ Instream Bank Erosion (7)	Gully (4)
Sediment Deposition Measures (mm): [None (1) Minimal: < 5 mm (2)	☐Moderate: 5-30 mm (3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)

Date:	yyyy/mm 20240		1.71	strained Headwater	Orainage F		nent Sample # 2	Pg. 2 of 2 Sample # 3
		LIIOLI .	Live	POINT FEA	TUDED			TA combine
Ground	arrier Measure	WP	None 🔲	Perched Height (mm): Perched Height (mm): Watercress Present Comment:	Jumpi Jumpi	ing Height (mm):	Other:	
WP#	Photo #	Code	Category			Description		
	levy (try 1	old o	f grassel				
Site Br Trigger		Feature Typother: Con		ure Modifier Flow	v Conditions	Feature Veg	etation Ripa	rian Vegetation
Point D			Ongoing and A No Evidence (oric Evidence nown (5)	(2) Reported bu	t No Evidence (3)	
A B C D E F G H L J K L M N O P Q R	Seepage area Watercress - (Outlet (tile or ot Inlet (tile or ot Beaver dam - Manmade dar Other barrier t Potential cont Channel hard Culvert - note Flow transitior Flow transitior	- measure or estimate total other) - record finesure perconder of the measure of the measur	estimate length surface area occ if flow status as per ched height and just erched height and ent erce (storm sewered by rip-rap, arrod whether or not plow condition chalow c	er feature flow. Estimate volume feature flow. Estimate volume umping height d jumping height outlet or industrial discharge nour stone, or gabion baskets perched. If perched record per noges from dry to standing wathinges from dry/standing wathings from dry/standing wathings.	ne <0.5 l/sec or e to be <0.5 l/se pipe). ched height and er, independential surface flow	c or >0.5 l/sec. d jumping height. t of segment break , independent of segm	nent break	

	Unconstrained Headwater Drainage Feature Assessment						
Date (yyyy/mm/dd): 2	240724 Project #	46666	Recorder/Crew:	Vs + ER			
Stream Name:		Code: HDP I	Site Code:	Reachs			
Site Limits:	Upstream \ WP# [4]75	396	Field Assessment:	☐ Sample 1 Unconnected HDF:			
	Downstream WP# 41	53581	<u> </u>	☐ Sample 2 ☐ Not connected to			
Direction of Assessment:	Upstream	Down	nstream	Sample 3 downstream network			
Flow Influence	Freshet (1)		Spate (2)	Baseflow (3)			
Flow Condition	Dry (1)		☐ Interstitial Flow (3)	Substantial Flow (5)			
Tion Condition	Standing Water (2)		Minimal Flow (4)	Cabstallial Flow (0)			
Feature Type	☐ Defined Natural Channel	(1)	☐ No Defined Feature (4)	Swale (7)			
	☐ Channelized or Constrain	ned (2)	☐ Tiled Feature (5)	Roadside Ditch (8)			
	☐ Multi-thread (3)		☐ Wetland (6)	☐ Pond (9)			
Feature Vegetation	☐ None (1) ☐ Lawn (2) [☐ Cropped (3)	Meadow (4) Scrublance	(5) Wetland(6) Forest (7)			
Riparian Vegetation			1.7				
0 - 1.5 m Left Bank	□ None (1) □ Lawn (2) [☐ Cropped (3)	Meadow (4) Scrubland	(5)			
Right Bank			Meadow (4) ☐ Scrubland				
1.5 - 10 m Left Bank	□ None (1) □ Lawn (2) [Cropped (3)	☐ Meadow (4) ☐ Scrubland	1 (5) Wetland (6) Forest (7)			
Right Bank		Cropped (3)	☐ Meadow (4) ☐ Scrubland				
10 - 30 m Left Bank	□Nace (4) □ Lever (0) □	J damed (2)	□ Mandaw (4) □ Cardelana	(E) [] Moderat (C) [] Formet (7)			
Right Bank		Cropped (3)	☐ Meadow (4)☐ Scrubland☐ Meadow (4)☐ Scrubland				
Channel Gradient (S4.N	17) Visual (1) Clinome	eter (2) Lase	r Level (3) Survey Level (4))			
Distance (m):		Elevation (cm):	20	Gradient (°):			
Dominant Substrate (S	2.M3)	Silt Sand (0.06-2	! mm) Gravel (22-66 mm) Col	oble (67-249 mm) Boulder (250 mm) Bedrock			
Sub-Dominant Substra	te (S2.M3)	\square	Ц				
Feature Roughness	< 10% Minimal (1)	10 - 40%	Moderate (2) 40 - 60%	High (3) \$\infty 60\% Extreme (4)			
Width Measurement	Can't Measure (1)	nkfull (2)	Mean Width (3) Estimated	(4) GIS (5) Measure/GIS (6)			
Channel Dimensions	Feature Width (m):		Bankfull Depth (mm)				
Entrenchment To	tal: >40 m <40 m	Left Bank	m Right Bank	m Total width m			
Surface Flow Method	Perched Culvert (1)	Hydraulic He	ad (2) Distance by Tin	ne (3) Estimated (4)			
Wetted Width (m)		lydraulic head (mm)	Volume (L)	Distance (m) Time (s)			
Dry	1 2 3 No War	Dry 3		1 2 3 1 2 3			
12	Adjacent None (1)	☐ Rill (2)	☐ Rill and Gully (3) ☐	Gully (4)			
Sediment Transport	☐ Şheet Erosion (, ,	☐ Instream Bank Erosion (7)	Other (8)			
	Feature None (1)		· · · · · · · · · · · · · · · · · · ·	Gully (4)			
	☐ Sheet Erosion (☐ Instream Bank Erosion (7)	Other (8)			
Sadiment Denseities	Measures (mm):						
Sediment Deposition							
None (1)]Minimal: < 5 mm (2)	derate: 5-30 mm (3)	Substantial: 31-80 mm (4	Extensive: > 80 mm (5)			

					_
	yyyy/mm			strained Headwater Drainage Feature Assessment Pg. 2 of 2	
Date:	20546	Proj	ect #: [4(6/6	Field Assessment: Sample # 1 Sample # 2 Sample # 3	
				POINT FEATURE DATA	
Ground	arrier Measure Iwater Indicat	WP#	None 🔲	Perched Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:	
WP#	Photo #	Code	Category	Description	
					_
					_
		1			ī
= 2					ī
Additi	onal Notes) [
Div	y no	- M	to Hu	graves	
Site Br Trigge		Feature Typ Other: Com		ture Modifier	
Point D			Ongoing and A No Evidence (4		
A B C D E F G H L J K L M N	Seepage area Watercress - (Outlet (tile or of Inlet (tile or of Beaver dam - Manmade dar Other barrier (Potential cont Channel hard Culvert - note Flow transition Flow transition Flow transition	a - measure or estimate total other) - record fher) - record from easure per on - measure profish movem amination sou ening - indicatitype, size and point D/S - find point D/S - find point D-S/IF-1 during non-fit	estimate length of surface area occil flow status as per ched height and juderched height and ent arce (storm sewered by rip-rap, arm of whether or not plow condition challow condition challow surface area.	per feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. If feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. Ijumping height If outlet or industrial discharge pipe). If outlet or industrial discharge pipe). If perched record perched height and jumping height. If perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched record perched height and jumping height. If perched if perched if perched height and jumping height. If perched if perched if perched height and jumping height. If perc	

Unconstrained Headwater Drainage Feature Assessment
Date (yyyy/mm/dd): 20240704 Project #: 40066-100 Recorder/Crew: Vs +Fh
Stream Name: Stream Code: Site Code: Site Code:
Site Limits: Upstream WP# 475.2.0.5 Field Assessment: Sample 1 Unconnected HDF: Downstream WP# 415.35.5.9 Sample 2 Not connected the connected that the connected th
Direction of Assessment: Upstream Downstream Sample 3 downstream ne
Flow Influence
Flow Condition
Feature Type
Feature Vegetation ☐ None (1) ☐ Lawn (2) ☐ Cropped (3) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐ Forest (7)
Riparian Vegetation 0 - 1.5 m Left Bank
1.5 - 10 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7) Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
10 - 30 m Left Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7) Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6) Forest (7)
Channel Gradient (S4.M7) Visual (1) Clinometer (2) Laser Level (3) Survey Level (4) Other (5) LiDAR (6)
Distance (m): Elevation (cm): Gradient (°):
Clay (Hard Pan) Silt Sand (0.06-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (250 mm) Bed Dominant Substrate (S2.M3)
Feature Roughness
Channel Dimensions Feature Width (m): Bankfull Depth (mm)
Entrenchment Total: >40 m
Surface Flow Method Perched Culvert (1) Hydraulic Head (2) Distance by Time (3) Estimated (4)
Wetted Width (m) Wetted Depth (mm) Hydraulic head (mm) Volume (L) Distance (m) Time (s)
Not all Standard None (1) Rill (2) Rill and Gully (3) Gully (4) Outlet Scour (5)
Sediment Transport Sheet Erosion (6) Feature None (1) Sheet Erosion (6) Rill (2) Rill and Gully (3) Gully (4) Other (8) Sheet Erosion (6) Instream Bank Erosion (7) Other (8)
Sediment Deposition Measures (mm):
None (1) Minimal: < 5 mm (2) Moderate: 5-30 mm (3) Substantial: 31-80 mm (4) Extensive: > 80 mm (5)

Date	yyyy/mm	TITI		nstrained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	1407440	Molder	ject #: \ \ \(\(\(\) \(\)	
		1.100	ř	POINT FEATURE DATA
Ground	arrier Measure dwater Indicat	WP#	None	Perched Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
-				
	u .			
Additio	onal Notes			
- 1.	o Ho	F Do	ukur	ed in weetland
1	cts of	1 / Wa		Fouture
Site Bro		Feature Type		ture Modifier Flow Conditions Feature Vegetation Riparian Vegetation
Trigger		Other: Com		
Point D Catego			Ongoing and A No Evidence (4	()
	DATA KEY:		NO EVIGORIOU (4) OTKHOWIT (3)
B C D E F G H I J K L M N O P Q	Seepage area Watercress - e Outlet (tile or ot Inlet (tile or ot Beaver dam - Manmade dan Other barrier t Potential conta Channel harde Culvert - note Flow transition Flow transition	a - measure or estimate total so other) - record flue measure percord film measure percord fi	estimate length of surface area occil flow status as per ched height and juerched height and pent roe (storm sewered by rip-rap, arm of whether or not pow condition character occiliant of the state of	refeature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. refeature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. umping height routlet or industrial discharge pipe). mour stone, or gabion baskets. perched. If perched record perched height and jumping height. unges from dry to standing water, independent of segment break nges from minimal to substantial surface flow, independent of segment break hanges from dry/standing water to interstitial flow, independent of segment break

	Unconstrained Headwater	Drainage Feature Asses	sment
Date (yyyy/mm/dd):	Stream Code: HPF	Recorder/Crew: Site Code:	Reach 7
Site Limits: - Upstrea m De wnstrea	. /	Field Assessment:	□ Sample 1 Unconnected HDF: □ Sample 2 □ Not connected to
Direction of Assessment:		ownstream	Sample 3 downstream network Baseflow (3)
Flow Influence	Freshet (1)	Spate (2)	Basellow (3)
	Ory (1) Standing Water (2)	☐ Interstitial Flow (3) ☐ Minimal Flow (4)	Substantial Flow (5)
	Defined Natural Channel (1) Channelized or Constrained (2) Multi-thread (3)	No Defined Feature (4) Tiled Feature (5) Wetland (6)	Swale (7) Roadside Ditch (8) Pond (9)
Feature Vegetation	1)	Meadow (4) Scrubland	(5) Wetland(6) Forest (7)
Riparian Vegetation	4)	Manday (A) D Completed	(5)
0 - 1.5 m Left Bank □ None (Right Bank □ None (Meadow (4) ☐ Scrubland ☐ Meadow (4) ☐ Scrubland	
1.5 - 10 m Left Bank ☐ None (Right Bank ☐ None (Meadow (4) ☐ Scrubland Meadow (4) ☐ Scrubland	
10 - 30 m Left Bank ☐ None (Right Bank ☐ None (☐ Meadow (4) ☐ Scrubland ☐ Meadow (4) ☐ Scrubland	· ·
Channel Gradient (S4.M7)	Visual (1) Clinometer (2) La	aser Level (3) Survey Level (4)	Other (5) LiDAR (6)
Distance (m):	Elevation (cm	1): +5	Gradient (°):
Dominant Substrate (S2.M3)	Clay (Hard Pan) Silt Sand (0.0	06-2 mm) Gravel (22-66 mm) Cob	ble (67-249 mm) Boulder (250 mm) Bedrock
Sub-Dominant Substrate (S2.M3)			
Feature Roughness Width Measurement Can't		40% Moderate (2) 40 - 60% H Mean Width (3) Estimated	ligh (3)
Channel Dimensions Feature Wid	Ith (m):	Bankfull Depth (mm)	
Entrenchment Total:	>40 m	m Right Bank	m Total width m
Surface Flow Method Perch	ned Culvert (1) Hydraulic	Head (2) Distance by Tim	e (3) Estimated (4)
Wetted Width (m) Wette	ed Depth (mm) Hydraulic head (m 2 3 1 2	nm) Volume (L)	Distance (m) Time (s) 1 2 3 1 2 3
Dry . No	T. 1. 1	6	
Adjacent	None (1) Rill (2)	• • •	Gully (4)
Sediment Transport Feature	Sheet Erosion (6) None (1) Rill (2)	☐ Instream Bank Erosion (7) ☐ Rill and Gully (3)	Gully (4) Under (8) Gully (4) Outlet Scour (5)
1 Salato	☐ Sheet Erosion (6)	☐ Instream Bank Erosion (7)	Other (8)
Sediment Deposition M	easures (mm):		
None (1) Minimal: <	5 mm (2) Moderate: 5-30 mm	(3) Substantial: 31-80 mm (4)	Extensive: > 80 mm (5)

			Lincon	otroined Headwater Preiners Feeture Assessment	20.00
Date:	yyyy/mm.			strained Headwater Drainage Feature Assessment Gample # 1 Sample # 2	Pg. 2 of 2
Date.	49411	104110	ect #		Sample # 3
Ground	arrier Measure Iwater Indicat	WP	Mone	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:	
WP#	Photo #	Code	Category	Description	
Additi	onal Notes:				
- L	ats of	Cir	CNSUS		
-	Very	421			
Site Br		Feature Typ		ture Modifier	an Vegetation
Trigger Point D		Other: Com	ongoing and A	Active (1) Historic Evidence (2) Reported but No Evidence (3)	
Catego			No Evidence (4		
ABCDEFGHIJKLMZOPQR	Seepage area Watercress - e Outlet (tile or of Inlet (tile or oth Beaver dam - e Manmade dam Other barrier to Potential conta Channel harde Culvert - note e Flow transition Flow transition	- measure or stimate total stimate total stimer) - record flores are percent - measure percent in measure in measure percent in measure percent in mea	estimate length of surface area occurs flow status as perometed height and juerched height and enturce (storm sewered by rip-rap, arm I whether or not pow condition character occurs for the sew condition character occurs area of the sext occurs for the sext occurs f	er feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow.	

Unconstrained Headwater Drainage Feature Assessment	
Date (yyyy/mm/dd): 2 0 2 4 0 7 0 4 Project #: 46 666 1 W Recorder/Crew: Vs + EP	
Stream Name: Stream Code: HDC Site Code: Reach &	
Site Limits: Upstream WP# 47633 Field Assessment: Sample 1 Uncom	ected HDF: connected to
Direction of Assessment: Upstream Downstream Sample 3 dov	vnstream network
Flow Influence	
Flow Condition Dry (1) Interstitial Flow (3) Substantial Flow Grant Standing Water (2) Minimal Flow (4)	ow (5)
Feature Type	(i)
Feature Vegetation ☐ None (1) ☐ Lawn (2) ☐ Cropped (3) ☐ Meadow (4) ☐ Scrubland (5) ☐ Wetland(6) ☐	Forest (7)
Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6)	Forest (7)
Right Bank None (1) Lawn (2) Cropped (3) Meadow (4) Scrubland (5) Wetland (6)	Forest (7) Forest (7)
10-00 III Ecit Bank 22 Hono (1)	Forest (7) Forest (7)
Channel Gradient (S4.M7) Visual (1) Clinometer (2) Laser Level (3) Survey Level (4) Other (5)	LiDAR (6)
Distance (m): Elevation (cm): 4 15 Gradient (°):	<u>'</u>
Clay (Hard Pan) Silt Sand (0.06-2 mm) Gravel (22-66 mm) Cobble (67-249 mm) Boulder (2:06 mm) Substrate (S2.M3) Sub-Dominant Substrate (S2.M3)	50 mm) Bedrock
Feature Roughness	
Channel Dimensions Feature Width (m): Entrenchment Total: >40 m	
Not entrached Distance by Time (2)	ated (4)
Surface Flow Method	Time (s)
Wetted Width (m) Wetted Depth (mm) Hydraulic head (mm) Volume (L) Distance (m) 1 2 3 1 2 3 1 2 3 No Wattr	1 2 3
Sediment Transport Sheet Erosion (6) Instream Bank Erosion (7) Other (8) Feature None (1) Rill (2) Rill and Gully (3) Gully (4) Outlet Scot Instream Bank Erosion (7) Other (8)	ur (5)
Sediment Deposition Measures (mm):	m (5)

	voordmi	مد اماما	Uncon	nstrained Headwater Drainage Feature Assessment Pg. 2 of 2
Date:	уууу/mm 24240		1 11 1	Istrained Headwater Drainage Feature Assessment Pg. 2 of 2 Description Pg. 2 of 2
				POINT FEATURE DATA
Ground	Barrier Measure dwater Indicate	WP#	Mone U	Perched Height (mm): Jumping Height (mm): Perched Height (mm): Jumping Height (mm): Watercress Seepage Bubbling Stained Other: Present Comment:
WP#	Photo #	Code	Category	Description
				74°
- \	1	dry	- East	
Site Bre Trigger	r 🗆	Feature Type Other: Com	mments Forc	
Point D Catego			Ongoing and A No Evidence (4	(-)
A SB SC NO CO	Seepage area Watercress - e Outlet (tile or of Inlet (tile or oth Beaver dam - I Manmade dam Other barrier to Potential conta Channel harde Culvert - note t Flow transition Flow transition Flow transition	a - measure or estimate total so other) - record file measure perclaim - indicate type, size and a point D/S - fload point D/S - fload point D-S/IF-I during non-fis	r estimate length of surface area occur flow status as per flow status	er feature flow. Estimate volume <0.5 l/sec or >0.5 l/sec. Measure temperature. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec or >0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to segment break I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec. I feature flow. Estimate volume to be <0.5 l/sec.

Appendix K

Environmental Management Plan (EMP)



August 19, 2024

MTE File No.: 46666-100

Michael Frijia 75 Blackfriars Street London, Ontario N6H 1K8 michael@southsidegroup.ca

Dear Michael,

RE: Environmental Management Plan (EMP) for Talbot Village Subdivision Phase 8

Southside Construction Management Limited (the 'Proponent') has initiated the Draft Plan of Subdivision and Zoning By-law Amendment process for the residential development (the 'Project') at 3095 Bostwick Road in the City of London (the 'Subject Lands'). MTE Consultants has been retained to prepare an Environmental Impact Study (EIS) and Environmental Management Plan (EMP) for the proposed development. The EIS provides recommendations for avoidance and mitigation measures to protect adjacent significant natural heritage features. This EMP has been prepared to complement the EIS Addendum and provide the mitigation and monitoring recommendations in the order to be completed.

Based on the analysis of the Subject Lands in the EIS, the significant features identified on or adjacent to the Subject Lands are:

- Wetlands (Polygon 2 (MAM), Polygon 4 (MAS2), Polygon 5 (SWD3));
- Retained Woodland (FOD7); and
- Significant Wildlife Habitat
 - Terrestrial Crayfish (FOD7, MAS2, MAM)
 - Habitat for Eastern Wood-Pewee (FOD7)
 - o Candidate Habitat for Snapping Turtle (MAM, MAS2, SWD3)

The EMP has been prepared to provide mitigation and monitoring recommendations by tasks related to contract implementation:

- Building
- Landscape and Trees Development Area
- Erosion and Sediment Control
- Water Management
- Naturalization & Restoration

These general tasks have been further subdivided into the order to be completed as follows;

Pre-Construction

Pre-construction planning includes defining the project, identifying potential risks, and mitigation risks before development begins. The recommendations are to be completed prior to the initiation of construction activities.

During Construction

These recommendations are to be conducted from initiation of construction activities until a specified build-out stage as determined in consultation with the City of London. Should the proposed development become non-compliant with the EMP, immediate action shall be taken to ensure the correct implementation of mitigation measures in accordance with the EMP. Activities that mat result in negative impacts to natural heritage systems shall be halted as soon as the issue is identified.

Post-Construction

These recommendations, as provided in various drawings of the Site Plan submission, are to be carried out following construction until the end of the Assumption of Development Stage.

Site Plan Sources

Plans to be references are noted under each section and may be subject to change during the site plan application phase. The referenced documents are summarized below:

- Talbot Village Phase 8 Grading Plan (Arcadis, July 2024)
- Hydrogeological Assessment Talbot Village Phase 8 (EXP, 2024);
- Erosion and Sediment Control Plan (Arcadis, July 2024)
- Erosion and Sediment Control Guide for Urban Construction (Toronto and Region Conservation Authority, 2019);
- Design Specifications & Requirements Manual (City of London, 2019); and
- Environmental Management Guidelines (City of London, 2021).

Additional recommendations are also included and shaped by provincial and municipal policies to provide natural heritage support and protection.

1.0 CONSTRUCTION SITE MANAGEMENT

The following are recommendations related to the construction site management of the Subject lands and included in the updated 2024 EIS prepared by MTE.

1.1 Pre-Construction

MTE Recommendations

Recommendation 1.1.1:

Prior to conducting any work on site, project personnel and contractors should be made aware of the possible presence of Eastern Hog-nosed Snake and their protection under the *ESA*, 2007.

Recommendation 1.1.2:

Equipment should be cleaned prior to arrival on site including tires, undercarriage, and any part of the equipment that may transport invasive seeds to the site. Clean equipment protocols are provided by the Ontario Invasive Plant Council's Clean Equipment Protocol for Industry (Halloran, Anderson & Tassie, 2016) and London's Invasive Plant Management Strategy (2017) and should be followed where appropriate.

1.2 During Construction

MTE Recommendations

Recommendation 1.2.1:

Regular cleanup of the site must be completed during construction and post-construction to ensure the adjacent natural heritage features are not degraded.

Recommendation 1.2.2:

Dust abatement measures (e.g., watering) are recommended if site grading will occur during extended dry weather periods.

Recommendation 1.2.3:

Advise workers of potential encounters with wildlife during construction. If an animal enters the work site, work at that location will stop and the animal should be permitted to leave unharassed.

Recommendation 1.2.4:

Noise disturbance should be limited to allowable hours per the City of London Noise By-law (No.PW-12).

1.3 Post-Construction

MTE Recommendations

Recommendation 1.3.1:

The installation of educational signage on permanent fencing post-development is recommended to inform future landowner(s) of the significance of the adjacent features. Signage discussing the ecological value of the wetland areas and wildlife species present may be particularly effective. Some studies show the public are more likely to avoid damaging activities (ex: littering, trampling plants, dumping landscape waste) if they are aware of the link between their actions and the subsequent negative impacts, and if they feel they are responsible for the stewardship of a natural area (Gamman et al., 1995; Johnson and Van de Kamp, 1996). People are also more likely to respect a barrier if they understand the reason for it (Johnson, 1989).

Recommendation 1.3.2:

For the future development, provide homeowners with the "Living with Natural Areas" brochure published by UTRCA in 2005. This will help educate residents on appropriate ways to interact with natural areas and discourage damaging encroachment activities such as dumping landscape waste, using chemicals on lawns, mowing past residential boundaries, and creating trails.

Recommendation 1.3.3:

Exterior lighting should be fully shielded and pointed downward to minimize skyglow, glare and light trespass into the adjacent natural features.

2.0 TREES AND LANDSCAPE – DEVELOPMENT AREA

Recommendations in Section 2 relate to tree and vegetation removal as per the updated EIS prepared by MTE (2024).

2.1 Pre-Construction

MTE Recommendations

Recommendation 2.1.1:

Complete a Tree Preservation Report to inform tree protections and site design prior to earth or construction works. Include the surveyed locations of the large diameter natural heritage trees within the Tree Preservation Report.

2.2 During Construction

MTE Recommendations

Recommendation 2.2.2:

Tree removals should occur outside of the breeding bird nesting period (April 1 to August 31) unless a nest sweep confirms no active nests are present.

Recommendation 2.2.3:

Vegetation clearing, including grubbing, should occur when weather conditions are suitable to allow snakes to flee (sunny and at least 18°C). Vegetation clearing and grubbing should occur in an orderly and systematic manner to direct wildlife movement in one direction, and to reduce the possibility of wildlife encounters with equipment. Vegetation clearing will occur under the supervision of a qualified biologist to ensure no reptiles or other species at risk are harmed. Clearing of vegetation can occur without the supervision of a qualified biologist if it occurs during the inactive season (between December 1 and March 31) and no grubbing or below-ground works are undertaken. Vegetation clearing during the inactive season should be performed in a manner that avoids soil compaction; vegetation can be cleared by hand, or cleared while the soil is frozen with light machinery that is equipped to reduce compaction.

Recommendation 2.2.4:

Once vegetation has been cleared, geotextile fencing should be installed as snake exclusion barrier along the construction boundary. ESC fencing may function as exclusion fencing. The geotextile fence should be at least 1.0 meters high from grade at all locations and buried at least 0.2 meters below grade. Exclusion fencing should extend out from its terminal edges by a distance of at least 5 meters and angle out or back at a 45° angle (whichever is most beneficial) to direct wildlife away from the construction site. Installation of fencing during the active season (April 1 to November 30) will be supervised by a qualified biologist. Outside the active season, fencing may be installed without the supervision of a qualified biologist.

Recommendation 2.2.5:

To prevent entanglement of wildlife, including snakes, mesh or netting-type material must not be used for erosion control. Net-free materials, such as Curlex Net-Free blanket, riprap over geotextile fabric, or similar alternative is recommended.

Recommendation 2.2.6:

Between April 1 and November 30, all equipment and machinery that is left idle for over 1 hour, or overnight, on the property must be visually examined prior to (re)ignition, to ensure snakes are not present within the machinery. This visual examination should include all lower components of the machinery, including operational extensions and running gear.

Recommendation 2.2.7:

Any protected species that is encountered on site (not anticipated) must be protected from harm and harassment. Should a snake protected by the *ESA* be observed in the work area and

presumed to be unharmed, all project personnel and operating machinery should maintain a minimum 30-meter distance from it at all times until it has left the area. Contact MECP immediately if this cannot be done. A large Rubbermaid type container with ventilated lid should be kept on site at all times in the event a snake is injured or killed during the project. If an *ESA*-protected snake is injured, it should be immediately transported in the container to a licensed Wildlife Custodian. During transport, the snake inside the container should be maintained at a temperature between 10 and 30°C. MECP immediately if any protected snakes are harmed or killed during construction.

Recommendation 2.2.8:

The property should be clean and free of debris for any activities that occur during the active season for snakes (April 1 to November 30). Snakes may find and occupy materials and equipment stored on site and could be harmed when materials and debris are handled or used. The creation and duration of debris stockpiles within the development footprint should be limited. Materials such as excavated soils, lumber, and other construction materials should only be stored in areas that previously had understorey vegetation (1 m or shorter), mowed to a height of 5 cm or shorter. Excavated soil should not be stored on the sites long term. Flat materials such as plywood or rubber mats should not be left lying on the ground. Any material stockpiles created on the property during the project must be visually examined for snakes prior to disturbance or removal.

Recommendation 2.2.9:

Cleared areas should be maintained at a height of 7-10 cm. Allowing grass to grow greater than 15 cm in height could attract snakes to the construction sites.

Recommendation 2.2.10:

As per the *MBCA* (1994), it is recommended that any tree removals occur outside of the migratory breeding bird season (i.e., April 1 to August 31). If this window cannot be avoided, nest searches to determine the presence or absence of nesting birds or breeding habitat should be conducted until clearing is complete, or until August 31, whichever comes first.

Recommendation 2.2.11:

Where tree removal is proposed, removal of trees of any size should occur outside the bat maternity roost period, which is approximately May 1 to September 31. All trees proposed for removal must be assessed for bat habitat. This avoidance measure includes dead standing trees.

2.3 Post-Construction

MTE Recommendations

Recommendation 2.3.1:

Install fencing without gates along the rear of lots where lots are directly abutting the remaining woodland in the south and along the north. Material, height and style details should be determined in consultation with City of London staff.

3.0 SEDIMENT AND EROSION CONTROL

Recommendations in section 3 are from the updated EIS prepared by MTE (2024) and standard recommendations influenced by the TRCA Erosion and Sediment Control Guide for Urban Construction. The following standard erosion control recommendations should be included with the final site alteration plans. The ESC Plan (Arcadis, 2024) should also be followed in addition to these recommendations.

3.1 Pre-Construction

MTE Recommendations

Recommendation 3.1.1:

A multi-barrier approach for sediment and erosion control should be used for this development and contained within a project-specific ESC Plan. Prior to works on site, robust sediment and erosion control fencing should be installed in areas immediately adjacent to retained natural features and across low-lying areas prone to receiving overland runoff. The fencing will act as a barrier to keep construction equipment and spills away from vulnerable natural areas and features where sediment loading has the potential to negatively impact wildlife habitat.

Recommendation 3.1.2:

Sediment and erosion control fencing must be installed according to the City of London Design Specifications and Requirements Manual specifications (2019b), the Guidelines for Erosion and Sediment Control for Urban Construction Sites (TRCA 2019), and the applicable standards established in the Ontario Provincial Standard Specification/Ontario Provincial Standard Drawings (OPSS/OPSD) documents.

Recommendation 3.1.3:

Sediment and erosion control fencing should be inspected prior to construction to ensure it has been installed correctly and during construction to ensure that the fencing is being maintained and is functioning properly. Any issues that are identified are to be resolved in the same day.

3.2 During Construction

MTE Recommendations

Recommendation 3.2.1:

During construction, the lands between the sediment and erosion control fencing must be maintained. The fencing should remain in place until construction is complete and the remainder of the natural areas to remain are stabilized and/or naturalized.

Recommendation 3.2.2:

Site runoff over bare ground can generate considerable sediment movement beyond the construction limits. Until the lots have been vegetated and are stable for development adjacent to vegetation, site/lot runoff should be directed to nearby stabilized vegetated areas or ditches.

Monitoring Phase 1 – During Construction

The construction monitoring plan will monitor for construction-related impacts, document successes or deficiencies of the implemented mitigation measures and provide guidance on remedial actions for circumstances when mitigation is not successful. This plan should continue from clearing and grubbing through to the home building construction until rear yards and grounds adjacent to natural features are vegetated and stabilized. This plan will be developed during the detailed design stage. Reports should be made available to the appropriate staff at the City of London.

3.3 Post-Construction

MTE Recommendations

Recommendation 3.3.1:

Sediment and erosion control fencing should not be removed until adequate re-vegetation and site stabilization has occurred. Additional re-vegetation plantings and/or time for vegetation to establish may be required; however, two growing seasons are typically sufficient to stabilize most sites.

4.0 NATURALIZATION AND RESTORATION

This section provides MTE recommendations for the removal of wetland and subsequent proposed naturalized wetland compensation area and buffer.

4.1 Pre-Construction

MTE Recommendations

Recommendation 4.1.1:

An amphibian and reptile salvage plan should be developed for Polygons 4, 5, and the northeast SAS1 pond prior to removal. Species should be relocated to the existing wetland (Polygon 2) and created wetland habitat. A wildlife collection permit will be required for this work.

Recommendation 4.1.2:

The implementation of select non-infiltration based low impact development (LID) techniques to maintain surface water inputs into the natural features (i.e., provision of clean rooftop water) on the Subject Lands should be considered as part of the stormwater management plan.

4.2 **During Construction**

MTE Recommendations

Recommendation 4.2.1:

Wetland removal should occur outside of the breeding bird period (April 1 to August 31) to ensure maximum protection of species. Alternatively, a nest sweep can be completed prior to vegetation removal to ensure no active bird nests are present. If nesting birds are present, works in the area should not proceed until after August 31 or until the nest has been confirmed inactive (e.g., young have fledged).

Recommendation 4.2.2:

The wetland compensation area should begin to be established prior to wetland removal. This is recommended to allow for wildlife relocation and pumping of water to the compensation lands to help initiate wetland creation.

Recommendation 4.2.3:

Re-seed all disturbed areas as soon as possible to maximize erosion protection and to minimize the establishment of invasive species, which may spread to the adjacent natural features.

Monitoring Phase 1 – During Construction

As outlined in the Hydrogeological Assessment (EXP, 2024a) a development phase monitoring plan is proposed to start once development begins (i.e., grading) and continue until 80% build out is reach, as long as all wetland impact mitigation measures are in place. This plan will include:

- Water level measurements to be collected from SW Stations 2-4 four (4) times annually. Dataloggers installed during the pre-development monitoring are to remain in place and be downloaded four (4) times annually, during manual water level monitoring events.
- Collect two (2) surface water quality samples from SW Station 2 two (2) times annually (spring and fall) to cover variations across seasons and compare to pre-development conditions. Water quality analytical parameters should include, at a minimum, analysis of nitrates, sodium, chloride, phosphorus, turbidity, and total dissolved and suspended solids.
- Photo documentation of each of the existing monitoring stations (SW Stations 2-4) to be taken four (4) times annually, coinciding with the water level monitoring events.

Once the wetland compensation area has been established, an additional monitoring station (SW Station 5) should be installed, as follows:

- One (1) staff gauge (SG5) and one piezometer P5 will be installed and equipped with dataloggers in each for continuous water level monitoring. The installation timing of this monitoring station will depend on the construction timing.
- Once installed, water level measurements to be collected and dataloggers downloaded four (4) times annually. Monitoring is to coincide with the existing monitoring program for SW Stations 2-4.
- Once installed, photo documentation four (4) times annually, coinciding with the water level monitoring events.

After each water level and quality sampling round, the results will be charted to compare to historical results. Monitoring Summary Reports will be prepared and provided by EXP to the Proponent on an annual basis.

4.3 Post-Construction

Refer to the EIS (MTE, 2024) for wetland compensation area creation details. A detailed wetland design will be development as part of detailed design.

Recommendation 5.3.1:

The wetland buffer and compensation area should be actively naturalized with pollinator-friendly native seed mixes and native shrub species to support the ecological function of the area. Plant species should be native to Ecoregion 7E and appropriate for the soil conditions and water depths present.

Monitoring Phase 2 – Post Construction

Long-term post-construction monitoring shall evaluate the success of the proposed encroachment prevention strategies, wetland compensation creation and invasive species management. This plan should include remedial actions that are triggered if effects exceed predetermined thresholds. Monitoring requirements should be finalized at the detailed design stage in consultation with City of London staff. The post-construction monitoring plan is proposed to include the following.

Buffer and Wetland Naturalization – Vegetation Monitoring Plan

• Complete vegetation monitoring in the created wetland and associated buffer over three years (monitor in Year 2 and 3 coordinated with hydrogeological monitoring) after

enhancement efforts to document compliance with a prepared landscape plan. Monitoring in Year 1 by the landscape contractor should document success of seed germination/cover and tree/shrub installation and confirm the correct seed mixes and trees/shrubs species were used. Monitoring in Years 2 and 3 should document plant establishment and growth through completion of a floral inventory through one visit conducted by a qualified professional during the growing season.

- Implement adaptive management strategies such as supplemental plantings and or control of non-native invasive species if required. Adaptative management may be triggered by poor survival of planted material (triggered at <80% survival of seeded species or woody materials), insufficient vegetation cover (triggered at <80% if planted at 100%) and the presence of unacceptable invasive species (triggered at >20% invasive groundcover; 80% non-native/native is target)
- Adaptive management strategies within the wetland buffer and created wetland habitat will depend on the issue encountered but may include:
 - Removal of invasive species with a species-specific method outlined in the Best Management Practices (BMPs) from the Ontario Invasive Plant Council. These may include biological, physical/mechanical, chemical management strategies or a combination of strategies;
 - o Re-seeding with a target seed mix;
 - o Re-planting of dead trees/shrubs or other plant materials; and
 - o Increased monitoring frequency or length (e.g., adding monitoring in Year 4).
- Inventory invasive plants throughout the ecological monitoring period. This should include identification of invasive species type, location and abundance within the wetland buffer and created wetland feature as well as a record of completed management strategies.

Wetland Habitat Monitoring Plan

 Complete targeted searches for Terrestrial Crayfish (i.e., visual survey for chimneys) in Years 2 and 3 to confirm presence/absence. Habitat suitability is to be reviewed in collaboration with groundwater level monitoring.

Encroachment Monitoring Plan

- Encroachment monitoring should be completed for two years (Years 2 and 3) in coordination with the wetland monitoring. Monitoring should focus on the wetland compensation area and remaining woodland. Observations should include looking for litter in natural features, dumping of yard waste, informal trail creation, fence damage and other impacts.
- If encroachment is an issue post-construction, additional strategies should be implemented. The strategy should be tailored to the issue but may include additional signage, fences, monitored garbage cans along the multi-use pathway, additional landowner awareness, or other identified strategies.

Wetland Hydrogeology Monitoring Plan

Implement the post-construction wetland monitoring plan from the Hydrogeological Assessment (EXP, 2024). This plan should be referenced directly, but includes the following:

- Water level measurements to be collected from SW Stations 2-4 and from the newly installed SW Station 5 in the compensated wetland area four (4) times annually for three (3) years, in coordination with the ecological monitoring plan. Dataloggers installed during the pre-development and development monitoring are to remain in place and be downloaded four (4) times annually, during manual water level monitoring events.
- Collect surface water samples from SW Station 2 and the new wetland compensation area two (2) times annually (spring and fall) for three (3) years. Water quality analytical parameters should include, at a minimum, analysis of nitrates, sodium, chloride, phosphorus, turbidity, and total dissolved and suspended solids.
- Photo documentation of each of SW Station 2-5, to be completed four (4) times annually for three (3) years.

After each water level and quality sampling round the analytical results will be charted to compare to historical results. Monitoring Summary Reports will be prepared and provided to the Client on an annual basis.

During and post-construction monitoring will evaluate changes to water levels and potential impacts to the wetland features and functions as a result of substantial changes to water levels (i.e., deviations from 'typical' conditions in consideration of climatic data). If deviations from the norm are not the result of climatic conditions, the Client and UTRCA will be notified, and appropriate mitigation measures will be implemented. The level of significance of the detrimental impacts to the wetlands will be determined by assessing the magnitude and duration of change within surface water measurements. Potential adverse impacts to wetland vegetation, flora and wildlife habitat related to hydrogeology will be assessed via the ecological monitoring plan with appropriate mitigation measures identified in the annual reports.

CONCLUSION

This Environmental Management Plan has provided recommendations to protect the adjacent significant natural heritage features from both direct and indirect impact, through avoidance, mitigation, management, and monitoring. Timelines (pre-, during, and post-construction) have been outlined. Provided these recommendations are followed, it is our option that the proposed development will have no significant impacts on the adjacent natural heritage features.

Yours Truly,

MTE Consultants Inc.

Elise Roth

Biologist 519-204-6510

eroth@mte85.com

Allie Leadbetter

Biologist

519-204-6510 ext. 2243 aleadbetter@mte85.com

Mil. Lesolbettez

Dave Hayman

Senior Biologist 519-204-6510 Ext. 2241

dhayman@mte85.com