

Attachments for Chippewas of the Thames First Nation

 722063_London PPCP_Project
Information Sheet.pdf

 722063_London PPCP_Status
Update.docx

 PPCP Study_Status
Update_Chippewas of the Thames
FN.docx

From: [NationsConnect](#)
To: [An, Ashley](#)
Subject: [EXT] NationsConnect: PPCP Update regarding City of London Pollution Prevention Control Plan Update
Date: Monday, March 17, 2025 11:06:34 AM

EXTERNAL EMAIL

A new conversation has been started by Jen Mills and you were indicated as a person to notify.

Subject: PPCP Update

Hi

Thanks for the update on the PPCP. When you have updates, you can add new documents in the Conversations feature of the existing project in NationsConnect, rather than creating a new submission. Since we previously sent a response, I will close this as processed but we can continue to share updates and comments.

Body: We will look out for the public information session date but it would be helpful if you could send a message here when that date is announced. We will do our best to attend.

Thanks

Jen Mills

[View conversation in NationsConnect](#)



STATUS UPDATE

THE CITY OF LONDON

POLLUTION PREVENTION CONTROL PLAN (PPCP) UPDATE STUDY



March 13, 2025

Chief Joe Miskokomon
Chippewas of the Thames First Nation
R.R. #1 320 Chippewa Road
Muncey, ON N0L 1Y0

Aanii Chief Miskokomon,

I hope you have been doing well. This letter is to provide you with a project status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, in advance of the Public Information Centre (PIC) planned for April 2025. We'd like the opportunity to discuss the proposed strategy with you and incorporate any feedback you may have at your earliest convenience.

Please note that the Study was officially initiated on August 24, 2023 (please see attached the **Notice of Commencement** and **Project Information Sheet**). Since the last project status update on March 15, 2024, the Project Team completed a comprehensive background review and inventory of the Study Area systems. Additionally, updates to the wastewater hydraulic model have been finalized and used to assess the frequency and volume of combined sewer overflows (CSOs) and sanitary sewer overflows (SSOs) for the 2018 typical year rainfall. We have also ranked the existing sewer overflow and pumping station bypass locations within the City, and high-priority sites were identified as those with greater discharge volume, do not meet the 90% capture of wet weather flow volume, and have an existing impaired status for the receiving watercourse(s).

In accordance with Phase 2 of the Municipal Class EA process for Master Plans, various pollution reduction alternatives were evaluated to satisfy the requirements of MECP Procedure F-5-5, without also negatively impacting existing system performance (i.e. sanitary sewer service and basement flooding protection). Alongside traditional mitigation strategies focusing on capital infrastructure improvements (sewer upsizing, provision of storage, further combined sewer separation, etc.), the City has identified a long-term source control strategy. If implemented, it would facilitate the total disconnection of properties with weeping tiles currently connected to the City's sewer system and ultimately reduce CSOs and SSOs to the Thames River and other receiving streams.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Chippewas of the Thames First Nation. We invite you to provide your community's comments and perspectives on the study update. The date of the PIC has not yet been confirmed, but the **Notice of PIC** with details on how to attend the in-person event will be posted to the Project Website in the coming weeks, and can be accessed using the link below.



london.ca/PPCP

Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Miigwech.



**REGISTERED
DOMESTIC**
CUSTOMER RECEIPT

**RECOMMANDÉ
RÉGIME INTÉRIEUR**
REÇU DU CLIENT



To	Destinataire
Name <i>Chief Joe Niskokomun</i>	Nom <i>Niskokomun</i>
Address <i>RR #1 320 Chipewan Rd</i>	Adresse <i>320 Chipewan Rd</i>
City / Prov. / Postal Code <i>Muncy, ON NOL 2Y0</i>	Ville / Prov. / Code postal <i>NOL 2Y0</i>
Declared Value Valeur déclarée	\$

FOR DELIVERY
CONFIRMATION

CONFIRMATION
DE LA LIVRAISON

canadapost.ca

postescanada.ca

or/ou

1 888 550-6333

CPC Tracking Number

Numéro de repérage de la SCP

RN 825 812 625 CA


33-086-584 (17-12)

ONH 1 @ \$1.44 \$1.44
LETTERMAIL STD/LET STANDARD

Item Weight/Poids de l'article: 0.019
kg
Volumetric Equivalent (VE)/
Équivalent volumétrique (EV): 0.000
Kg
Destination: Canada
Postal code - ZIP Code/Code postal -
ZIP: NOL1Y0

After cut-off. Add 1 business day
(excluding holidays) to your
delivery./

Heure limite dépassée; ajoutez un
jour ouvrable pour la livraison (à
l'exception des jours fériés).



RN825812625CA

ONH \$13.15
REG DOMESTIC/COURRIER RECOMMANDE

ONH \$0.00
INSUR. PARC XP P/C/COLIS ASSUR XP P/C

Amount covered/Montant de la
couverture: \$100.00



Date: 2025/03/19

Dear Sir or Madam

Please find below the scanned delivery date and signature of the recipient of the item identified below:

Item Number RN825812625CA

Product Name Lettermail

Reference Number 1 Not Applicable

Reference Number 2 Not Applicable

Delivery Date (yyyy/mm/dd) 2025-03-17

Signatory Name JACLYN DELEARY

Signature

A handwritten signature in black ink, appearing to read "JACLYN DELEARY", is written over a faint, light blue Canada Post logo. The logo consists of the words "CANADA" and "POSTES" in a serif font, with a red stylized arrow pointing right between them, and the words "POST" and "CANADA" in a sans-serif font below it.

Yours sincerely,

Customer Relationship Network

1-888-550-6333.

(From outside Canada 1 416 979-3033)

This copy confirms to the delivery date and signature of the individual who accepted and signed for the item in question. This information has been extracted from the Canadapost data warehouse

From: [An, Ashley](#)
To: Justin.logan@delawarenation.on.ca; Lands.Assistant@delawarenation.on.ca
Cc: [Jorgensen, James](#); [Ou, Yanzhen](#)
Subject: City of London Pollution Prevention Control Plan - Status Update
Date: Thursday, March 13, 2025 4:40:00 PM
Attachments: [PPCP Study Status Update Delaware Nation at Moraviantown.pdf](#)
[722063 London PPCP Project Information Sheet.pdf](#)
[722063 London PPCP NOC Final V2 AODA.pdf](#)

Koolamalsi,

I hope you have been doing well. I wanted to provide you with a status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, which was initiated on August 24, 2023. Please see attached the Project Status Update letter, which is also being delivered by registered mail. Attached is also a copy of the Notice of Commencement and Project Information Sheet which were previously sent at the start of the project.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Delaware Nation at Moraviantown. We invite you to provide your community's comments and perspectives on the study update. Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Anushiik,

GEI

ASHLEY AN, B.A.S.c, LEED Green Associate (She/Her)

Technical Specialist

416.703.0667...7231 cell: 647.515.8931

3300 Highway No. 7 | Suite 402 | Vaughan, Ontario L4K 4M3 | Canada





STATUS UPDATE

THE CITY OF LONDON

POLLUTION PREVENTION CONTROL PLAN (PPCP) UPDATE STUDY



March 13, 2025

Chief Justin Logan

Eelūnaapéewi Lahkéewiit (Delaware Nation at Moraviantown)

14760 School House Line, RR3

Thamesville, ON, N0P 2K0

Koolamalsi Chief Logan,

I hope you have been doing well. This letter is to provide you with a project status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, in advance of the Public Information Centre (PIC) planned for April 2025. We'd like the opportunity to discuss the proposed strategy with you and incorporate any feedback you may have at your earliest convenience.

Please note that the Study was officially initiated on August 24, 2023 (please see attached the **Notice of Commencement** and **Project Information Sheet**). Since the last project status update on March 15, 2024, the Project Team completed a comprehensive background review and inventory of the Study Area systems. Additionally, updates to the wastewater hydraulic model have been finalized and used to assess the frequency and volume of combined sewer overflows (CSOs) and sanitary sewer overflows (SSOs) for the 2018 typical year rainfall. We have also ranked the existing sewer overflow and pumping station bypass locations within the City, and high-priority sites were identified as those with greater discharge volume, do not meet the 90% capture of wet weather flow volume, and have an existing impaired status for the receiving watercourse(s).

In accordance with Phase 2 of the Municipal Class EA process for Master Plans, various pollution reduction alternatives were evaluated to satisfy the requirements of MECP Procedure F-5-5, without also negatively impacting existing system performance (i.e. sanitary sewer service and basement flooding protection). Alongside traditional mitigation strategies focusing on capital infrastructure improvements (sewer upsizing, provision of storage, further combined sewer separation, etc.), the City has identified a long-term source control strategy. If implemented, it would facilitate the total disconnection of properties with weeping tiles currently connected to the City's sewer system and ultimately reduce CSOs and SSOs to the Thames River and other receiving streams.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Eelūnaapéewi Lahkéewiit. We invite you to provide your community's comments and perspectives on the study update. The date of the PIC has not yet been confirmed, but the **Notice of PIC** with details on how to attend the in-person event will be posted to the Project Website in the coming weeks, and can be accessed using the link below.



london.ca/PPCP

Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Anushiik.



**REGISTERED
DOMESTIC**

CUSTOMER RECEIPT

**RECOMMANDÉ
RÉGIME INTÉRIEUR**

REÇU DU CLIENT



To **Destinataire**
Name **Nom**
Chief Justin Lagen
Address **Adresse**
14760 Schwal House Line, RR3
City / Prov. / Postal Code **Ville / Prov. / Code postal**
Thamesville, ON NOP 2K0

Declared Value **Valeur déclarée** \$

**FOR DELIVERY
CONFIRMATION**

**CONFIRMATION
DE LA LIVRAISON**

canadapost.ca

postescanada.ca

or/ou

1 888 550-6333

CPC Tracking Number

Numéro de repérage de la SCP

RN 825 812 687 CA

33-086-584 (17-12)

ONH 1 @ \$1.44 \$1.44
LETTERMAIL STD/LET STANDARD

Item Weight/Poids de l'article: 0.019
kg

Volumetric Equivalent (VE)/

Équivalent volumétrique (EV): 0.000

Kg

Destination: Canada

Postal code - ZIP Code/Code postal -

ZIP: NOP2K0

After cut-off. Add 1 business day
(excluding holidays) to your
delivery./

Heure limite dépassée; ajoutez un
jour ouvrable pour la livraison (à
l'exception des jours fériés).



RN825812687CA

ONH \$13.15
REG DOMESTIC/COURRIER RECOMMANDE

ONH \$0.00
INSUR. PARC XP P/C/COLIS ASSUR XP P/C

Amount covered/Montant de la
couverture: \$100.00



Date: 2025/03/19

Dear Sir or Madam

Please find below the scanned delivery date and signature of the recipient of the item identified below:

Item Number RN825812687CA

Product Name Lettermail

Reference Number 1 Not Applicable

Reference Number 2 Not Applicable

Delivery Date (yyyy/mm/dd) 2025-03-18

Signatory Name SERENA PETERS

Signature

A handwritten signature in black ink is written over a light blue background that features the Canada Post logo. The signature is a stylized, cursive "S" followed by a vertical line and a horizontal stroke. The logo behind the signature consists of the words "CANADA" and "POSTES" in white on a blue background, with "POST" and "CANADA" in white on a red background below it.

Yours sincerely,

Customer Relationship Network

1-888-550-6333.

(From outside Canada 1 416 979-3033)

This copy confirms to the delivery date and signature of the individual who accepted and signed for the item in question. This information has been extracted from the Canadapost data warehouse

**Attachments for Chippewas of the Kettle &
Stony Point First Nation**

 722063_London PPCP_Project
Information Sheet.pdf

 722063_London PPCP_Status
Update.docx

 PPCP Study_Status Update_Kettle and
Stony Point FN.docx

From: [NationsConnect](#)
To: [An, Ashley](#)
Subject: [EXT] NationsConnect: CKK Referral Submission: GM BluePlan - City of London Pollution Prevention Control Plan Update regarding City of London Pollution Prevention Control Plan Update
Date: Thursday, April 10, 2025 10:51:36 AM
Attachments: [response--722063--city-of-london-pollution-prevention-control-plan-update--from--chippewas-of-the-kettle-stony-point-first-nation.pdf](#)

EXTERNAL EMAIL

A new conversation has been started by Jana George and you were indicated as a person to notify.

Subject: CKK Referral Submission: GM BluePlan - City of London Pollution Prevention Control Plan Update

The Referral City of London Pollution Prevention Control Plan Update has been submitted to the Chippewas of the Kettle & Stony Point First Nation Submitting organization: GM BluePlan Link to consultation: [City of London Pollution Prevention Control Plan Update](#)

Body: Attached to this email is the Referral Submission Receipt Letter PDF.

Thank you for providing this notification letter and project information. We look forward to receiving updates as the project progresses.

Three Fires Group / Chippewas of the Kettle and Stony Point First Nation
Consultation Department

[View conversation in NationsConnect](#)

**Project Name:**

City of London Pollution Prevention Control Plan Update

Consulting Org Contact:

Ashley An; James Jorgensen

Consulting Organization:

GM BluePlan

Date Submitted:

Thursday, 13-Mar-2025 16:59:24 EDT

Date Reviewed:

Thursday, 10-April 2025

Thank you for sharing this information and for providing an opportunity to provide feedback on the City of London's Pollution Prevention Control Plan study project. Our consultation team is interested in receiving updates as the project progresses, as well as an opportunity to review the final Pollution Prevention Control Plan. Our community has a number of members that currently reside both within and near the City, so we are very interested in learning about the preventative measures that will be put in place.

Sincerely,

Three Fires Group / Chippewas of Kettle and Stony Point First Nation Consultation Department



STATUS UPDATE

THE CITY OF LONDON

POLLUTION PREVENTION CONTROL PLAN (PPCP) UPDATE STUDY



March 13, 2025

Chief Kimberly Bressette
Kettle and Stony Point First Nation
6247 Indian Lane
Kettle and Stony Point FN, ON N0N 1J1

Aanii Chief Bressette,

I hope you have been doing well. This letter is to provide you with a project status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, in advance of the Public Information Centre (PIC) planned for April 2025. We'd like the opportunity to discuss the proposed strategy with you and incorporate any feedback you may have at your earliest convenience.

Please note that the Study was officially initiated on August 24, 2023 (please see attached the **Notice of Commencement** and **Project Information Sheet**). Since the last project status update on March 15, 2024, the Project Team completed a comprehensive background review and inventory of the Study Area systems. Additionally, updates to the wastewater hydraulic model have been finalized and used to assess the frequency and volume of combined sewer overflows (CSOs) and sanitary sewer overflows (SSOs) for the 2018 typical year rainfall. We have also ranked the existing sewer overflow and pumping station bypass locations within the City, and high-priority sites were identified as those with greater discharge volume, do not meet the 90% capture of wet weather flow volume, and have an existing impaired status for the receiving watercourse(s).

In accordance with Phase 2 of the Municipal Class EA process for Master Plans, various pollution reduction alternatives were evaluated to satisfy the requirements of MECP Procedure F-5-5, without also negatively impacting existing system performance (i.e. sanitary sewer service and basement flooding protection). Alongside traditional mitigation strategies focusing on capital infrastructure improvements (sewer upsizing, provision of storage, further combined sewer separation, etc.), the City has identified a long-term source control strategy. If implemented, it would facilitate the total disconnection of properties with weeping tiles currently connected to the City's sewer system and ultimately reduce CSOs and SSOs to the Thames River and other receiving streams.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Kettle and Stony Point First Nation. We invite you to provide your community's comments and perspectives on the study update. The date of the PIC has not yet been confirmed, but the **Notice of PIC** with details on how to attend the in-person event will be posted to the Project Website in the coming weeks, and can be accessed using the link below.



london.ca/PPCP

Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Miigwech.



REGISTERED
DOMESTIC

CUSTOMER RECEIPT

RECOMMANDÉ
RÉGIME INTÉRIEUR

REÇU DU CLIENT



To Destinataire
Name Nom
Chief Kimberly Bressette
Address Adresse
Kettle and Stoney Point
City / Prov. / Postal Code Ville / Prov. / Code postal
6247 Indian Lane NON 1J1

Declared Valeur
Value déclarée \$

FOR DELIVERY
CONFIRMATION

canadapost.ca

CONFIRMATION
DE LA LIVRAISON

postescanada.ca

or/ou

1 888 550-6333

CPC Tracking Number

Numéro de repérage de la SCP

RN 825 812 727 CA


33-086-584 (17-12)

ONH 1 @ \$1.44 \$1.44
LETTERMAIL STD/LET STANDARD

Item Weight/Poids de l'article: 0.019
kg
Volumetric Equivalent (VE)/
Équivalent volumétrique (EV): 0.000
Kg
Destination: Canada
Postal code - ZIP Code/Code postal -
ZIP: NON1J1

After cut-off. Add 1 business day
(excluding holidays) to your
delivery./

Heure limite dépassée; ajoutez un
jour ouvrable pour la livraison (à
l'exception des jours fériés).



RN825812727CA

ONH \$13.15
REG DOMESTIC/COURRIER RECOMMANDE

ONH \$0.00
INSUR. PARC XP P/C/COLIS ASSUR XP P/C

Amount covered/Montant de la
couverture: \$100.00



Date: 2025/03/19

Dear Sir or Madam

Please find below the scanned delivery date and signature of the recipient of the item identified below:

Item Number RN825812727CA

Product Name Lettermail

Reference Number 1 Not Applicable

Reference Number 2 Not Applicable

Delivery Date (yyyy/mm/dd) 2025-03-17

Signatory Name TONI GEORGE

Signature

A handwritten signature in black ink, appearing to read "Toni George", is written over a light blue background. The background features a faint, large Canada Post logo with the words "CANADA POST" and "POSTES CANADA" in white capital letters.

Yours sincerely,

Customer Relationship Network

1-888-550-6333.

(From outside Canada 1 416 979-3033)

This copy confirms to the delivery date and signature of the individual who accepted and signed for the item in question. This information has been extracted from the Canadapost data warehouse

From: [An, Ashley](#)
To: chief@munsee.ca; consultation@munsee.ca; reception@munsee.ca
Cc: [Jorgensen, James](#); [Ou, Yanzhen](#)
Subject: City of London Pollution Prevention Control Plan - Status Update
Date: Thursday, March 13, 2025 4:39:00 PM
Attachments: [PPCP Study Status Update Munsee-Delaware Nation.pdf](#)
[722063 London PPCP Project Information Sheet.pdf](#)
[722063 London PPCP NOC Final V2 AODA.pdf](#)

Koolamalsi,

I hope you have been doing well. I wanted to provide you with a status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, which was initiated on August 24, 2023. Please see attached the Project Status Update letter, which is also being delivered by registered mail. Attached is also a copy of the Notice of Commencement and Project Information Sheet which were previously sent at the start of the project.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Munsee Delaware Nation. We invite you to provide your community's comments and perspectives on the study update. Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Anushiik,

GEI

ASHLEY AN, B.A.S.c, LEED Green Associate (She/Her)
Technical Specialist
416.703.0667...7231 cell: 647.515.8931
3300 Highway No. 7 | Suite 402 | Vaughan, Ontario L4K 4M3 | Canada





STATUS UPDATE

THE CITY OF LONDON

POLLUTION PREVENTION CONTROL PLAN (PPCP) UPDATE STUDY



March 13, 2025

Chief Roger Thomas
Munsee-Delaware Nation
R.R. #1 289 Jubilee Road
Muncey, ON N0L 1Y0

Koolamalsi Chief Thomas,

I hope you have been doing well. This letter is to provide you with a project status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, in advance of the Public Information Centre (PIC) planned for April 2025. We'd like the opportunity to discuss the proposed strategy with you and incorporate any feedback you may have at your earliest convenience.

Please note that the Study was officially initiated on August 24, 2023 (please see attached the **Notice of Commencement** and **Project Information Sheet**). Since the last project status update on March 15, 2024, the Project Team completed a comprehensive background review and inventory of the Study Area systems. Additionally, updates to the wastewater hydraulic model have been finalized and used to assess the frequency and volume of combined sewer overflows (CSOs) and sanitary sewer overflows (SSOs) for the 2018 typical year rainfall. We have also ranked the existing sewer overflow and pumping station bypass locations within the City, and high-priority sites were identified as those with greater discharge volume, do not meet the 90% capture of wet weather flow volume, and have an existing impaired status for the receiving watercourse(s).

In accordance with Phase 2 of the Municipal Class EA process for Master Plans, various pollution reduction alternatives were evaluated to satisfy the requirements of MECP Procedure F-5-5, without also negatively impacting existing system performance (i.e. sanitary sewer service and basement flooding protection). Alongside traditional mitigation strategies focusing on capital infrastructure improvements (sewer upsizing, provision of storage, further combined sewer separation, etc.), the City has identified a long-term source control strategy. If implemented, it would facilitate the total disconnection of properties with weeping tiles currently connected to the City's sewer system and ultimately reduce CSOs and SSOs to the Thames River and other receiving streams.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Munsee-Delaware Nation. We invite you to provide your community's comments and perspectives on the study update. The date of the PIC has not yet been confirmed, but the **Notice of PIC** with details on how to attend the in-person event will be posted to the Project Website in the coming weeks, and can be accessed using the link below.



london.ca/PPCP

Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Anushiik.



REGISTERED
DOMESTIC

CUSTOMER RECEIPT

RECOMMANDÉ
RÉGIME INTÉRIEUR

REÇU DU CLIENT



To		Destinataire	
Name	Nom		
Chief Roger Thomas			
Address	Adresse		
RR #1 28th Mile Road			
City / Prov. / Postal Code	Ville / Prov. / Code postal		
Muncey, ON	NOL 2Y0		
Declared Value	Valeur déclarée	\$	

FOR DELIVERY
CONFIRMATION

CONFIRMATION
DE LA LIVRAISON

canadapost.ca

postescanada.ca

or/ou

1 888 550-6333

CPC Tracking Number

Numéro de repérage de la SCP

RN 825 812 660 CA

33-086-584 (17-12)

ONH 1 @ \$1.44 \$1.44
LETTERMAIL STD/LET STANDARD

Item Weight/Poids de l'article: 0.019
kg

Volumetric Equivalent (VE)/
Équivalent volumétrique (EV): 0.000
Kg

Destination: Canada

Postal code - ZIP Code/Code postal -
ZIP: NOL1Y0

After cut-off. Add 1 business day
(excluding holidays) to your
delivery./

Heure limite dépassée; ajoutez un
jour ouvrable pour la livraison (à
l'exception des jours fériés).



RN825812660CA

ONH \$13.15
REG DOMESTIC/COURRIER RECOMMANDE

ONH \$0.00
INSUR. PARC XP P/C/COLIS ASSUR XP P/C

Amount covered/Montant de la
couverture: \$100.00



Date: 2025/03/19

Dear Sir or Madam

Please find below the scanned delivery date and signature of the recipient of the item identified below:

Item Number RN825812660CA

Product Name Lettermail

Reference Number 1 Not Applicable

Reference Number 2 Not Applicable

Delivery Date (yyyy/mm/dd) 2025-03-17

Signatory Name

A name and signature have been captured for the item, but the signatory has requested that they not be displayed on our website. If you need a copy of the name and signature, please call us at 1-888-550-6333. A fee may apply.

Signature

Yours sincerely,

Customer Relationship Network

1-888-550-6333.

(From outside Canada 1 416 979-3033)

This copy confirms to the delivery date and signature of the individual who accepted and signed for the item in question. This information has been extracted from the Canadapost data warehouse

From: [An, Ashley](#)
To: todd.cornelius@oneida.on.ca; tiffany.qurbani@oneida.on.ca; cao@oneida.on.ca; environment@oneida.on.ca
Cc: [Jorgensen, James](#); [Ou, Yanzhen](#)
Subject: City of London Pollution Prevention Control Plan - Status Update
Date: Thursday, March 13, 2025 4:41:00 PM
Attachments: [PPCP Study Status Update Oneida Nation of the Thames.pdf](#)
[722063 London PPCP Project Information Sheet.pdf](#)
[722063 London PPCP NOC Final V2 AODA.pdf](#)

Sheko:li,

I hope you have been doing well. I wanted to provide you with a status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, which was initiated on August 24, 2023. Please see attached the Project Status Update letter, which is also being delivered by registered mail. Attached is also a copy of the Notice of Commencement and Project Information Sheet which were previously sent at the start of the project.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Oneida Nation of the Thames. We invite you to provide your community's comments and perspectives on the study update. Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Yaw^ko,

GEI

ASHLEY AN, B.A.S.c, LEED Green Associate (She/Her)

Technical Specialist

416.703.0667...7231 cell: 647.515.8931

3300 Highway No. 7 | Suite 402 | Vaughan, Ontario L4K 4M3 | Canada





STATUS UPDATE

THE CITY OF LONDON

POLLUTION PREVENTION CONTROL PLAN (PPCP) UPDATE STUDY



March 13, 2025

Chief Todd Cornelius
Oneida Nation of the Thames
2212 Elm Avenue
Southwold, ON N0L 2G0

Sheko:li Chief Cornelius,

I hope you have been doing well. This letter is to provide you with a project status update for the City of London Pollution Prevention Control Plan (PPCP) Update Study, in advance of the Public Information Centre (PIC) planned for April 2025. We'd like the opportunity to discuss the proposed strategy with you and incorporate any feedback you may have at your earliest convenience.

Please note that the Study was officially initiated on August 24, 2023 (please see attached the **Notice of Commencement** and **Project Information Sheet**). Since the last project status update on March 15, 2024, the Project Team completed a comprehensive background review and inventory of the Study Area systems. Additionally, updates to the wastewater hydraulic model have been finalized and used to assess the frequency and volume of combined sewer overflows (CSOs) and sanitary sewer overflows (SSOs) for the 2018 typical year rainfall. We have also ranked the existing sewer overflow and pumping station bypass locations within the City, and high-priority sites were identified as those with greater discharge volume, do not meet the 90% capture of wet weather flow volume, and have an existing impaired status for the receiving watercourse(s).

In accordance with Phase 2 of the Municipal Class EA process for Master Plans, various pollution reduction alternatives were evaluated to satisfy the requirements of MECP Procedure F-5-5, without also negatively impacting existing system performance (i.e. sanitary sewer service and basement flooding protection). Alongside traditional mitigation strategies focusing on capital infrastructure improvements (sewer upsizing, provision of storage, further combined sewer separation, etc.), the City has identified a long-term source control strategy. If implemented, it would facilitate the total disconnection of properties with weeping tiles currently connected to the City's sewer system and ultimately reduce CSOs and SSOs to the Thames River and other receiving streams.

The City of London recognizes the importance of the engagement and consultation process and values the input and feedback from your community, Oneida Nation of the Thames. We invite you to provide your community's comments and perspectives on the study update. The date of the PIC has not yet been confirmed, but the **Notice of PIC** with details on how to attend the in-person event will be posted to the Project Website in the coming weeks, and can be accessed using the link below.



london.ca/PPCP

Should you have any questions, or would like to meet in person to discuss this study update, please don't hesitate to contact the City's Project Manager, Yanzhen Ou (oyanzhen@london.ca).

Yaw^ko.



REGISTERED
DOMESTIC

CUSTOMER RECEIPT

RECOMMANDÉ
RÉGIME INTÉRIEUR

REÇU DU CLIENT



To Destinataire
Name Nom
Chief Todd Cornelius
Address Adresse
Southwold, ON
City / Prov. / Postal Code Ville / Prov. / Code postal
2212 Elm Ave. NOL2G0

FOR DELIVERY
CONFIRMATION

CONFIRMATION
DE LA LIVRAISON

canadapost.ca

postescanada.ca

or/ou

1 888 550-6333

CPC Tracking Number

Numéro de repérage de la SCP

RN 825 812 700 CA

Declared Valeur
Value déclarée \$

33-086-584 (17-12)

ONH 1 @ \$1.44 \$1.44
LETTERMAIL STD/LET STANDARD

Item Weight/Poids de l'article: 0.019
kg

Volumetric Equivalent (VE)/

Équivalent volumétrique (EV): 0.000

Kg

Destination: Canada

Postal code - ZIP Code/Code postal -

ZIP: NOL2G0

After cut-off. Add 1 business day
(excluding holidays) to your
delivery./

Heure limite dépassée; ajoutez un
jour ouvrable pour la livraison (à
l'exception des jours fériés).



RN825812700CA

ONH \$13.15
REG DOMESTIC/COURRIER RECOMMANDE

ONH \$0.00
INSUR. PARC XP P/C/COLIS ASSUR XP P/C

Amount covered/Montant de la
couverture: \$100.00



Date: 2025/03/19

Dear Sir or Madam

Please find below the scanned delivery date and signature of the recipient of the item identified below:

Item Number RN825812700CA

Product Name Lettermail

Reference Number 1 Not Applicable

Reference Number 2 Not Applicable

Delivery Date (yyyy/mm/dd) 2025-03-17

Signatory Name JJ LL

Signature

A handwritten signature in black ink, appearing to be "JJ LL", is written over a light blue background that features the Canada Post logo. The logo consists of the words "CANADA" and "POSTES" in white on a blue background, with a red stylized arrow pointing right, and the words "POST" and "CANADA" in white on a red background below it.

Yours sincerely,

Customer Relationship Network

1-888-550-6333.

(From outside Canada 1 416 979-3033)

This copy confirms to the delivery date and signature of the individual who accepted and signed for the item in question. This information has been extracted from the Canadapost data warehouse