

SECTION 9

RESIDENTIAL R5 ZONE

9.1 GENERAL PURPOSE OF THE R5 ZONE

This R5 Zone provides for and regulates medium density residential development in the form of cluster townhouses. Different intensities of development are permitted through the use of the seven zone variations. Density provisions range from 25 units per hectare (10 units per acre), designed to accommodate townhousing development adjacent to lower density areas, to 60 units per hectare (24 units per acre) for inner city areas and locations near major activity centres. The higher density zone variation has been designed to accommodate stacked townhouses. The middle range zone variations are designed for most suburban townhousing developments.

9.2 PERMITTED USES

No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used in any Residential R5 Zone variation for any use other than the following uses:

- a) Cluster townhouse dwellings;
- b) Cluster stacked townhouse dwellings.

9.3 REGULATIONS

No person shall erect or use any building or structure, or use any land or cause or permit any building or structure to be erected or used, or cause or permit any land to be used, in any Residential R5 Zone variation except in conformity with the regulations as set out below and in Table 9.3.

1) **FRONTAGE - INFILLING**

In infilling situations, the frontage requirement may be reduced to 10.0 metres (32.8 feet) provided that no buildings are located in any part of the lot less than 30.0 metres (98.4 feet) in width.

2) **LOT COVERAGE - ONE STOREY DEVELOPMENTS**

For developments in which a minimum of 75% of the units are one storey in height, the maximum lot coverage may be increased to 35% and the landscaped open space requirement may be decreased to 40%, (Z.-1-021025)

3) For the purposes of the R5 Zone variations, only one townhouse dwelling is permitted to be constructed on a unit in a Vacant Land Condominium.

No townhouse dwellings are permitted to be constructed within a proposed Vacant Land Condominium until after registration of the plan of condominium has occurred. (Z.-1-142295)

9.4 SPECIAL PROVISIONS

The following zone variations apply to unique or existing situations and are not the standard R5 Zone variations. If a regulation or use is not specified, the list of permitted uses and/or the regulations of Section 9.2 and/or Section 9.3 shall apply.

R5-1 Zone Variation

R5-1(1)		
a)	Regulation	
i)	Lot Frontage (Minimum) (Z.-1-95373)	20 metres (65.6 feet)
R5-1(2)		
a)	Regulations:	
i)	Main Building Setback from Centre of Existing Imperial Oil Pipeline (Minimum) (Z.-1-00836 - O.M.B. Decision # 2184 - December 1, 1999)	20 metres (65 feet)
R5-1(3)	417 Hyde Park Road	
a)	Regulations:	
i)	Height (Maximum)	7 metres (23 feet)
ii)	Lot Coverage (Maximum)	38%
iii)	Landscaped Open Space (Minimum) (Z.-1-01856)	42%
R5-1(4)	423 Hyde Park Road	
a)	Regulations:	
i)	Rear Yard Depth (Minimum)	7 metres (23 feet)
ii)	Height (Maximum)	7 metres (23 feet)
iii)	Lot Coverage (Maximum)	38%
iv)	Landscaped Open Space (Minimum) (Z.-1-01856)	42%
R5-1(6)		
a)	Regulations:	
i)	Lot Area (Minimum)	8 000 square metres (2 acres)
ii)	Lot Frontage (Minimum)	75 metres (246 feet)
iii)	Height (Maximum)	7 metres (23 feet)
iv)	Front Yard Setback (Minimum)	3 metres (9.8 feet)
v)	Rear Yard Setback (Minimum) (Z.-1-041301)	7 metres (23 feet)

R5-2 Zone Variation

- R5-2 (1)

a) Regulations:

i) Main Building Setback from Existing Imperial Oil Pipeline Easement (Minimum) (Z.-1-92052)

7.5 metres (24.6 feet)
- R5-2(2)

a) Regulations

i) Setback from a Railway Right-of-Way (Minimum)

120 metres (394 feet) or 15 metres (49.2 feet) where a noise berm, or a combination berm and acoustic fence, adjoining and parallel to the railway rights-of-way is provided.

ii) Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building. (Z.-195381)
- R5-2(3)

a) Regulations

i) Lot Frontage (Minimum) (Z.-1-95391 - O.M.B. Order Z 950026 - Order Date: October 25, 1995)

20.0 metres (65.6 feet)
- R5-2(4)

a) Regulations

i) Setback from a Railway Right-of-Way (Minimum)

30 metres (98.4 feet).

ii) Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building. (Z.-1-96401)
- R5-2(5)

a) Regulations:

i) Lot Area (Minimum) (Z.-1-97463)

.4 ha (1 acre)
- R5-2(6)

a) Regulations:

i) Lot Area (Minimum) (Z.-1-97529)

.4 ha. (1 acre)

- R5-2(7)
- a) Regulation:
 - i) Exterior Side Yard Depth (Minimum) (Z.-1-00747) 2 metres (6.6 feet) without noise attenuation wall.
- R5-2(8)
- a) Regulations
 - i) There shall be no minimum lot frontage requirement.
 - ii) The maximum density calculation shall be based on a lot area of 5.65 hectares (14 acres), which includes lands in the abutting OS5(4) and OS1 Zone variations.
 - iii) The minimum interior side yard and/or rear yard for any structure with a basement shall be 20 metres (65.6 feet) from the north and west property boundaries or 20 metres (65.6 feet) from any Open Space OS5 Zone variation, whichever is greater. The rear lot line is deemed to be the lot line that abuts any OS5 or UR Zone variation.
 - iv) Access may be permitted via a private right-of-way to the improved street of North Centre Road. (Z.-1-00815)
- R5-2(9)
- a) Regulations:
 - i) The maximum density calculation shall be based on the total block area which includes lands within the block which are zoned OS5(4) at a width of 3.0 metres (9.8 feet). (Z.-1-01869)
- R5-2(10)
- a) Regulations:
 - i) Setback from Industrial Zoned Lands (Minimum) (Z.-1-01896) 15 metres (49.2 feet)
- R5-2(11)
- a) Regulations:
 - i) Dwelling Setback From High Pressure Pipeline (Minimum) (Z.-1-041233) 20 metres (66 feet)
- R5-2(12)
- a) Permitted Uses:
 - i) Cluster townhouses.
 - b) Regulations:
 - i) Lot Area (Minimum) 0.60 hectares (1.4 acres)
 - ii) Lot Frontage (Minimum) 70.0 metres (229.6 feet)
 - iii) Lot Coverage (Maximum) 35%

	iv)	Density (Maximum)	30 units per hectare
	v)	Height (Maximum)	10.5 metres (34.4 feet)
	vi)	Front Yard Setback (Minimum)	3.0 metres (9.8 feet)
	vii)	Rear and Interior Yard Setbacks Abutting Residential Zones (Minimum)	7.5 metres (24.6 feet)
	viii)	Yards Where Parking Area Prohibited (Z.-1-041291)	Parking is prohibited in the side and rear yard abutting existing residential development.
R5-2(13)	a)	Regulation:	
	i)	Lot Frontage (Minimum) (Z.-1-061521)	18.0 metres (59.06 feet)
R5-2(14)		1607, 1609 and 1611 Richmond Street	
	a)	Permitted uses for 1607 Richmond Street	
	i)	Cluster townhouses	
	b)	Permitted uses for 1609 and 1611 Richmond Street	
	i)	Cluster townhouses	
	ii)	Cluster stacked townhouses	
	c)	Regulations for 1607, 1609 and 1611 Richmond Street	
	i)	Lot Frontage (Minimum)	70.0 metres (229.6 feet)
	ii)	Lot Area (Minimum)	0.40 hectares (0.99 acres)
	iii)	Front Yard Depth (Maximum)	3.0 metres (9.8 feet) from the ultimate road allowance
	iv)	Rear Yard Depth (Minimum)	15.0 metres (19.2 feet)
	v)	Lot Coverage (Maximum)	35%
	vi)	Density (Maximum)	45 Units per Hectare (24 units per acre)
	vii)	Bedrooms per dwelling unit (Maximum)	3
	viii)	Maximum height to be measured from grade to roof peak	
	ix)	Basement ceiling height above grade (1.6 feet) (Maximum)	0.5 metres
	x)	Number of dwelling units (Maximum)	16

- xi) Number of vertically attached townhouse dwelling units (Maximum) 4
- d) Additional Regulations for 1607 Richmond Street
 - i) Height (Maximum) 9.5 metres (31.2 feet)
 - ii) South Interior Side Yard Depth (Minimum) 15.0 metres (49.2 feet)
 - iii) No part of any required south interior side yard shall be used for any purpose other than landscaped open space.
- e) Additional Regulations for 1609 and 1611 Richmond Street
 - i) Height (Maximum) 12.0 metres (first 16.0 metres of lot depth) (39.3feet)
 - ii) Height (beyond the first 16.0 metres of lot depth) (Maximum) 9.5 metres (31.2 feet)
 - iii) North Interior Side Yard Setback (Minimum) 3.0 metres (9.8 feet)
 - vii) No part of any required front yard, required side yard, or required rear yard shall be used for any purpose other than landscaped open space except where a common internal driveway connects to abutting properties located in a required side yard or provides vehicular access to Richmond Street located in the required front yard. (Z.-1-142261)

R5-2(15)

- a) Regulations
 - i) Front Yard Setback, Main Dwellings (Minimum): 3 metres (9.8 feet)
 - ii) Front Yard Depth for Garages (Minimum) (Z.-1-142328) 5.5 metres (18.0 feet)

R5-2(16)

- a) Regulations
 - i) Front Yard Setback, Main Dwellings (Minimum): 3 metres (9.8 feet)
 - ii) Front Yard Depth for Garages (Minimum.): 5.5 metres (18.0 feet)
 - iii) Notwithstanding the provisions of Section 2 “LOT LINE, FRONT”, the frontage for this lot will be deemed to be along the secondary collector. (Z.-1-142328)

R5-2(17) 2054 Adelaide Street North

- a) Regulations:
 - i) Front Yard Setback, Main Dwellings (Minimum): 3 metres (9.8 feet)

- ii) Front Yard Depth for Garages (Minimum): 5.5 metres (18.0 feet)
(Z.-1-192775 - LPAT issued - 2018-11-05)
- R5-2(18) 6756 James Street
 - a) Prohibited Uses
 - i) Cluster Stacked Townhouses
 - b) Regulations
 - i) Front Yard Depth (minimum) 11m
 - ii) Front Yard Depth (maximum) 13m
 - iii) Interior Side Yard Depth (minimum) 5.5m when a wall of a unit contains windows to habitable rooms
(Z.-1-223013)
- R5-2(19) 3637 Colonel Talbot Road
 - a. Regulations
 - i) Lot Coverage (Maximum): 32%
 - ii) Lot Frontage (Minimum): 10.0 metres
(Z.-1-243175)

R5-3 Zone Variation

- R5-3(1)
 - a) Regulations:
 - i) Interior Side Yard (Minimum) 1.8 metres (6 feet)
- R5-3(2) (Z.-1-92067)
(deleted by Z.-1-95329)
- R5-3(3)
 - a) Regulations
 - i) Access may be permitted via a right-of-way to an improved street.
(Z.-1-93205)
- R5-3(4)
 - a) Regulations
 - i) Setback from a Railway Right-of-Way (Minimum) 15.0 metres (49.2 feet)
 - ii) Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building.
(O.M.B. File #R910387 - Appeal #5011 December 21, 1993)
- R5-3(5)
 - a) Regulations

	i)	Rear and Interior Side Yard Depth from OS4 Zone Variation (Minimum) (Z.-1-94252)	0.0 metres
R5-3(6)	a)	Regulations:	
	i)	Lot Frontage (Minimum) (Z.-1-97457)	10.0 metres (32.81 feet)
R5-3(7)	a)	Regulations:	
	i)	Height (Maximum) (Z.-1-98563)	10.0 metres (32.81 feet)
R5-3(8)	a)	Regulations:	
	i)	Setback from a Railway Right-of-Way (Minimum)	30.0 metres (98.4 feet)
	ii)	Setback from a Railway Right-of-Way means the shortest horizontal distance between the nearest boundary of a railway right-of-way and the nearest part of any residential building. (Z.-1-99734)	
R5-3(9)	a)	Regulations:	
	i)	Main building Setback from the Centre of the Existing Imperial Oil Pipeline (Minimum) (Z.-1-00836 O.M.B. Order No. 2184 - December 1, 1999))	20 metres (65 feet)
R5-3(10)	a)	Regulations: Notwithstanding the provisions of Section 3.9 2) a) of this By-law to the contrary, the maximum density calculation for the lands zoned R5-3(10) shall be based on a lot area of 1.33 hectares (3.29 acres) which includes the lands in the abutting Open Space Special Provision (OS5(5)) Zone. (Z.-1-01876)	
R5-3(11)	a)	Regulations	
	i)	Number of units (Maximum)	27 units
	ii)	Lot Frontage (Minimum)	0 metres

	iii)	Access to site Beaufort	To be provided via Street (not assumed road)
	iv)	Interior side yard Depth (Minimum)	3 metres (9.8 feet)
	v)	Rear Yard Depth (Minimum) (Z.-1-031099 - O.M.B. File #: 020010 (Order issue Date: March 14 th , 2003)	3 metres (9.8 feet)
R5-3(12)	a)	Regulations:	
	i)	Lot Frontage (Minimum)	18.0 metres (59.0 feet)
	ii)	Setback from a Railway right-of-way (Minimum)	120 metres (394 feet) in the absence of a safety berm, 30metres (98.4 feet) in conjunction with a safety berm. (Z.-1-041202)
R5-3(13)			
R5-3(14)	a)	Regulations:	
	i)	Habitable Building Setback from the centreline of the petroleum products pipeline (Minimum) (Z.-1-061523)	20 metres (66 feet)
R5-3(15)	a)	Permitted Use:	
	i)	Cluster townhouse dwellings.	
	b)	Regulations:	
	i)	A maximum of five (5) residential units served by individual, on-site waste water treatment systems may be permitted until such time as municipal sanitary sewer services are available.	
	ii)	Density (Maximum)	16 units per hectare based on a total lot area of 0.34 hectares (0.84 acres) to a total of 5 dwelling units.
	iii)	Lot Frontage (Minimum) (Z.-1-061573)	20 metres (65.6 feet)
R5-3(16)	a)	Additional Regulations:	
	i)	Density – Units Per Hectare (Minimum) (Z.-1-091882)	45 units per hectare (14 units per acre)
R5-3(17)	a)	Additional Use:	

- i) Existing single detached dwelling
 - b) Additional Regulations for existing single detached dwelling:
 - i) Lot frontage 14.9 metres
 - ii) East Side Yard Setback (minimum) 1.0 metres
 - iii) Front Yard Setback (minimum) (Z.-1-112051) 3.0 metres
- R5-3(18)
 - a) Regulations
 - i) Front & Exterior Side Yard Depth to Main Building (Minimum): 3.0 metres
 - ii) Lot Coverage (Maximum): (Z.-1-162444) 50%
- R5-3(19) 379 Sunningdale Road West
 - a) Regulations
 - i) Density (Maximum): 35 units per hectare
 - ii) Height (Maximum): (OMB Decision: Nov 15, 2017 – Z.-1-172626) 13 metres (42.6 feet)
- R5-3(20) Northerly Portion of 943 Fanshawe Park Road West and 1800 Aldersbrook Gate
 - a) Regulations:
 - i) Front Yard Depth (Minimum): 2.8 Metres (9.2 feet)
 - ii) Density (Maximum): (Z.-1-202814) 40 Units Per Hectare
- R5-3(21) 348 Sunningdale Road East
 - a) Regulations
 - i) Lot Frontage (Minimum) 11.0 metres (36.1 feet)
 - ii) Interior Side Yard Depth (East) (Minimum) 3.2 metres (10.5 feet)
 - iii) Interior Side Yard Depth (South) (Minimum) 5.0 metres (16.4 feet)
 - iv) Interior Side Yard Depth (West) (Minimum) 3.0 metres (9.84 feet)
 - v) Rear Yard Depth (Minimum) 7.5 metres (24.6 feet)

- R5-3(22) 3924 Colonel Talbot Road
- a) Regulations:
- i) Front Yard Setback, 3 metres
Main Dwellings (Minimum): (9.8 feet)
- ii) Front Yard Depth 5.5 metres
for Garages (18.0 feet)
(Minimum)
- iii) Notwithstanding the regulations of Section 4.27 of this by-law to the contrary, on lands zoned R5-3(*) open or covered but unenclosed decks not exceeding one storey in height may project no closer than 0.6 metres (1.97 feet) where the lot line abuts an OS5 Zone.
(Z.-1-212912)

a) Regulations:

- | | | |
|------|--|---|
| i) | West Yard Depth
(Minimum) | 3.0 metres |
| ii) | North Yard Depth
(Minimum) | 3.0 metres |
| iii) | South Yard Depth
(Minimum) | 1.5 metres |
| iv) | East Yard Depth
(Minimum) | 1.0 metre for every 1.0 metre
of main building height, or
fraction thereof; |
| v) | Height | 1 storey (Minimum)
3 storeys (Maximum) |
| vi) | Front face and primary entrance of all dwelling units located
adjacent to a public street shall be oriented to the public street. | |
| vii) | Townhouse blocks shall be a maximum of eight (8) units in
length. (Z.-1-243246) | |

R5-4(1)

- a) Regulations:
- i) Setback from the Centreline of Commissioners Road West (Minimum) 24 metres (78.7 feet)

R5-4(3)

- a) Regulations:
- i) No Restricted Office (RO1) or Convenience Commercial (CC) Zone variation uses on lands.
 - ii) Lot Area (Minimum) 0.56 hectares (1.38 acres)
 - iii) Lot Frontage on Farnham Road (Minimum) (Z.-1-93191) 80 metres (262 feet)
- R5-4(4)
- a) Regulations:
- i) Interior Side Yard Depth (Minimum) (Z.-1-96415) 4 metres (13.1 feet)
- R5-4(5)
- a) Regulation:
- i) Interior Side Yard Depth for Walls with Windows to Habitable Rooms (Minimum) (Z.-1-99683) 3 metres (9.8 feet).
- R5-4(6)
- a) Regulations:
- i) Dwelling Setback From Railway Right-of-Way (Minimum) 120 metres (394 feet) in the absence of a safety berm, combination safety berm and acoustic fence, adjoining and parallel to the railway right-of-way, or 30 metres 98 feet) in conjunction with the safety/ acoustic berm noted above. (Z.-1-99702)
- R5-4(7) Not approved as of this consolidation (Z.-1-92074)
- R5-4(8)
- a) Regulations
- i) The maximum density calculation for lands zoned R5-4(8) shall be based on a total lot area of 2.44 hectares (6 acres), which includes lands in the abutting OS1 Zone variation. (Z.-1-00815)
- R5-4(9)
- a) Regulations:
- i) The maximum density calculation for lands zoned R5-4(9) shall be based on the total block area which includes lands within the block which are zoned OS5(4) at a width of 3.0 metre (9.8 feet). (Z.-1-01869)

R5-4(10)	(Repealed by Z.-1-041136)	
R5-4(11)		
	a) Regulations:	
	i) Setback from the OS5 Zone (Z.-1-041232)	10 metres (32.8 feet)
R5-4(12)		
	a) Regulations:	
	i) Dwelling Setback From High Pressure Pipeline (Minimum) (Z.-1-041233)	20 metres (66 feet)
R5-4(13)		
	a) Regulation:	
	i) For the purpose of defining minimum frontage requirements, the frontage of the property shall be the lot line coincident with the road allowance of Riverbend Road. (Z.-1-061483)	
R5-4(14)		
	a) Regulations:	
	i) Front and Exterior Side Yard Depth (Minimum) (Z.-1-112020)	4.5 m (14.76)
R5-4(15)	1040 Coronation Drive	
	a) Regulations:	
	i) Lot Frontage (Minimum)	0 metres (0 feet)
	ii) Easterly Interior Side Yard Depth (minimum)	3 metres (9.84 feet)
	iii) Easterly Side Yard Encroachment	no closer than 1.9 metres for balconies (6.23 feet) to the lot line where the side yard depth is 3 metres (9.84 feet) (Z.-1-142275)
R5-4(16)		
	a) Regulations	
	i) Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
	ii) Front Yard Depth for Garages (Minimum):	5.5 metres (18.0 feet)
	iii) Rear Yard Setback (Minimum):	3 metres (9.8 feet)

	iv)	Notwithstanding Section 3.9(2), the maximum density calculation shall be based on a lot area of 2.43 hectares, which includes the lands in the abutting Open Space Special Provision (OS4(10)) Zone. (Z.-1-142328)	
R5-4(17)			
	a)	Regulations	
	i)	Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
	ii)	Front Yard Depth for Garages (Minimum):	5.5 metres (18.0 feet)
	iii)	Rear Yard Setback (Minimum):	3 metres (9.8 feet)
	iv)	Notwithstanding Section 3.9(2), the maximum density calculation shall be based on a lot area of 2.46 hectares, which includes the lands in the abutting Open Space Special Provision (OS4(10)) Zone. (Z.-1-142328)	
R5-4(20)		305 Southdale Road West	
	a)	Regulation[s]:	
	i)	West Interior Side Yard (Minimum):	3 metre (9.8ft)
	ii)	Rear Yard Set Back (Z.-1-152375)	3.5 metre (11.5ft)
R5-4(21)		309, 315 Southdale Road West	
	a)	Regulation[s]:	
	i)	West Interior Side Yard (minimum): (Z.-1-152375)	3 metre (9.8ft)
R5-4(22)			
	a)	Regulations:	
	i)	Density (Minimum) (Maximum)	30 units per hectare 75 units per hectare
R5-4(23)			
	a)	Regulation:	
	i)	Density (Minimum) (Maximum)	30 units per hectare 100 units per hectare
	ii)	Height (Minimum) (Maximum) (Z.-1-172550)	Two (2) storeys Nine (9) storeys
R5-4(25)		2054 Adelaide Street North	

- a) Regulations
 - i) Front Yard Setback, Main Dwellings (Minimum): 3 metres (9.8 feet)
 - ii) Front Yard Depth for Garages (Minimum): 5.5 metres (18.0 feet)
(Z.-1-192775 - LPAT Issued - 2018-11-05)

- R5-4(26) 2054 Adelaide Street North
 - a) Regulations:
 - i) Front Yard Setback, Main Dwellings (Minimum): 3 metres (9.8 feet)
 - ii) Front Yard Depth for Garages (Minimum): 5.5 metres (18.0 feet)
 - iii) Dwelling Setback From High Pressure Pipeline (Minimum): 20.0 metres (66 feet)
(Z.-1-192775 - LPAT Issued - 2018-11-05)

- R5-4(27) 16 Wethered Street
 - a) Permitted Use
 - i) Townhouse Dwelling
 - b) Regulations
 - i) Front Yard Depth (Minimum) 5.0 metres (16.4 feet)
 - ii) Height (Maximum) 10.5 metres (34.4 feet)
 - iii) A minimum of 2 street-oriented units shall be required along Wethered Street
 - iv) The front face and primary entrance of dwellings shall be oriented to adjacent streets with garages internal to the site accessed by the internal drive-aisle. (Z.-1-223063)

- R5-4(28) 1474 Kilally Road
 - a) Regulations:
 - i) For the purposes of Zoning, Kilally Road is to be considered the front lot line.
 - ii) Front Yard Depth (Minimum) 2.0 metres (6.6 feet)
 - iii) Rear Yard Depth (Minimum) 6.0 metres (19.7 feet)
 - iv) West Interior Side Yard Depth (Minimum) 8.0 metres (26.2 feet)
 - v) East Interior Side Yard Depth (Minimum) 30.0 metres (98.4 feet)
 - vi) Landscaped Open Space (%) (Minimum) 50
 - vii) Lot Coverage (%) (Maximum) 25

	viii) Rear Year Second Storey Deck (Minimum) (Z.-1-233124)	4.5 metres (14.8 feet)
R5-4(29)	146 Exeter Road	
	a. Regulations:	
	i) Front Yard Depth (Minimum Arterial Road) (Maximum Arterial Road)	1.0 metres (3.28 feet) 4.5 metres (19.68 feet)
	ii) Height (Maximum)	14 metres (45.9 feet)
	iii) Density (Minimum) (Maximum)	30 units per hectare 75 units per hectare
	iv) Outdoor Amenity Space (Minimum) (Z.-1-233126)	5 square metres
R5-4(30)		
	a) Regulations:	
	i) West Yard Depth	3.0 metres (Minimum) 8.0 metres (Maximum)
	ii) North Yard Depth (Minimum)	3.0 metres
	iii) South Yard Depth	3.0 metres (Minimum) 8.0 metres (Maximum)
	iv) East Yard Depth (Minimum)	1.0 metre for every 1.0 metre of main building height, or fraction thereof;
	v) Landscaped Open Space (Minimum)	30%
	vi) Lot Coverage (Maximum)	30%
	vii) Height	2 storeys (Minimum) 4 storeys (Maximum)
	viii) No parking or drive aisles shall be located between a building and the adjacent street line.	
	ix) Where more than one building is to be developed, the maximum yard depths shall only apply to the building nearest to the lot line shared with the street. (Z.-1-243246)	
R5-4(31)		
	a) Regulations:	
	i) South Yard Depth	3.0 metres (Minimum) 8.0 metres (Maximum)
	ii) East Yard Depth	3.0 metres

- | | | |
|-------|---|---|
| | (Minimum) | |
| iii) | West Yard Depth | 3.0 metres (Minimum)
8.0 metres (Maximum) |
| iv) | North Yard Depth
(Minimum) | 1.0 metre for every 1.0 metre
of main building height, or
fraction thereof; |
| v) | Landscaped Open
Space (Minimum) | 30% |
| vi) | Lot Coverage
(Maximum) | 30% |
| vii) | Height | 2 storeys (Minimum)
4 storeys (Maximum) |
| viii) | No parking or drive aisles shall be located between a building
and the adjacent street line. | |
| ix) | Where more than one building is to be developed, the maximum
yard depths shall only apply to the building nearest to the lot line
shared with the street. (Z.-1-243246) | |

R5-4(32) 3975 Stewart Avenue

- a) Regulations
 - i) Front and Exterior Side Yard Depth to Main Building – 3.0 Metres (Minimum)
 - ii) Front and Exterior Side Yard Depth to Sight Triangle – 0.8 Metres (Minimum)
 - iii) Interior and Rear Yard Depth – 3.0 Metres (Minimum)
 - iv) Lot Coverage – 55% (Maximum)
 - v) Density – 165 Units Per Hectare (Maximum)
 - vi) Height – 9 Storeys (Maximum)
 - vii) Off-Street Parking – 121 Spaces (1 Parking Space per Unit – Minimum) (Z.-1-243249)

R5-4(33) 1338-1388 Sunningdale Road East

- a) Regulations
 - i) Front yard Setback (minimum): 4.5m (Z.-1-243251)

R5-4(34) 3849 Campbell Street

- a) Regulations
 - i) Front and Exterior Side Yard Depth (minimum):
 - 1. Main building: 3.0 m (9.8 ft)
 - 2. Garage: 6.0 m (19.6 ft)
 - ii) Lot Coverage (%) (maximum): 45
 - iii) Height (maximum): 15.0 m (49.2 ft)
 - iv) Density Units Per Hectare (maximum): 60
 - v) Enhanced Landscape Strip
 - 1. A minimum 5.0 metre deep Landscape Open Space strip shall be required adjacent to an Open Space (OS5) Zone,

within which a fence is permitted, but no surfaced walk, patio, swimming pool or similar area is permitted.
(Z.-1-253317)

R5-4(35) 3849 Campbell Street

- a) Regulations
 - i) Enhanced Landscape Strip
 - 1. A minimum 5.0 metre deep Landscape Open Space strip shall be required adjacent to an Open Space (OS5) Zone, within which a fence is permitted, but no surfaced walk, patio, swimming pool or similar area is permitted.
(Z.-1-253317)

R5-4(36) 4402 Colonel Talbot Road

- a) Permitted Uses:
 - i) Cluster townhouse dwellings
- b) Regulations
 - i) Lot Frontage (minimum) – 20.0 metres
 - ii) Notwithstanding the definition of 'Lot Line – Front' the entire easterly lot line shall be deemed to be the front lot line for zoning purposes.
 - iii) Front Yard Depth (minimum) – 4.5 metres
 - iv) North Interior Side Yard Depth (minimum) – 3.0 metres regardless of windows to habitable rooms
 - v) South Interior Side Yard Depth (minimum) – 4.5 metres regardless of windows to habitable rooms
 - vi) Rear Yard Depth (minimum) – 6.0 metres
 - vii) Density (maximum) – 40 units per hectare
(Z.-1-253387)

R5-4(37) 870 Jalna Boulevard

- a) Regulations:
 - i) Front Yard Depth (minimum): 1.8 metres
 - ii) East Interior Yard Depth (minimum): 2.9 metres
(Z.-1-263395)

R5-4(38) 36 Wethered Street

- a) Permitted Uses:
 - i) Cluster townhouse dwellings
 - ii) Cluster duplex dwellings
 - iii) Cluster semi-detached dwellings
- b) Regulations:
 - i) Lot Frontage (Minimum) – 24.0 metres
 - ii) Front Yard Depth (Minimum) – 5.0 metres
 - iii) Density (Maximum) – 50 units per hectare
 - iv) The front facade and primary entrance of dwellings fronting Wethered Street shall be oriented to the street.
 - v) Driveway and Parking Aisle Width (Minimum) – 6.0 metres
 - vi) Parking setback from southerly property line (Minimum) – 2.0 metres

- c) Additional Regulations for Cluster Semi-Detached Dwellings:
 - i) Interior Side Yard Depth (minimum) – 1.2 metres when the building wall contains no windows to bedrooms, and 3.0 metres when the building wall contains windows to bedrooms
- d) Additional Regulations for Cluster Townhouse Dwellings:
 - i) Interior Side Yard Depth (minimum) – 1.5 metres when the building wall contains no windows to bedrooms, and 3.0 metres when the building wall contains windows to bedrooms (Z.-1-263451)

R5-5 Zone Variation

- R5-5(1)

a) Regulation:

i) Front Yard Setback (Maximum) (Z.-1-081807)

6.0 metres (19.7 feet)
- R5-5(2)

2095 Coronation Drive

a) Regulations:

i) Front Yard Setback (maximum)

4.5 meters (14.7 feet)

ii) Deck Height (maximum)

No higher than the first finished floor level for each dwelling (Z.-1-132159)
- R5-5(3)

536 and 542 Windermere Road

a) Regulations:

i) Front Yard Depth (Minimum):

2.1 metres (6.96 feet)

ii) West Interior Side Yard Depth (Minimum):

3.0 metres (9.84 feet) when the end wall of a unit contains no windows to habitable rooms

iii) Height (Maximum):

10.5 metres (34.45 feet)

iv) Notwithstanding the regulations of Section 4.27 of this by-law to the contrary, on lands zoned R5-5(3) open or covered but unenclosed decks or porches not exceeding one storey in height may project no closer than 0.2 metres (0.66 feet) from the front lot line. (Z.-1-192743)
- R5-5(4)

1938 & 1964 Commissioners Road East

a) Regulations:

i) Front Yard Depth for Main Dwelling (Minimum)

4.5 metres

ii) Rear Yard Depth to OS Zone (Minimum)

4.0 metres

iii) Interior Side Yard Depth to OS Zone (Minimum)

1.2 metres
- R5-5(5)

1521 Sunningdale Road West and 2631 Hyde Park Road

- a) Regulations
 - i) Front Yard Depth 4.5 metres
For Buildings adjacent to a Local Street (minimum)
 - ii) Front Yard Depth 6.0 metres
For Buildings adjacent to a Local Street (maximum)
 - iii) Front Yard Depth 1.0 metres
For Buildings adjacent to an Arterial (minimum)
 - iv) Front Yard Depth 6.0 metres
For Buildings adjacent to an Arterial (maximum)
 - v) Garages shall not project beyond the façade of the dwelling or façade (front face) of any porch, and shall not occupy more than 50% of lot frontage. (Z.-1-223026)
- R5-5(6) 614 Westmount Crescent
 - a) Regulations
 - i) Maximum height of 12 metres (3 storeys) within 125 metres from the centerline of Commissioners Road West.
 - ii) Maximum height of 8 metres (2 storeys) beyond 125 metres from the centerline of Commissioners Road West.
 - iii) Maximum density of 39 units per hectare
 - iv) Front Yard Setback 1.5 metres
(Minimum)
 - v) Primary building entrances and a habitable floor area along building facades fronting Westmount Crescent. (Z.-1-233096)
- R5-5(7) 165-167 Egerton Street
 - b) Permitted Uses
 - i) Existing Single Detached Dwellings
 - ii) Cluster Townhouse Dwellings
 - c) Regulations for Existing Single Detached Dwellings
 - viii) Front Yard Depth 0.7 metres (2.2 feet)
(minimum)
 - ix) Interior Side Yard Depth 1.2 metres (3.9 feet)
(minimum)
 - d) Regulations for Cluster Townhouse Dwellings
 - i) Separation Distance for New Development from the Existing Single Detached Dwellings on the Same Lot 3.0 metres (9.8 feet)
(minimum)
(Z.-1-233125)
- R5-5(8) 613 Superior Drive
 - a. Permitted Use
 - i) Cluster townhouse dwellings
 - b. Regulations

- | | | | |
|---------|----|--|---|
| | i) | Building Height (Maximum)
(Z.-1-243201) | 9.0 metres |
| R5-5(9) | | 553 and 557 Upper Queen Street | |
| | a) | Permitted Use | |
| | | i) | Cluster townhouse dwellings |
| | b) | Regulations | |
| | | i) | Front Yard Depth (Minimum) – 4.0 metres |
| | | ii) | Interior Side Yard Depth (Minimum) – 3.0 metres, including windows to habitable rooms where the side wall of a dwelling unit faces the lot line |
| | | iii) | Lot Coverage (%) (Maximum) – 43% |
| | | iv) | Density (Maximum) – 47 units per hectare
(Z.-1-243239) |

R5-6 Zone Variation

- | | | | |
|---------|----|----------------|--|
| R5-6(1) | | | |
| | a) | Regulations | |
| | | i) | Landscaped Open Space (Minimum) 40 % |
| | | i) | Restricted Building Area

No habitable or parking structures shall be constructed below the U.T.R.C.A. fill line in the south east corner of the lands zoned with this special provision.
(O.M.B. File #R 910387 Appeal #1008 July 19, 1994) |
| R5-6(2) | | | |
| | a) | Permitted Use: | |
| | | i) | Cluster stacked townhouse dwellings.
(Z.-1-97491) |
| R5-6(3) | | | |
| | a) | Regulations: | |
| | | i) | Dwelling Setback Right of Way (Minimum) 120 metres (394 feet) in the absence of a combination safety berm and acoustic fence adjoining and parallel to the rail right of way, or 30 metres (98 feet) in conjunction with the safety acoustic berm noted below. (Z.-1-061478) |
| R5-6(4) | | | |
| | a) | Regulations: | |
| | | i) | Lot Frontage 20.0 metres |

	(minimum) (Z.-1-081790)	(65.62 feet)
R5-6(5)		
a)	Regulations:	
i)	Rear Yard Setback (Minimum)	8 metres (26.2 feet)
ii)	Easterly 40 m of South Interior Side Yard Setback (Minimum) (Z.-1-091868)	8 metres (26.2 feet)
R5-6(6)		
a)	Regulations:	
i)	Setback from Arterial Road (Minimum)	For all portions of a building above 8 metres (26.2 feet) in height, the required minimum setback shall be 60 metres.
ii)	Dwelling Setback From High Pressure Pipeline (Minimum). (Z.-1-091891)	20 metres (66 feet)
R5-6(7)		
a)	Permitted Uses:	
i)	Cluster townhouses dwellings;	
ii)	Medical office, defined as an office in which the practice of the professions of medicine is carried on.	
b)	Regulations	
i)	Front Yard Depth (Minimum)	0 metres (0 feet)
ii)	Rear and Interior Side Yard Depth (Minimum)	1.8 metres (6.0 feet)
iii)	Parking associated with the Medical Office	5 spaces, 2 of which can be provided in tandem in a driveway.
iv)	Gross Floor Area for Medical Office Use (Maximum)	98.5 square metres (1060.3 square feet)
iv)	The Medical Office shall be restricted to one townhouse unit and not involve the use or employment within the unit of more than two persons. The function of such persons shall be restricted to medical practitioner, secretarial, clerical or support role.	
v)	Density (Maximum) Z.-1-091903 – OMB File No. PL 100086 – OMB Case No. PL 100085)	40 units per hectare
R5-6(8)		
a)	Regulations:	
i)	Front and Exterior Side Yard Depth	4.5 m (14.76)

	(Minimum) (Z.-1-112020)	
R5-6(9)		
a)	Regulations	
i)	Front Yard Setback, Main Dwellings (Minimum):	3 metres (9.8 feet)
ii)	Front Yard Depth for Garages (Minimum): (Z.-1-142328)	5.5 metres (18.0 feet)
R5-6(10)		
a)	Regulations	
i)	Front & Exterior Side Yard Depth to Main Building (Minimum):	3.0 metres
ii)	Lot Coverage (Maximum)	50%
iii)	Height (Maximum) (Z.-1-162444)	15.0 metres
R5-6(11)	2096 Wonderland Road North	
a)	Additional Permitted Uses	
i)	Converted dwellings	
b)	Regulations	
i)	Front Yard Depth (Minimum):	0 metres (0 feet)
ii)	Rear Yard Depth (Minimum): (Z.-1-192750)	3.8 metres (12.47 feet)
R5-6(12)	58 Sunningdale Road West	
a)	Regulations:	
i)	Front and Exterior Yard Setback (Minimum):	4.5 metres
ii)	Density (Maximum):	100 units per hectare
iii)	Height Within 30 metres of “Street B”: (Z.-1-192757)	10.5 metres
R5-6(13)	58 Sunningdale Road West	
a)	Regulations	
i)	Front and Exterior Yard Setback (Minimum):	4.5 metres
ii)	Density (Maximum): (Z.-1-192757)	100 units per hectare

- R5-6(14) 3557 Colonel Talbot Road.
- a) Regulation[s]
 - iv) Front Yard Depth (min) 2.0 metres
 - v) Rear Yard Depth (min) 0.7 metres
(From OS4(13) Zone)
 - vi) South Interior Side Yard Depth (min) 3.1m
 - vii) Density (max) 51 uph
 - viii) Deck Encroachment (max) 0.0m
(From OS4(13) Zone)
(Z.-1-202870)
- R5-6(15)
- b) Regulations:
 - ii) Front Yard Setback, 3 metres
Main Dwellings (Minimum): (9.8 feet)
 - ii) Front Yard Depth 5.5 metres
for Garages (18.0 feet)
(Minimum)
 - ii) Notwithstanding the regulations of Section 4.27 of this by-law to the contrary, on lands zoned R5-6(15) open or covered but unenclosed decks not exceeding one storey in height may project no closer than 0.6 metres (1.97 feet) where the lot line abuts an OS4 Zone.
(Z.-1-212900)
- R5-6(16) 1955 Jim Hebb Way
- a) Regulations:
 - i) Front Yard Depth 4.8 metres
(Henrica Avenue)
Main Building/Garage
(Minimum)
 - ii) Exterior Side Yard Depth (Jim Hebb Way) 4.5 metres
(Minimum)
 - iii) Yard Encroachments 2.6 metres
(Maximum)
 - iv) Rear Yard Depth 4.5 metres
with windows
(Dyer Drive)
(Minimum)
 - v) Density 75 units per hectare
(Maximum)
(Z.-1-222989)
- R5-6(17) 341 Southdale Road East
- a. Regulations
 - i) Lot Frontage (Minimum) – 25.0 metres (82.0 feet)

- ii) Front Yard Depth (Minimum) – 3.0 metres (9.8 feet), measured 18.0 metres (59.0 feet) to centreline on Southdale Road East
- iii) Rear Yard Depth (Minimum) – 2.8 metres (9.2 feet)
- iv) Notwithstanding minimum driveway widths under Section 4.19, vehicular access shall be permitted via the private driveway on the adjacent property municipally addressed as 349 Southdale Road East
- v) A minimum of one (1) unit shall be required to have the primary entrance oriented to Southdale Road East (Z.-1-233134)

R5-6(18) 1958 Duluth Crescent (Southwest Apartment Block)

- a) Regulations
 - i) Front Yard Depth (Minimum): 1.5 metres
 - ii) Interior Side Yard Depth (Minimum): 4.5 metres when the wall of a unit contains windows to habitable rooms.
 - iii) Height (Maximum): 16.5 metres
 - iv) Density (Maximum): 225 units per hectare
 - v) Landscaped Open Space Buffer (Minimum): 3.0 metres required for rear and interior side yards adjacent to all R1 and R2 zones which may not be used for any other purpose other than landscaped open space.
 - vi) To permit unlimited encroachments for balconies and canopies. (Z.-1-233152; Deleted and replaced by Z.-1-253285)

R5-6(19) 1958 Duluth Crescent (Northeast Apartment/Townhouse Block)

- a. Regulations
 - i) Lot Frontage (m) Minimum: 12
 - ii) Interior Side Yard Depth (m) Minimum: 3.0 metres minimum when the wall of a unit contains windows to habitable rooms adjacent to an OS1 zone.
 - iii) Interior Side Yard Depth (m) Maximum: 6.0 metres adjacent to an OS1 zone.
 - iv) Density Units Per Hectare (Maximum): 75
 - v) Landscaped Open Space Buffer (m) Minimum: 3.0m required for rear and interior side yard adjacent to all R1 and R2 zones which may not be used for any other purpose other than landscaped open space. (Z.-1-233152)

R5-6(20)

- a) Regulations:
 - i) Southwest Yard Depth (Minimum) 3.0 metres
 - ii) Southeast Yard Depth (Minimum) 6.0 metres
 - iii) West Yard Depth (Minimum) 6.0 metres

- iv) North Yard Depth
Depth (Minimum) 1.2 metres
- v) Landscaped Open
Space (Minimum) 30%
- vi) Lot Coverage
(Maximum) 30%
- vii) Height 1 storey (Minimum)
4 storeys (Maximum)
- viii) Front face and primary entrance of all dwelling units located adjacent to a public street shall be oriented to the public street.
- ix) Townhouse blocks shall be a maximum of eight (8) units in length. (Z.-1-243246)

R5-6(21)

- a) Regulations:
 - i) North Yard Depth
(Minimum) 6.0 metres
 - ii) West Yard Depth
(Minimum) 1.5 metres
 - iii) South Yard Depth
(Minimum) 3.0 metres
 - iv) East Yard Depth
(Minimum) 3.0 metres
 - v) Height 1 storey (Minimum)
4 storeys (Maximum)
 - vi) Front face and primary entrance of all dwelling units located adjacent to a public street shall be oriented to the public street.
 - vii) Townhouse blocks shall be a maximum of eight (8) units in length. (Z.-1-243246)

R5-6(22)

- a) Regulations:
 - i) North Yard Depth
(Minimum) 6.0 metres
 - ii) West Yard Depth
(Minimum) 3.0 metres
 - iii) South Yard Depth
(Minimum) 3.0 metres
 - iv) East Yard Depth
(Minimum) 3.0 metres
 - v) Height 1 storey (Minimum)
4 storeys (Maximum)

- vi) Front face and primary entrance of all dwelling units located adjacent to a public street shall be oriented to the public street.
 - vii) Townhouse blocks shall be a maximum of eight (8) units in length. (Z.-1-243246)
- R5-6(23) 1550 and 1602 Sunningdale Road West
- a) Regulations
 - i) Minimum lot frontage – 5.5 metres (townhouses)
 - ii) Minimum front yard depth – 4.5 metres (local streets)
 - iii) Minimum interior side yard setback where there are windows to habitable rooms – 6.0 metres
 - iv) Minimum interior side yard setback where there are no windows to habitable rooms – 3.0 metres
 - v) Minimum setback from the ultimate right-of-way of Sunningdale Road West and Hyde Park Road – 6.0 metres
 - vi) Maximum setback from the ultimate right-of-way of Sunningdale Road West and Hyde Park Road – 8.0 metres
 - vii) Maximum building height – 14.0 metres
 - viii) Maximum density – 64 units per hectare (Z.-1-243248)
- R5-6(24) 1350-1352 Webster Street
- a) Permitted Uses
 - i) Cluster townhouse dwellings
 - b) Regulations
 - i) Lot Frontage (minimum) – 19.0 metres
 - ii) Rear Yard Depth (minimum) – 1.2 metres
 - iii) Interior Side Yard Depth (minimum) – 3.0 metres (Z.-1-243253)
- R5-6(25) 325 Southdale Road East
- a) Regulations
 - i) Lot Frontage (minimum) – 22.4 metres
 - ii) Front Yard Depth (minimum) – 10.0 metres as measured from front lot line existing on the date of passing this by-law
 - iii) Front Yard Depth (maximum) – 12.0 metres as measured from front lot line existing on the date of passing this by-law
 - iv) West Interior Side Yard Depth (minimum) – 5.0 metres
 - v) Parking shall not be permitted in the front yard. (Z.-1-253272)
- R5-6(26) 1484 Gore Road
- e) Regulations
 - i) Front Yard Depth (Minimum) – 3.0 metres

- ii) Interior Side Yard Depth (Minimum) – 5.5 metres for stacked townhouse dwellings
- iii) Height (Maximum) – 13.5 metres
- iv) The front façade and principal entrances of the units along Gore Road shall be oriented to the street.
(Z.-1-253290)

- R5-6(27)591 First Street
- a) Additional Permitted Use
 - i) Semi-detached Dwelling
 - b) Regulations
 - i) Front Yard Depth (minimum) – 4.5 metres
 - ii) Lot Frontage (minimum) – 21.1 metres
 - c) Additional Regulations for Semi Detached Dwelling:
 - i) South Interior Side Yard Depth (minimum) – 1.2 metres
 - d) Additional Regulations for Townhouse Dwelling:
 - i) North Interior Side Yard Depth (minimum) – 5.0 metres
 - ii) South Interior Side Yard Depth (minimum) – 6.3 metres
 - iii) Rear Yard Depth (minimum) – 3.0 metres
(Z.-1-263400)

R5-7 Zone Variation

- R5-7(1)
- a) Permitted Use
 - i) Cluster stacked townhouse dwellings.
(Z.-1-97514)
- R5-7(2)
- a) Regulations:

i) Dwelling Setback From Railway Right-of-Way (Minimum):	120 metres (394 feet) in of a safety berm, absence combination safety berm and acoustic fence, adjoining and parallel to the railway right-of-way, or 30 metres (98 feet) in conjunction with the safety/acoustic berm noted above. (Z.-1-99703 - O.M.B. Order No. 0595 - Order Issue Date: April 18, 2000)
--	--
- R5-7(3)
- a) Regulations
 - i) The maximum density calculation shall be based on a total lot area of 1.78 hectares (4.4 acres), which includes lands in the abutting OS5(4) Zone variation.
(Z.-1-00815)

- R5-7(4)
- a) Regulations:
- i) Front Yard (Maximum) 3.0 m (9.8 ft.)
 - ii) Rear Yard (Minimum) 3.0 m (9.8 ft.)
 - iii) Interior side yard for a wall with windows (Minimum) (Z.-1-061479) 2.5 m (8.2 ft.)
- R5-7(5)
- a) Regulations:
- i) Front and Exterior Side Yard Depth (Minimum) 4.5 m (14.76)
 - ii) The maximum density calculation shall be based on a total lot area of 1.33 hectares (3.3 acres), which includes lands in the abutting OS5(3) Zone (Z.-1-112020)
- R5-7(6) 1836 Richmond Street
- a) Additional Permitted Uses
- i) Commercial recreation establishments in existing buildings;
 - ii) Day care centres in existing buildings
 - iii) Dwellings in existing buildings;
 - iv) Offices in existing buildings;
 - v) Places of worship in existing buildings;
 - vi) Studios in existing buildings;
 - vii) University school related functions in existing buildings.
- b) Regulations
- i) Front Yard Depth (Minimum): 0.0 metres (0.0 feet)
 - ii) The maximum density calculation shall be based on a total lot area of 5.6 hectares (13.84 acres), which includes lands in the adjacent ecological buffer. (Z.-1-142301)
- R5-7(7) 225 and 229 Greenwood Avenue
- a) Regulation[s]
- i) Interior side yard setback from the north property line (Minimum) 3.8 metres (12.5 feet)
 - ii) Interior side yard setback from the south property line (Minimum) (Z.-1-142327) 3.4 metres (11.2 feet)
- R5-7 (7) 1921 Wonderland Road North
- a) Additional Regulations:
- i) Frontage (Minimum): 20 metres (65.6 feet)
 - ii) Interior Side Yard Setback 4.5 metres (14.8 feet)

	(Minimum):	
iii)	Rear Side Yard Setback (Minimum) (Z.-1-152415)	3.5 metres (11.5 feet)
R5-7(8)		
a)	Regulations:	
i)	Dwelling Setback From High Pressure Pipeline (Minimum):	20 metres (66 feet)
ii)	Main Dwelling Setback From Springmeadow Road (Minimum):	2.5 metres (9.8 feet)
iii)	Garage Setback From Springmeadow Road (Minimum) (Z.-1-162502)	5.5 metres (18.0 feet)
R5-7(9)		
a)	Regulations	
i)	Dwelling Setback from a High Pressure Pipeline (Minimum): (Z.-1-172539)	20 metres
	915, 965, 1031 and 1095 Upperpoint Avenue	
b)	Regulations:	
i)	Front Yard Depth to Main Dwelling (Minimum):	3.0 metres
ii)	Front and Exterior Yard Depth to Garage (Minimum):	5.5 metres
iii)	Exterior Side Yard Depth (Minimum):	4.5 metres
iv)	Interior Side Yard Depth (Minimum):	1.2 metres
v)	Height (Maximum): (Z.-1-192780)	13 metres
R5-7(10)		
	307 Fanshawe Park Road East	
a)	Permitted Uses:	
i)	Stacked Townhouse	
b)	Regulation[s]:	
i)	Density (Maximum):	75 units per hectare
ii)	Front yard depth (Minimum):	4.5 metres
iii)	West interior side yard for a lot depth of 30 metres	4.9 metres
iv)	Front yard setback	2.3 metres

	to patio/porch (Minimum):	
	v) Height for a lot depth of 30 metres (Maximum):	12 metres
	vi) Height for balance of the lands (Maximum):	10 metres
	vii) Parking spaces required (Maximum): (Z.-1-192791)	1.25 per unit
R5-7(11)	800, 805 and 810 Chelton Road	
	b) Regulations:	
	ii) Interior Side Yard Yard Setback (Minimum):	2.0 metres
	iii) Setback from an Open Space (OS5) Zone (Minimum): (Z.-1-192794)	3.0 metres
R5-7(12)	1146-1156 Byron Baseline Road	
	a) Regulations	
	i) Building Height for a Lot Depth of 35 metres (114.8 feet) (Maximum)	12 metres (39.37 feet)
	ii) Building Height for a Lot Depth Beyond 35 metres (114.8 feet) (Maximum)	8 metres (26.2 feet)
	iii) Parking Area Setback from the ultimate road allowance (Minimum) (Z.-1-202859)	7.5 metres (24.6 feet)
R5-7(13)	1200 & 1230 Hyde Park Road	
	a) Regulation[s]	
	i) Net Density (maximum)	35 uph (based on total land area within the zone)
	ii) Height (maximum)	14 metres (45.9 feet)
	iii) Front & Exterior side Yard Depth (minimum)	3 metres (9.84 feet)
	iv) Setback from Railway Right of Way (minimum)	30 metres (98.4 feet)
	v) The front face and primary entrance of dwellings shall be oriented to adjacent streets (Z.-1-202869)	
R5-7(14)	1176, 1200 & 1230 Hyde Park Road and a portion of 1150 Gainsborough Road	
	a) Regulation[s]	
	i) Density (maximum)	100uph (41 units per acre)

- ii) Front & Exterior side Yard Depth 3 metres (9.84 feet)
(minimum)
 - iii) Setback from Railway 30 metres
Right of Way (minimum) (98.4 feet)
 - iv) The front face and primary entrance of dwellings shall be
oriented to adjacent streets
(Z.-1-202869)
- R5-7(15) 1176 & 1200 Hyde Park Road and a portion of 1150 Gainsborough
Road
 - a) Regulation[s]
 - i) Density 90uph (37 units per acre)
(maximum)
 - ii) Lot Frontage 10 metres (32.8 feet)
(maximum)
 - iii) Setback from Railway 30 metres (98.4
Right of Way (minimum) feet)
(Z.-1-202869)
- R5-7(16) 799 Southdale Road West
 - a) Regulations:
 - i) Density 100uph
(maximum)
 - ii) The front lot line is deemed to be Southdale Road West
(Z.-1-202876)
- R5-7(17)
 - a) Permitted Uses:
 - i) Cluster townhouse dwellings;
 - b) Regulations:
 - i) Height 10.5 m (34.4ft)
(Z.-1-212893)
- R5-7(18) 6019 Hamlyn Street
 - a) Regulation[s]:
 - i) Front & Exterior side Yard Depth 3 metres
to Main Building (9.84 feet)
(minimum)
 - ii) Front & Exterior side Yard Depth 6 metres
to Main Building (19.68 feet)
(maximum)
 - iii) Lot Coverage 50%
(maximum)
 - iv) Garages shall not project beyond the façade of the dwelling
or façade (front face) of any porch, and shall not occupy
more than 50% of lot frontage
 - v) The front face and primary entrance of dwellings shall be
oriented to adjacent streets
(Z.-1-212910)
- R5-7(19) 1697 Highbury Avenue North
 - c) Regulations:

	vi)	Front Yard Depth (Minimum):	1.0 metres
	vii)	Front Yard Depth (Maximum):	6.0 metres
	viii)	South Interior Yard Depth (Minimum):	1.5 metres
	ix)	Rear Yard Depth (Minimum):	5.5 metres
	x)	The definition of “STACKED TOWNHOUSE” permits units to be stacked three (3) units high, for only those units located immediately adjacent and oriented to Highbury Avenue North. (Z.-1-212940)	
R5-7(20)	414-418 Old Wonderland Road		
	a)	Regulations:	
	i)	Interior Yard Depth for decks (Minimum):	3.0 metres
	ii)	Rear Yard Depth for decks (Minimum):	3.0 metres
	iii)	Parking Rate for Stacked Townhouses:	1.0 space per unit
	iv)	Setback to the Open Space (OS5) Zone: (Z.-1-212953)	0.0 metres
R5-7(21)	584 Commissioners Road West		
	a)	Regulations:	
	i)	Front Yard Depth (Minimum)	1.5 metres (4.92 feet)
	ii)	Front Yard Depth (Maximum)	3.0 metres (9.84 feet)
	iii)	West Interior Yard Depth for buildings oriented to and fronting Commissioners Road West (Minimum) (Z.-1-212967)	3.4 metres (11.15 feet)
R5-7(22)	4270 Lismer Lane		
	a)	Regulations:	
	i)	Lot Frontage (Minimum)	20m (65.6ft)
	ii)	Rear Yard depth for adjacent to Arterials (Minimum – Maximum)	4.5m (14.8ft) – 6.0m (19.7ft)
	iii)	Interior Side Yard depth (Minimum)	4.5m (14.8ft)
	iv)	Front Yard depth for adjacent to Local Street Main Building/Garage (Minimum) (Z.-1-222988)	3.5m (11.48ft)
R5-7(23)	538 Southdale Road East		

- a) Regulations
- i) Lot Frontage (Minimum)29 metres

ii) Front and Exterior Side Yard (Minimum)1.5 metres

(Maximum)4.5 metres (where more than one building is to be developed on a lot, the maximum front and exterior side yard depth shall only apply to the building nearest to the lot line shared with the street)

iii) Interior and Rear Yard Depth (Minimum)

Interior (First 30 metres of Lot Depth): 1.8 metres when the end wall of a unit contains no windows to habitable rooms, or 6.0 metres when the wall of a unit contains windows to habitable rooms

Interior (remainder): 3.0 metres when the end wall of a unit contains no windows to habitable rooms, or 6.0 metres when the wall of a unit contains windows to habitable rooms.

Rear: 1.0 metres per 1.0 metres of main building height but in no case less than 6.0 metres.

iv) Density (Maximum)75 units per hectare

v) Parking (Minimum)(Z.-1-223045)1 space per unit

R5-7(24)574 Southdale Road East

- a) Regulations
- i) Front Yard and Exterior Side Yard Depth (Minimum)1.5 metres

(Maximum)4.5 metres (where more than one building is to be developed on a lot, the maximum front and exterior side yard depth shall only apply to the building nearest to the lot line shared with the street)

ii) Interior and Rear Yard Depth (Minimum)

Interior (First 30 metres of Lot Depth): 1.8 metres when the end wall of a unit contains no windows to habitable rooms, or 6.0 metres when the wall of a unit contains windows to habitable rooms

Interior (remainder): 3.0 metres when the end wall of a unit contains no windows to habitable rooms, or 5.4 metres (west) and 3.0 metres (east) when the wall of a unit contains windows to habitable rooms.

Rear: 1.0 metres per 1.0 metres of main building height but in no case less than 6.0 metres.

iii) Density (Maximum)70 units per hectare

	iv)	Parking (Minimum) (Z.-1-223049)	1 space per unit
R5-7(25)	767 Fanshawe Park Road East		
	a)	Regulations	
	i)	Front Yard Setback (Minimum)	3.8 metres (12.46 feet)
	ii)	Setback of Balcony Projection to Lot Line (Minimum)	3.25 metres (10.66 feet)
	iii)	East Interior Yard Setback (Minimum)	3.3 metres (10.82 feet)
	iv)	Maximum density of 64 units per hectare (Maximum) (Z.-1-223052)	64 Units per hectare (uph)
R5-7(26)	21-41 Meadowlily Road North & 20 Norlan Avenue		
	a)	Regulations	
	i)	Front Yard Depth (Minimum) – 2.8 metres	
	ii)	Exterior Side Yard Depth (Minimum) – 3.7 metres	
	iii)	Interior Side Yard Depth (Minimum) – 5.8 metres	
	iv)	Rear Yard Depth (Minimum) – 3.9 metres	
	v)	Density (Maximum) – 105 units per hectare	
	vi)	Parking – In accordance with section 4.19 of Zoning By-law Z.-1	
	vii)	Setback for Second Storey Decks – In accordance with section 4.27 of Zoning By-law Z.-1 (Z.-1-223057; Deleted and replaced by Z.-1-253277)	
R5-7(27)	3195, 3207 White Oak Road and 2927 Petty Road		
	a)	Regulation(s)	
	i)	Height	12.0m (maximum)
	ii)	Exterior Side Yard	1.2m (minimum) 3.0m (maximum)
	iii)	Rear Yard Second Storey Decks	4.1m (minimum)
	iv)	Rear Yard Depth (Z.-1-233070)	6.0m North Interior Side Yard (minimum)
R5-7(28)	2846 and 2870 Tokala Trail		
	a)	Regulations	
	i)	Density (Maximum) (Z.-1-233071)	70 units per hectare
R5-7(29)	870-922 Medway Park Drive		

	a) Regulations	
	i) Front Yard Depth (Minimum)	1.5 metres
	ii) Front Yard Depth (Maximum)	10.0 metres
	iii) Rear Yard Depth (Minimum)	5.0 metres
	iv) West Interior Side Yard Depth (Minimum)	6.0 metres
	v) East Interior Side Yard Depth (Minimum)	5.0 metres
	vi) Rear Yard Second Storey Deck (Minimum)	2.5 metres
	vii) East Interior Side Yard Second Storey Deck (Minimum)	2.5 metres
	viii) West Interior Side Yard Second Storey Deck (Minimum) (Z.-1-233072)	3.5 metres
R5-7(30)	634 Commissioners Road West	
	a) Regulations	
	i) Density (Maximum)	67 Units Per Hectare
	ii) Front Yard Depth (Minimum)	5.0 metres
	iii) Interior Side Yard Depth (Minimum)	1.8 metres when the building wall contains no windows to habitable rooms, or 3.0 metres when the building wall contains windows to habitable rooms.
	iv) Rear Yard Depth	1.0 metre per 1.0 metre of main building height, but in no case less than 6.0 metres.
	v) Enhanced Landscaped Strip (minimum)	A minimum 3.0-metre-deep landscape strip shall be required along the south lot line. (Z.-1-233081 deleted and replaced by Z.-1-243203)
R5-7(31)	489 Upper Queen Street	
	a) Permitted Uses	
	i) Cluster Townhouse Dwellings	
	b) Regulations	
	i) Front Yard Depth (Minimum)	4.0 metres
	ii) Rear Yard Depth (Minimum)	1.0 metre per 1.0 metre of main building height or fraction thereof

		but in no case less than 6.0 metres
	iii) North Interior Yard Depth (Minimum)	1.8 metres when the end wall of a unit contains no windows to habitable rooms, or 6.0 metres when the wall of a unit contains windows to habitable rooms
	iv) South Interior Yard Depth (Minimum)	10 metres
	v) Height (Maximum)	9.5 metres
	vi) Density (Maximum)	36 uph
	vii) No garages shall be permitted on the street-facing elevation of any building(s) located directly adjacent to Upper Queen Street. (Z.-1-233088)	
R5-7(32)	1154 Hamilton Road	
	a) Regulations:	
	i) Front Yard Depth (Minimum)	3.0 metres (9.8 feet)
	ii) Rear Yard Depth (Minimum)	5.0 metres (16.4 feet)
	iii) South Interior Side Yard Depth (Minimum)	2.5 metres (8.2 feet)
	iv) East Interior Side Yard Depth (Minimum)	2.5 metres (8.2 feet)
	v) Maximum Encroachment for a non-structural architectural feature no closer than 0.3 metres (0.98 feet) to the lot line.	
	vi) Maximum Balcony Encroachment into the front yard provided the projection is no closer than 1.8 metres (5.9 feet) to the lot line. (Z.-1-233093)	
R5-7(33)	2550 Sheffield Boulevard	
	a) Permitted Use:	
	i) Cluster townhouse dwellings	
	b) Regulations:	
	i) Front and Exterior Side Yard Depth to Main Building (Minimum)	4.0 metres
	ii) Interior Side and Rear Yard Depth (Minimum)	3.0 metres
	iii) Landscaped Open Space (%) (Minimum)	28%
	iv) Balcony Encroachment	2.1 metres

(Maximum)
(Z.-1-233135)

R5-7(34) 1208 Fanshawe Park Road East

- a) Regulations:
- i) Front Yard Depth (Minimum) 3.0 metres (9.8 feet)
 - ii) Rear Yard Depth (Minimum) 5.0 metres (16.4 feet)
 - iii) Density (Maximum) (Z.-1-233141) 74 units per hectare

R5-7(35) 1236 Southdale Road East

- a) Regulations
- i) Front yard setback (Minimum) 1.5 metres
 - ii) Front yard encroachment (Maximum) Up to 0.4 metres
 - iii) Interior side yard setback (Minimum) 2.0 metres
 - iv) Rear yard setback (Minimum) 3.0 metres
 - v) Height (Maximum) 14.0 metres
 - vi) Density (Maximum) (Z.-1-233146) 67 units per hectare

R5-7(36) 1990 Commissioners Road East & 2767 Doyle Drive

- a. Regulations
- i) Height (Maximum) 15 metres
 - ii) Density (Maximum) 66 UPH
 - iii) Architectural Encroachment (Structural or non-structural) (maximum) 1.0 metres
 - iv) For the purpose of Zoning, the front lot line is deemed to be Commissioners Road East (Z.-1-233162)

R5-7(37) 1982 Commissioners Road East and part of 1964 Commissioners Road East

- a) Regulations:
- i) For the purposes of Zoning, Commissioners Road East is to be considered the front lot line.
 - ii) Front Yard Depth (Minimum) 3.0 metres (9.8 feet)

- iii) Rear Yard Depth (Minimum) 1.5 metres (4.9 feet)
- iv) North Interior Side Yard Depth (Minimum) 1.8 metres (5.9 feet)
(Z.-1-243171)

R5-7(38) 755, 785 and 815 Wonderland Road South

a) Regulations

- i) Height (Maximum) 9.0 metres (29.5 feet)
- ii) Density (Maximum) 75 Units per Hectare
(Z.-1-243189 – OLT-23-000367)

R5-7(39) 323 Oxford Street West (Block 4 & 5)

a) Additional Permitted Uses

- i) Cluster stacked townhouse

b) Regulations

- i) Front Yard (maximum) 3.0 metres (9.8 feet)
- ii) Exterior Yard (maximum) 1.5 metres (5 feet)
- iii) Interior Yard (minimum) 1.5 metres (5 feet)
- iv) Rear Yard (minimum) 3.0 metres (9.8 feet)
- v) Density (maximum) 75uph (30 units/acre)
- vi) Height (maximum) 13.0 metres (43 feet) (4 storeys)
- vii) Lot Coverage (maximum) 45%
- viii) Landscape Open Space (minimum) 30%
(Z.-1-243226)

R5-7(40) 3614, 3630 Colonel Talbot Road and 6621 Pack Road

a) Regulations

- i) Minimum front yard setback of 4.5 metres
- ii) Minimum exterior side yard setback of 2.5 metres
- iii) Minimum interior side yard setback of 1.2 metres
- iv) Minimum rear yard setback of 4.5 metres
- v) Minimum 1 parking space per unit
- vi) Minimum landscaped open space of 25 percent
- vii) Maximum lot coverage of 50 percent
- viii) Maximum height of 6 storeys (20 metres)
- ix) Maximum density of 100 units per hectare
(Z.-1-243229)

- R5-7(41) 3614, 3630 Colonel Talbot Road and 6621 Pack Road
- a) Regulations
- i) Minimum front yard setback of 4.5 metres
 - ii) Minimum exterior side yard setback of 2.5 metres
 - iii) Minimum interior side yard setback of 1.2 metres
 - iv) Minimum rear yard setback of 4.5 metres
 - v) Minimum 1 parking space per unit
 - vi) Minimum landscaped open space of 25 percent
 - vii) Maximum lot coverage of 50 percent
 - viii) Maximum height of 4 storeys (13 metres)
 - ix) Maximum density of 100 units per hectare (Z.-1-243229)
- R5-7(42) 1458 Huron Street & 39 Redwood Lane
- a) Additional Permitted Uses:
- i) Converted Dwellings
- b) Regulations
- i) Front yard setback (minimum) – 3.2 metres
 - ii) Density (maximum) – 63 Units Per Hectare
 - iii) Interior side yard setback (minimum) - 3.0 metres
 - iv) For the purpose of Zoning, the front lot line is deemed to be Huron Street (Z.-1-243231)
- R5-7(43) 850 Highbury Avenue North
(Residential - Policy Areas 1A & 2)
- a) Regulations:
- i) Front and Interior Side Yard Depth (Minimum) – 4.5 metres (14.7 feet)
 - ii) Height (Minimum) – The lesser of 2-storeys or 8.0 metres
 - iii) Density Units Per Hectare (Minimum) – 30
 - iv) Density Units Per Hectare (Maximum) – 75 (Z.-1-243254)
- R5-7(44) 850 Highbury Avenue North
(Residential - Policy Area 1B)
- a) Regulations:
- i) Front and Interior Side Yard Depth (Minimum) – 4.5 metres (14.7 feet)
 - ii) Height (Minimum) – The lesser of 2-storeys or 8.0 metres
 - iii) Density Units Per Hectare (Minimum) – 45
 - iv) Density Units Per Hectare (Maximum) – 75 (Z.-1-243254)
- R5-7(45) 566, 568, 572, 578 Colborne Street

- a) Additional Permitted Uses:
 - i) Converted Dwellings
 - ii) Duplex Dwellings
 - b) Regulations:
 - i) Front Yard Setback (minimum) – 0.3 metres (as existing on the date of passing this by-law).
 - ii) Rear Yard Setback (minimum) – 4.0 metres, including walls with windows to habitable rooms.
 - iii) South Interior Side Yard Setback (minimum) – 1.3 metres (as existing on the date of passing this by-law).
 - iv) North Interior Side Yard Setback (minimum) – 3.0 metres, including walls with windows to habitable rooms.
 - v) Density (maximum) – 80 Units Per Hectare.
(Z.-1-243259)
- R5-7(46) 1210 & 1240 Wharncliffe Road South
- a) Regulations
 - i) Lot Frontage (minimum) – 13.0m
(Z.-1-243263)
- R5-7(47) 691 Fanshawe Park Road East
- a) Regulations
 - i) Lot Frontage (minimum) – 23.0 metres
 - ii) Front Yard Depth (minimum) – 3.0 metres
 - iii) Rear Yard Depth (minimum) – 3.5 metres
 - iv) Interior Side Yard Depth (minimum) – 2.5 metres, provided there are no windows to habitable rooms
 - v) Building Height (maximum) – 14.0 metres
 - vi) Density (maximum) – 75 units per hectare
(Z.-1-253274)
- R5-7(48) Edgevalley Phase 2 - 1782 Kilally Road (Townhouse Block)
- a) Permitted Uses:
 - i) Cluster townhouse dwellings
 - b) Regulations:
 - i) Front and Exterior Side Yard (m) Minimum: 4.0m Local Street Main Building, 5.5m Local Street Garage
(Z.-1-253294)
- R5-7(49) 20 Clarke Road
- a) Prohibited Uses
 - i) Cluster Stacked Townhouses
 - b) Regulations
 - i) Front Yard Depth (minimum) – 4.5 metres
 - ii) Rear Yard Depth (minimum) – 6.0 metres
 - iii) Interior Side Yard Depth (minimum) – 3.0 metres
(Z.-1-253320)

- R5-7(50) 20 Clarke Road
- a) Prohibited Uses
 - i) Cluster Stacked Townhouses
 - b) Regulations
 - i) Front Yard Depth (minimum) – 3.0 metres
 - ii) Interior Side Yard Depth (minimum) – 5.0 metres (Z.-1-253320)
- R5-7(51) 168 Meadowlily Road South
- a) Regulations:
 - i) Rear Yard Setback (Minimum) 3.0 metres (9.8 feet)
 - ii) Exterior Side Yard Setback (Minimum) 3.5 metres (local), 4.5 metres (arterial) (Z.-1-253323)
- R5-7(52) 168 Meadowlily Road South
- a) Regulations:
 - i) Front Yard Setback (Minimum) 3.5 metres (local)
 - ii) Building Height (Maximum) 13.0 metres (3.5 storeys)
 - iii) Density (Maximum) 130 units per hectare (Z.-1-253323)
- R5-7(53) 17 & 19 Wistow Street
- a) Regulations:
 - i) Front Yard Setback – 3.5 metres
 - ii) Rear Yard Setback – 2.5 metres (Z.-1-253324)
- R5-7(54) 514 & 520 South Street
- a) Regulations
 - i) Density (maximum) – 105 units per hectare
 - ii) Height (maximum) – 14.0 metres
 - iii) “STACKED TOWNHOUSE” means a townhouse building containing three or more dwelling units attached side-by-side, with each of these dwelling units having at least one dwelling unit above or below them, and where each dwelling unit has an independent entrance from the exterior or a common vestibule. Stacked townhouse dwelling shall not include a street townhouse dwelling with or without additional dwelling units. (Z.-1-253353)
- R5-7(55) 1511 Clarke Road
- a) Regulations

- i) Front and Exterior Side Yard Depth for all roads (minimum) – 4.5 metres
 - ii) Height (maximum) – 16 metres (4 storeys)
 - iii) Density (maximum) – 100 unit per hectare (Z.-1-253375)

- R5-7(56) 144 Base Line Road West
 - a) Regulations
 - i) Lot Area (Minimum) – 789.9m²
 - ii) Lot Frontage (Minimum) – 19.8 metres
 - iii) Front Yard Depth (Minimum) – 4.9 metres
 - iv) Exterior Side Yard Setback (Minimum) – 2.0 metres
 - v) Interior Side Yard Setback (Minimum) – 2.8 metres when the building wall contains no windows to bedrooms, and 4.5 metres when the building wall contains windows to bedrooms.
 - vi) Density (Maximum) – 115 units per hectare
 - vii) Parking Setback from Northerly Property Line (Minimum) – 1.5 metres
 - viii) Drive Aisle and Parking Aisle Width (Minimum) – 6.0 metres (Z.-1-253383)

- R5-7(57) 10 Marley Place
 - a) Additional Permitted Uses:
 - i) Cluster single detached dwellings
 - b) Regulations:
 - i) Interior Yard Depth (minimum): 2.2 metres where the end wall of a unit contains no windows to habitable rooms
 - ii) Rear Yard Depth (minimum): 3.0 metres to the main building, 1.5 metres to second storey decks
 - iii) Height (maximum): 10.5 metres
 - iv) Parking Setback (minimum): 2.0 metres
 - v) Parking Location: Restricted to the interior side and rear yards (Z.-1-263403)

- R5-7(58) 68-76 Commissioners Road East
 - a) Regulations:
 - i) Front Yard Depth (minimum): 3.0 metres
 - ii) Density (maximum): 65 units per hectare
 - iii) The front façade and principal entrances of the units along Commissioners Road East shall be oriented to the street. (Z.-1-263413)

- R5-7(59) 80 Commissioners Road East
 - a) Regulations:
 - i) Lot Frontage (minimum): 28.0 metres
 - ii) Front Yard Depth (minimum): 3.0 metres
 - iii) West Interior Side Yard Depth (minimum): 1.5 metres
 - iv) Density (maximum): 63 units per hectare

- v) The front façade and principal entrances of the units along Commissioners Road East shall be oriented to the street.
(Z.-1-263414)
- R5-7(60) 3680 Wonderland Road South (Block 3)
 - a) Regulations
 - i) Front and Exterior Yard Depth (minimum) – 3.0 metres
 - ii) Rear and Interior Side Yard Depth (minimum) – 6.0 metres
 - iii) Density (maximum) – 96 units per hectare
(Z.-1-263418)
- R5-7(61) 63 Greenfield Drive
 - a) Permitted Uses
 - i) Cluster townhouse dwellings
 - b) Regulations
 - iv) Lot Frontage (minimum): 25.0 metres
 - v) Southerly Interior Side Yard Depth (minimum): 5.0 metres
 - vi) Drive Aisle Width (minimum): 6.0 metres
 - vii) The front face and principal entrance of the unit adjacent to Greenfield Drive shall be oriented to the street.
(Z.-1-263437)
- R5-7(62) 3924 Colonel Talbot Road
 - a) Regulations:
 - i) Front and Exterior Yard Depth (Minimum) – 3.0 metres
 - ii) Rear and Interior Side Yard Depth (Minimum) – 3.0 metres
(Z.-1-263447)
- R5-7(63) 2496 Dundas Street East
 - a) Regulations
 - i) East Interior Side Yard Setback (minimum): 2.39m
(Z.-1-263448)

Table 9.3
Residential R5 Zone
Regulations for R5 Zone Variations

Residential Type:		Townhouses And Stacked Townhouses						
Zone Variations:		R5-1	R5-2	R5-3	R5-4	R5-5	R5-6	R5-7
Permitted Uses:		See Section 9.2						
Lot Area (M²) (Minimum)		2000			1500		1000	
Lot Frontage (M) (Minimum)		30.0 See Section 9.3(1)						
Front And Exterior Side Yard Depth (M) Minimum	Local Street Main Building	6.0						
	Local Street Garage	6.0						
	Arterial	8.0						
	Primary Collector	6.0						
	Secondary Collector	6.0						
Rear And Interior Side Yard Depth (M) (Minimum)	Standard Regulation	0.5 metres (1.6 feet) per 1.0 metres (3.28 feet) of main building height, or fraction thereof, but in no case less than 3.0 metres (9.8 feet) when the end wall of a unit contains no windows to habitable rooms, or 6.0 metres (19.7 feet) when the wall of a unit contains windows to habitable rooms. 3.0 metres (9.8 feet) where the end wall of an end unit facing the rear yard and/or interior side yard may contain a window(s) to habitable rooms on the group floor only and no access points to the dwelling unit along the end wall facing the rear yard and/or the interior sideyard.(Z.-1-00761) (Z.-1-021025)						
	Central London¹	0.4 metres (1.3 feet) per 1.0 metres (3.28 feet) of main building height, or fraction thereof, but in no case less than 2.5 metres (8.0 feet) when the end wall of a unit contains no windows to habitable rooms, or 6.0 metres (19.7 feet) when the wall of a unit contains windows to habitable rooms.						
Landscaped Open Space (%) (Minimum)		45			35		30	
Lot Coverage (%) (Maximum)		30			40		45	
Height (M) (Maximum)		12.0						
Density Units Per Hectare (Maximum)		25	30	35	40	45	50	60

Footnote:
¹ For the purpose of the By-law and the application of the R5 Zone, Central London is an area bound on the west by the Thames River, on the north by Oxford Street, on the east by Adelaide Street and on the south by the Thames River.